


B.lux

Decorative lighting	14
Suspension lamps	14
Floor lamps	28
Table lamps	33
Ceiling lamps	37
Wall lamps	42
Lighting systems	46
Architectural lighting	50
Outdoor lighting	60
Iconography	68

Decorative lighting


Suspension lamps




Aspen
p. 14




Bowee
p. 14




Castle
p. 15




C_Ball
p. 16




Roof
p. 23




Scout
p. 24




Skin
p. 24




Speers
p. 25




Tree Series
p. 27




Globe
p. 16




HLF
p. 16




Ilde
p. 17




Ilde Max
p. 17



Keshi
p. 18




Lite Hole
p. 18




Micro
p. 19




Misko
p. 19




Misko SH
p. 20



Overlay
p. 21



R2
p. 21



Ring
p. 23

Decorative lighting

Suspension lamps

Decorative lighting


Floor lamps

Decorative lighting


Table lamps



Aspen
p. 28




Blux System
p. 28




Bowee
p. 29




C_Ball
p. 29




Bluebird
p. 33




Blux System
p. 33



C_Ball
p. 33



Keshi
p. 34



Lola
p. 30



Misko
p. 30




Overlay
p. 31




Ring
p. 31




Kup Camp
p. 34



Lola
p. 34




Misko
p. 35



Misko Camp
p. 35




Speers
p. 32



Overlay
p. 35



Ring
p. 36




Regina
p. 36

Decorative lighting


Ceiling lamps

Decorative lighting


Wall lamps




Aspen
p. 37




Blux System
p. 37




Castle
p. 38




Lite Hole
p. 38




Misko
p. 39




Q. Bo
p. 39




R2
p. 39



Tree Series
p. 40




Blux System
p. 42




Bowee
p. 43




C_Ball
p. 43




Eliana
p. 44




Misko
p. 44




Q. Bo
p. 44




Ring W1
p. 44




Ring W2
p. 44



Veroca
p. 40



Speers
p. 45




Speers Arm
p. 45


Decorative lighting

☉ Lighting systems


Architectural lighting



Aspen SH
p. 46




C_Ball System
p. 47




Kup
p. 48




Kupetz
p. 48




Anvil System
p. 50




Anvil Led Module
p. 52




Anvil Spot
p. 53




Anvil Spot Slim
p. 53



Anvil Point
p. 54




Marc
p. 54



Marc Dos
p. 57


Outdoor lighting




AMS
p. 60




Blok Out
p. 60



C_Ball W Outdoor
p. 61




Frame
p. 61



Inn Side
p. 61



Kanpazar
p. 62



Lap Bench
p. 63




Speers Outdoor
p. 63




Speers Outdoor W1
p. 64




Speers Outdoor Bollard
p. 64




Topa
p. 64




Tube
p. 65



Zenete
p. 65




Zen
p. 66



Zenthin
p. 67

Aspen



by Werner Aisslinger

Shade: Grey (matte), Snow (matte), Lemon (matte), Mango (matte), Clear turquoise (matte), Aqua (matte), Merlot (matte), River (matte), Sea (matte), Rose (matte), Limestone (matte), Black (matte) and Brass (matte).
Ring: Black (matte).

See online color configurator

DIMMER


ASPEN F p. 28

ASPEN C p. 37

ASPEN SH p. 46

727350	ASPEN S17A LED	LED 16,6W 1350lm 2700K CRI≥90 230V DIM PHASE-CUT	F	2	18 x 21 x 24 cm VOL 0,008 m ³	Ø				474,91
727351	ASPEN S17B LED					Ø				515,85
727320	ASPEN S17A (E27)	LED 15W (E27) / Flu. max. 30W (E27)	D/G	2	18 x 21 x 24 cm VOL 0,008 m ³	Ø				385,17
727321	ASPEN S17B (E27)					Ø				425,64
727352	ASPEN S40 LED	LED 24,4W 2956lm 700mA 2700K CRI≥90 110-230V DIM PUSH / 1-10V	E	5,2	18 x 21 x 24 cm VOL 0,008 m ³	Ø				889,95
727353	ASPEN S40 (E14)	LED 2 x 6W (E14) / Flu. 2 x max. 8W (E14)	F/G		18 x 21 x 24 cm VOL 0,008 m ³	Ø				749,27
CASAMBI on request / bajo pedido										150,00

Bowee



by Werner Aisslinger

Beige (matte), Clear turquoise (matte) and Metallic English bronze.


DIMMER

BOWEE F p. 29


BOWEE W p. 43

758300	BOWEE S1 BEIGE					Ø				318,00
758301	BOWEE S1 CLEAR TURQUOISE	LED 8W 560lm 2700K	G		58 x 23 x 23 cm VOL 0,030 m ³	Ø				318,00
758302	BOWEE S1 METALLIC ENGLISH BRONZE	CRI≥90 230V DIM PHASE CUT				Ø				318,00
758303	BOWEE S1 BLACK					Ø				318,00
758320	BOWEE S2 BEIGE					Ø				587,24
758321	BOWEE S2 CLEAR TURQUOISE	LED 2 x 8W 1120lm 2700K	G		70 x 70 x 20 cm VOL 0,098 m ³	Ø				587,24
758322	BOWEE S2 METALLIC ENGLISH BRONZE	CRI≥90 230V DIM PHASE CUT				Ø				587,24
758323	BOWEE S2 BLACK					Ø				587,24
CASAMBI on request / bajo pedido										150,00

BOWEE SH4




BOWEE SH6



758350	BOWEE SH4 BEIGE					Ø				935,98
758351	BOWEE SH4 CLEAR TURQUOISE	LED 4 x 8W 2240lm 2700K	G		33 x 33 x 169 cm VOL 0,184 m ³	Ø				935,98
758352	BOWEE SH4 METALLIC ENGLISH BRONZE	CRI≥90 230V DIM PHASE CUT				Ø				935,98
758353	BOWEE SH4 BLACK					Ø				935,98
758360	BOWEE SH6 BEIGE					Ø				1.230,66
758361	BOWEE SH6 CLEAR TURQUOISE	LED 6 x 8W 3360lm 2700K	G		194 x 51 x 14 cm VOL 0,138	Ø				1.230,66
758362	BOWEE SH6 METALLIC ENGLISH BRONZE	CRI≥90 230V DIM PHASE CUT				Ø				1.230,66
758363	BOWEE SH6 BLACK					Ø				1.230,66
CASAMBI on request / bajo pedido										150,00

Castle



by Stone Designs

White (matte), Black (matte) and Natural Oak.


DIMMER

CASTLE C p. 38


737311	CASTLE S60 WHITE					Ø				1.144,99
737312	CASTLE S60 BLACK	LED 17,4W 3416lm 150mA 3000K	C	10,6	72,5 x 72 x 22,5 cm VOL 0,12 m ³	Ø				1.144,99
737313	CASTLE S60 OAK					Ø				1.407,62
737331	CASTLE S90 WHITE					Ø				1.791,61
737332	CASTLE S90 BLACK	LED 41W 7960lm 350mA 3000K	C	17,6	97 x 97 x 19 cm VOL 0,179 m ³	Ø				1.791,61
737333	CASTLE S90 OAK	CRI≥90 230V DIM PUSH/DALI				Ø				2.087,63
737351	CASTLE S120 WHITE					Ø				2.516,08
737352	CASTLE S120 BLACK	LED 19,5W 3664lm 225mA + LED 41W 7960lm	C	31,2	130 x 130 x 21 cm VOL 0,35 m ³	Ø				2.516,08
737353	CASTLE S120 OAK	CRI≥90 230V DIM PUSH/DALI				Ø				2.871,75
CASAMBI on request / bajo pedido										150,00

C_Ball

C_BALL S1



C_BALL S2




by Stone Designs

- Brass (satin) and Black (matte).
- C_BALL F** p. 29
- C_BALL T** p. 33
- C_BALL W** p. 43
- C_BALL System** p. 47

748310	C_BALL S1 BRASS	LED 6W (E14) / Flu. max. 12W (E14)	F/G	2,3	68 x 27,5 x 15,5 cm VOL 0,03 m ³				435,13
748315	C_BALL S1 BLACK								362,19
748320	C_BALL S2 BRASS	LED 2 x 6W (E14) / Flu. 2 x max. 12W (E14)	F/G	3,4	98 x 27,5 x 15,5 cm VOL 0,041 m ³				610,46
748325	C_BALL S2 BLACK								511,86
CASAMBI on request / bajo pedido									100,00

Globe

GLOBE




by Jan Van Lierde

- Opal White.


639300	GLOBE	LED 13W (E27) / Flu. 23W (E27)	D/G	9,768	63,5 x 63,5 x 62 cm VOL 0,25 m ³				569,94
CASAMBI on request / bajo pedido									100,00

HLF

HLF S



HLF SR




by Héctor Fernández

- Grey (matte).


713305	HLF S LED	LED 4 x 3W 720lm 12V 3000K		15	70 x 70 x 23 cm VOL 0,11 m ³				13.949,04
713315	HLF SR LED	CRl≥90 230V							13.542,75

Ilde

ILDE S1



ILDE WOOD S1




by David Abad

- ILDE S1:** Chrome (matte) and Bronze (texturised).
- ILDE WOOD S1:** Natural Oak.

700351	ILDE S1 CHROME	LED G125 Reflector 6W (E27) DIM PHASE CUT	E	1	17 x 17 x 25,5 cm VOL 0,007 m ³				196,45
700354	ILDE S1 BRONZE	LED filament G125 6W 2700K (E27)	E	1	17 x 17 x 25,5 cm VOL 0,007 m ³				196,45
700355	ILDE WOOD S1	LED filament G125 6W 2700K (E27)	E	1	17 x 17 x 25,5 cm VOL 0,007 m ³				204,21
CASAMBI on request / bajo pedido									100,00

Ilde Max

ILDE MAX / ILDE WOOD MAX




by David Abad

- ILDE MAX S:** Chrome (matte) and Bronze (texturised).
- ILDE WOOD MAX S:** Natural Oak.


700301	ILDE MAX S7 CHROME	7 x LED filament G125 2W 2700K (E27)	E	6,4	55 x 55 x 22 cm VOL 0,067 m ³				1.155,82
700304	ILDE MAX S7 BRONZE								1.155,82
700311	ILDE MAX S13 CHROME	13 x LED filament G125 2W 2700K (E27)	E	13	88 x 31,5 x 31,5 cm VOL 0,08 m ³				2.114,5
700314	ILDE MAX S13 BRONZE								2.114,5
700321	ILDE MAX S19 CHROME	19 x LED filament G125 2W 2700K (E27)	E	19	84 x 84 x 17 cm VOL 0,12 m ³				3.002,49
700324	ILDE MAX S19 BRONZE								3.002,49
700305	ILDE WOOD MAX S7	7 x LED filament G125 2W 2700K (E27)	E	6,4	55 x 55 x 22 cm VOL 0,067 m ³				1.380,46
700315	ILDE WOOD MAX S13	13 x LED filament G125 2W 2700K (E27)	E	13	88 x 31,5 x 31,5 cm VOL 0,08 m ³				2.528,13
700325	ILDE WOOD MAX S19	19 x LED filament G125 2W 2700K (E27)	E	19	84 x 84 x 17 cm VOL 0,12 m ³				3.587,99
CASAMBI on request / bajo pedido									100,00

Keshi

KESHI S30



KESHI S50




by Werner Aisslinger

- Black Markina marble (matte).
- DIMMER
- KESHI T p. 34


732351	KESHI S30	LED 9W 1100lm 500mA 2700K CRI≥90 110-230V DIM PUSH / 1-10V	G	9,7	40 x 40 x 40 cm VOL 0,009 m ³			1.097,28	
732350	KESHI S50	LED 23,5W 3115lm 700mA 2700K CRI≥90 110-230V DIM PUSH / 1-10V	E	23,8	60 x 60 x 55 cm VOL 0,25 m ³			1.440,19	
CASAMBI on request / bajo pedido								150,00	

Lite Hole


LITE HOLE S60



LITE HOLE S90



LITE HOLE S120




by David Abad

- White (matte), Black (matte), Gold and Copper.
- DIMMER
- LITE HOLE C/W p. 38


755311	LITE HOLE S60 WHITE							1.110,38	
755312	LITE HOLE S60 BLACK							1.110,38	
755313	LITE HOLE S60 GOLD	LED 17,4W 3416lm 150mA 3000K CRI≥90 230V DIM PUSH/DALI	C	10,6	72,5 x 72 x 22,5 cm VOL 0,12 m ³			1.343,58	
755314	LITE HOLE S60 COPPER							1.343,58	
755331	LITE HOLE S90 WHITE							1.634,38	
755332	LITE HOLE S90 BLACK							1.634,38	
755333	LITE HOLE S90 GOLD	LED 41W 7960lm 350mA 3000K CRI≥90 230V DIM PUSH/DALI	C	17	97 x 97 x 19 cm VOL 0,179 m ³			1.867,58	
755334	LITE HOLE S90 COPPER							1.867,58	
755351	LITE HOLE S120 WHITE							2.636,15	
755352	LITE HOLE S120 BLACK							2.636,15	
755353	LITE HOLE S120 GOLD	LED 19,5W 3664lm 225mA + LED 41W 7960lm 350mA 3000K CRI≥90 230V DIM PUSH/DALI	C	31,2	130 x 130 x 21 cm VOL 0,35 m ³			2.985,96	
755354	LITE HOLE S120 COPPER							2.985,96	
CASAMBI on request / bajo pedido								150,00	

Micro


MICRO S50



MICRO S75



MICRO S OVERSIZE




by David Abad

- Black (matte) and White (matte).


716300	MICRO S50 BLACK							376,50	
716301	MICRO S50 WHITE	LED 6,3W 540lm 350mA 2700K CRI≥90 110-230V	F	2,2	51 x 20 x 14 cm VOL 0,015 m ³			376,50	
716310	MICRO S75 BLACK							446,00	
716311	MICRO S75 WHITE	LED 8,8W 770lm 250mA 2700K CRI≥90 230V	G	2,4	15 x 10 x 105 cm VOL 0,022 m ³			446,00	
716320	MICRO S OVERSIZE BLACK							608,18	
716321	MICRO S OVERSIZE WHITE	LED 8,8W 770lm 250mA 2700K CRI≥90 230V	G	3	15 x 10 x 105 cm VOL 0,022 m ³			608,18	

Misko


MISKO S15



MISKO S25



MISKO S35



by Stone Designs



- Black (matte) and Natural Walnut.
- MISKO F p. 30
- MISKO T p. 35
- MISKO C p. 39
- MISKO W p. 44

756305	MISKO S15 BLACK							408,69	
756306	MISKO S25 BLACK	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,38	31 x 31 x 32,5 cm VOL 0,031 m ³			408,69	
756307	MISKO S35 BLACK							408,69	
756315	MISKO S15 BLACK SUPERIOR							397,34	
756316	MISKO S25 BLACK SUPERIOR	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	4,17	31 x 31 x 32,5 cm VOL 0,031 m ³			397,34	
756317	MISKO S35 BLACK SUPERIOR							397,34	
756325	MISKO S15 BLACK INTERMEDIATE							295,17	
756326	MISKO S25 BLACK INTERMEDIATE	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,95	31 x 31 x 32,5 cm VOL 0,031 m ³			295,17	
756327	MISKO S35 BLACK INTERMEDIATE							295,17	

756335	MISKO S15 BLACK INFERIOR		D/G	3,92	35 x 35 x 45 cm VOL 0,056 m ³	⊗	306,52
756336	MISKO S25 BLACK INFERIOR	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,95	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	306,52
756337	MISKO S35 BLACK INFERIOR		D/G	3,64	31 x 31 x 32,5 cm VOL 0,056 m ³	⊗	306,52
756303	MISKO S15 WALNUT		D/G	4,35	35 x 35 x 46 cm VOL 0,056 m ³	⊗	488,16
756304	MISKO S25 WALNUT	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,38	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	488,16
756308	MISKO S35 WALNUT		D/G	4,69	35 x 35 x 46 cm VOL 0,056 m ³	⊗	488,16
756313	MISKO S15 WALNUT SUPERIOR		D/G	4,56	35 x 35 x 46 cm VOL 0,056 m ³	⊗	499,51
756314	MISKO S25 WALNUT SUPERIOR	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	4,17	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	499,51
756318	MISKO S35 WALNUT SUPERIOR		D/G	4,3	35 x 35 x 46 cm VOL 0,056 m ³	⊗	499,51
756323	MISKO S15 WALNUT INTERMEDIATE		D/G	3,7	35 x 35 x 46 cm VOL 0,056 m ³	⊗	380,58
756324	MISKO S25 WALNUT INTERMEDIATE	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,95	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	380,58
756328	MISKO S35 WALNUT INTERMEDIATE		D/G	3,96	35 x 35 x 46 cm VOL 0,056 m ³	⊗	380,58
756333	MISKO S15 WALNUT INFERIOR		D/G	3,9	35 x 35 x 46 cm VOL 0,056 m ³	⊗	392,48
756334	MISKO S25 WALNUT INFERIOR	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,95	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	392,48
756338	MISKO S35 WALNUT INFERIOR		D/G	3,64	31 x 31 x 32,5 cm VOL 0,056 m ³	⊗	392,48
CASAMBI on request / bajo pedido							100,00

MISKO SH2

MISKO SH3



756910	MISKO SH2					⊗	222,60
756920	MISKO SH3					⊗	296,80
756335	MISKO S15 BLACK INFERIOR		D/G	3,92	35 x 35 x 45 cm VOL 0,056 m ³	⊗	306,52
756336	MISKO S25 BLACK INFERIOR	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,95	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	306,52
756337	MISKO S35 BLACK INFERIOR		D/G	3,64	31 x 31 x 32,5 cm VOL 0,056 m ³	⊗	306,52
756333	MISKO S15 WALNUT INFERIOR		D/G	3,9	35 x 35 x 46 cm VOL 0,056 m ³	⊗	392,48
756334	MISKO S25 WALNUT INFERIOR	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	3,95	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	392,48
756338	MISKO S35 WALNUT INFERIOR		D/G	3,64	31 x 31 x 32,5 cm VOL 0,056 m ³	⊗	392,48




Overlay

by e27, Tim Brauns

OVERLAY S25

OVERLAY S50

OVERLAY S65



- ⊗ Cognac glass + Beige / Copper / Beige (matte). Cognac glass + Yellow / Grey-Beige / Beige (matte). Grey glass + Beige / Beige / Beige (matte). Grey glass + Dark Blue / Light Blue / Beige (matte).
- ⊗ **OVERLAY F** p. 31
- ⊗ **OVERLAY T** p. 35

734302	OVERLAY S25 COGNAC GLASS BEIGE/COPPER/BEIGE						558,25
734303	OVERLAY S25 COGNAC GLASS YELLOW/GREY-BEIGE/BEIGE						558,25
734304	OVERLAY S25 GREY GLASS BEIGE/BEIGE/BEIGE	LED 4W (G9)	E	2,6	31 x 31 x 32,5 cm VOL 0,031 m ³	⊗	558,25
734305	OVERLAY S25 GREY GLASS DARK BLUE/LIGHT BLUE/BEIGE						558,25
734312	OVERLAY S50 COGNAC GLASS BEIGE/COPPER/BEIGE						868,63
734313	OVERLAY S50 COGNAC GLASS YELLOW/GREY-BEIGE/BEIGE	LED 13W (E27) / Fluo. max. 20W (E27)	D/G	6,9	31 x 31 x 32,5 cm + 55 x 55 x 20 cm VOL 0,091 m ³	⊗	868,63
734314	OVERLAY S50 GREY GLASS BEIGE/BEIGE/BEIGE						868,63
734315	OVERLAY S50 GREY GLASS DARK BLUE/LIGHT BLUE/BEIGE						868,63
734322	OVERLAY S65 COGNAC GLASS BEIGE/COPPER/BEIGE						1110,46
734323	OVERLAY S65 COGNAC GLASS YELLOW/GREY-BEIGE/BEIGE	LED 13W (E27) / Fluo. max. 20W (E27)	D/G	12,1	70 x 70 x 20 cm + 41 x 41 x 57 cm VOL 0,193 m ³	⊗	1110,46
734324	OVERLAY S65 GREY GLASS BEIGE/BEIGE/BEIGE						1110,46
734325	OVERLAY S65 GREY GLASS DARK BLUE/LIGHT BLUE/BEIGE						1110,46
CASAMBI on request / bajo pedido							100,00




R2

by David Abad

R2 S60

R2 S90

R2 S120





- ⊗ White (matte), Bronze (matte), Black (matte), Natural Oak and Natural Walnut.
- ⊗ **DIMMER**
- ⊗ **R2 C** p. 39



743310	R2 S60 WHITE						1.606,23
743311	R2 S60 BRONZE						1.606,23
743312	R2 S60 BLACK	LED 3 x 18W 7879lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	10	70 x 70 x 20 cm VOL 0,098 m ³	⊗	1.606,23
743313	R2 S60 OAK						1.960,94
743314	R2 S60 WALNUT						1.960,94
743320	R2 S90 WHITE						1.820,39
743321	R2 S90 BRONZE						1.820,39
743322	R2 S90 BLACK	LED 4 x 18W 9755lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	13	98 x 98 x 19 cm VOL 0,182 m ³	⊗	1.820,39
743323	R2 S90 OAK						2.308,95
743324	R2 S90 WALNUT						2.308,95

743330	R2 S120 WHITE							2.267,27
743331	R2 S120 BRONZE							2.267,27
743332	R2 S120 BLACK	LED 6 x 17W 13957lm 240mA 3000K CRI≥90 230V DIM PUSH/DALI	F	16	131 x 131 x 21 cm VOL 0,36 m ³			2.267,27
743333	R2 S120 OAK							2.873,31
743334	R2 S120 WALNUT							2.873,31



R2 S60 FLAT CANOPY /
R2 S60 FLAT CANOPY UP/DOWN



R2 S90 FLAT CANOPY /
R2 S90 FLAT CANOPY UP/DOWN




R2 S120 FLAT CANOPY /
R2 S120 FLAT CANOPY UP/DOWN




743310F	R2 S60 FLAT CANOPY WHITE							1.606,23	
743311F	R2 S60 FLAT CANOPY BRONZE							1.606,23	
743312F	R2 S60 FLAT CANOPY BLACK	LED 3 x 18W 7879lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	10	70 x 70 x 20 cm VOL 0,098 m ³			1.606,23	
743313F	R2 S60 FLAT CANOPY OAK							1.960,94	
743314F	R2 S60 FLAT CANOPY WALNUT							1.960,94	
743320F	R2 S90 FLAT CANOPY WHITE							1.820,39	
743321F	R2 S90 FLAT CANOPY BRONZE							1.820,39	
743322F	R2 S90 FLAT CANOPY BLACK	LED 4 x 18W 9755lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	13	98 x 98 x 19 cm VOL 0,182 m ³			1.820,39	
743323F	R2 S90 FLAT CANOPY OAK							2.308,95	
743324F	R2 S90 FLAT CANOPY WALNUT							2.308,95	
743330F	R2 S120 FLAT CANOPY WHITE							2.267,27	
743331F	R2 S120 FLAT CANOPY BRONZE							2.267,27	
743332F	R2 S120 FLAT CANOPY BLACK	LED 6 x 18W 15758lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	16	131 x 131 x 21 cm VOL 0,36 m ³			2.267,27	
743333F	R2 S120 FLAT CANOPY OAK							2.873,31	
743334F	R2 S120 FLAT CANOPY WALNUT							2.873,31	
743310FI	R2 S60 FLAT CANOPY UP/DOWN WHITE	DOWN: LED 3 x 18W 7879lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI						1.742,33	
743311FI	R2 S60 FLAT CANOPY UP/DOWN BRONZE							1.742,33	
743312FI	R2 S60 FLAT CANOPY UP/DOWN BLACK	UP: LED 3 x 4,5W 1638lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	10	70 x 70 x 20 cm VOL 0,098 m ³			1.742,33	
743313FI	R2 S60 FLAT CANOPY UP/DOWN OAK							2.097,04	
743314FI	R2 S60 FLAT CANOPY UP/DOWN WALNUT							2.097,04	
743320FI	R2 S90 FLAT CANOPY UP/DOWN WHITE							1.990,52	
743321FI	R2 S90 FLAT CANOPY UP/DOWN BRONZE	DOWN: LED 4 x 18W 9755lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI						1.990,52	
743322FI	R2 S90 FLAT CANOPY UP/DOWN BLACK	UP: LED 4 x 4,5W 2184lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	13	98 x 98 x 19 cm VOL 0,182 m ³			1.990,52	
743323FI	R2 S90 FLAT CANOPY UP/DOWN OAK							2.479,08	
743324FI	R2 S90 FLAT CANOPY UP/DOWN WALNUT							2.479,08	
743330FI	R2 S120 FLAT CANOPY UP/DOWN WHITE							2.488,43	
743331FI	R2 S120 FLAT CANOPY UP/DOWN BRONZE	DOWN: LED 6 x 18W 15758lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI						2.488,43	
743332FI	R2 S120 FLAT CANOPY UP/DOWN BLACK	UP: LED 6 x 4,5W 3276lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	16	131 x 131 x 21 cm VOL 0,36 m ³			2.488,43	
743333FI	R2 S120 FLAT CANOPY UP/DOWN OAK							3.094,48	
743334FI	R2 S120 FLAT CANOPY UP/DOWN WALNUT							3.094,48	
CASAMBI on request / bajo pedido								150,00	

Ring

RING S1



RING S6




by ILMIO Design

- Black, Brass and White
- RING F** p. 31
- RING T** p. 36
- RING W** p. 44

765300	RING S1 BLACK							385,00
765301	RING S1 BRASS	LED 2x6W (E14) 230V 50-60Hz Fluo. max. 2x12W (E14) 230V 50-60Hz						430,00
765302	RING S1 WHITE							385,00
765303	RING S6 BLACK							2.175,00
765304	RING S6 BRASS	LED 2x6W (E14) 230V 50-60Hz Fluo. max. 2x12W (E14) 230V 50-60Hz						2.400,00
765305	RING S6 WHITE							2.175,00


RING S2




765306	RING S2 110 WHITE							775,00
765307	RING S2 110 BLACK	LED 2x6W (E14) 230V 50-60Hz Fluo. max. 2x12W (E14) 230V 50-60Hz						850,00
765308	RING S2 110 BRASS							775,00
765309	RING S2 130 WHITE							785,00
765310	RING S2 130 BLACK	LED 2x6W (E14) 230V 50-60Hz Fluo. max. 2x12W (E14) 230V 50-60Hz						860,00
765311	RING S2 130 BRASS							785,00
765312	RING S2 150 WHITE							790,00
765313	RING S2 150 BLACK	LED 2x6W (E14) 230V 50-60Hz Fluo. max. 2x12W (E14) 230V 50-60Hz						865,00
765314	RING S2 150 BRASS							790,00

Roof

ROOF S130



ROOF S160




by David Abad

- ROOF:** Silver (satin), White (matte) and Black (matte).
- Accessories:** **Casing:** Aluminium (satin), White (matte), Natural Oak and Natural Walnut.
- DIMMER**

847310	ROOF LED S130 SILVER							736,97
847311	ROOF LED S130 WHITE	LED 17W 2046lm 24V 2700K CRI≥90 230V DIM PUSH/DALI	F	3,1	9,5 x 12,5 x 146 cm VOL 0,0173			736,97
847312	ROOF LED S130 BLACK							736,97

847905	ROOF S130 ACCESSORY: CASING ALUMINIUM					117,98
847903	ROOF S130 ACCESSORY: CASING WHITE					117,98
847910	ROOF S130 ACCESSORY: CASING OAK		2	9,5 x 12 x 124 cm VOL 0,014 m ³		220,17
847911	ROOF S130 ACCESSORY: CASING WALNUT					220,17
847360	ROOF LED S160 SILVER					791,56
847361	ROOF LED S160 WHITE	LED 21,7W 2604lm 24V 2700K CRI≥90 230V DIM PUSH/DALI	F	3,7	10 x 12 x 178 cm VOL 0,0213 m ³	791,56
847362	ROOF LED S160 BLACK					791,56
847955	ROOF S160 ACCESSORY: CASING ALUMINIUM					140,30
847953	ROOF S160 ACCESSORY: CASING WHITE					140,30
847960	ROOF S160 ACCESSORY: CASING OAK		2	12 x 18 x 170 cm VOL 0,036 m ³		242,78
847961	ROOF S160 ACCESSORY: CASING WALNUT					242,78
CASAMBI on request / bajo pedido						150,00

Scout




by Stone Desings

Beige (matte), Red (matte) and Grey (matte), RAL 9003 (matte), RAL 1012 (matte), RAL 7037 (matte), RAL 1034 (matte), RAL 6034 (matte), RAL 5024 (matte), RAL 4004 (matte), RAL 5017 (matte), RAL 5012 (matte), RAL 3015 (matte), RAL 7035 (matte) and RAL 7021 (matte).

See online color configurator

726360	SCOUT S22 LED BEIGE					525,09
726361	SCOUT S22 LED RED	LED 16,6W 1350lm 2700K CRI≥90 230V DIM PHASE-CUT	F	2,4	22 x 22 x 52 cm VOL 0,025 m ³	525,09
726362	SCOUT S22 LED GREY					525,09
726363	SCOUT S22 LED+					525,09
726350	SCOUT S22 (E14) BEIGE					423,65
726351	SCOUT S22 (E14) RED	LED 2 x 6W (E14) / Flu. 2 x max. 5W (E14)	F/G	2	22 x 22 x 52 cm VOL 0,025 m ³	423,65
726352	SCOUT S22 (E14) GREY					423,65
726353	SCOUT S22 (E14)+					423,65
726310	SCOUT S40 LED BEIGE					740,34
726311	SCOUT S40 LED RED	LED 16,6W 1350lm 2700K CRI≥90 230V DIM PHASE-CUT	F	6,5	58 x 43 x 43 cm VOL 0,107 m ³	740,34
726312	SCOUT S40 LED GREY					740,34
726313	SCOUT S40 LED+					740,34
726300	SCOUT S40 (E27) BEIGE					658,72
726301	SCOUT S40 (E27) RED	LED 2 x max. 15W (E27) / Flu. 2 x max. 23W (E27)	F/G	6,5	58 x 43 x 43 cm VOL 0,107 m ³	658,72
726302	SCOUT S40 (E27) GREY					658,72
726303	SCOUT S40 (E27)+					658,72
CASAMBI on request / bajo pedido						100,00

Skin




by AIA Salazar-Navarro

Steel and Bronze (satin).

654312	SKIN S70 LED STEEL	LED 2 x 20,5W 7080lm 450mA 3000K CRI≥90 230V	D	3	19 x 116,5 x 19,5 cm VOL 0,106 m ³	852,35
654316	SKIN S70 LED BRONZE					852,35
654322	SKIN S100 LED STEEL	LED 2 x 30,5W 10650lm 450mA 3000K CRI≥90 230V	D	3,5	27,5 x 111,5 x 28,5 + 19 x 116 x 17,5 cm VOL 0,132 m ³	920,03
654326	SKIN S100 LED BRONZE					920,03
654332	SKIN S130 LED STEEL	LED 2 x 40,5W 14224lm 450mA 3000K CRI≥90 230V	D	4,2	27 x 141 x 27,5 + 17 x 17 x 175 cm VOL 0,174 m ³	1.044,66
654336	SKIN S130 LED BRONZE					1.044,66
654342	SKIN S160 LED STEEL	LED 2 x 51W 17760lm 450mA 3000K CRI≥90 230V	D	4,5	25 x 25 x 170 + 17 x 17 x 175 cm VOL 0,161 m ³	1.293,96
654346	SKIN S160 LED BRONZE					1.293,96
654337	SKIN SC130 LED STEEL	LED 2 x 40,5W 14224lm 450mA 3000K CRI≥90 230V	D	4,2	27 x 141 x 27,5 + 17 x 17 x 175 cm VOL 0,174 m ³	1.044,66
654338	SKIN SC130 LED BRONZE					1.044,66
654347	SKIN SC160 LED STEEL	LED 2 x 51W 17760lm 450mA 3000K CRI≥90 230V	D	4,5	25 x 25 x 170 + 17 x 17 x 175 cm VOL 0,161 m ³	1.293,96
654348	SKIN SC160 LED BRONZE					1.293,96
CASAMBI on request / bajo pedido						150,00

Speers



by David Abad

Copper (shiny) / copper (satin), Brass (shiny) / brass (satin), White (matte) / copper (satin), White (matte) / brass (satin), Black (matte) / copper (satin) and Black (matte) / brass (satin).





DIM DIMMER

SPEERS F p. 32

SPEERS W p. 45

729300	SPEERS S1 COPPER-COPPER					441,54
729305	SPEERS S1 BRASS-BRASS					441,54
729302	SPEERS S1 BLACK-COPPER	LED 9W 1100lm 500mA 2700K CRI≥90 110-230V DIM PHASE-CUT	G	2	22 x 22 x 25 cm VOL 0,006 m ³	441,54
729307	SPEERS S1 BLACK-BRASS					441,54
729301	SPEERS S1 WHITE-COPPER					441,54
729306	SPEERS S1 WHITE-BRASS					441,54
729310	SPEERS SR1 COPPER-COPPER					379,54
729315	SPEERS SR1 BRASS-BRASS					379,54
729312	SPEERS SR1 BLACK-COPPER	LED 9W 1100lm 500mA 2700K CRI≥90 230V	G	1,3	16 x 16 x 23,5 cm VOL 0,006 m ³	379,54
729317	SPEERS SR1 BLACK-BRASS					379,54
729311	SPEERS SR1 WHITE-COPPER					379,54
729316	SPEERS SR1 WHITE-BRASS					379,54
729390	SPEERS SINGLE COPPER+					318,41
729395	SPEERS SINGLE BRASS+					318,41
729392	SPEERS SINGLE BLACK-COPPER+	LED 9W 1100lm 500mA 2700K CRI≥90	G	1,2	16 x 16 x 16 cm VOL 0 m ³	318,41
729397	SPEERS SINGLE BLACK-BRASS+					318,41
729391	SPEERS SINGLE WHITE-COPPER+					318,41
729396	SPEERS SINGLE WHITE-BRASS+					318,41
729362	SPEERS S2/3 CANOPY BLACK+					358,64
729361	SPEERS S2/3 CANOPY WHITE+	DIM PUSH/DALI		1,5	44 x 28 x 23 cm VOL 0,028 m ³	358,64
729372	SPEERS S4 CANOPY BLACK+	DIM PUSH / 1-10V		7,2	31 x 31 x 32,5 cm VOL 0,031 m ³	453,23
729371	SPEERS S4 CANOPY WHITE+					453,23

729382	SPEERS S6 CANOPY BLACK+	DIM PUSH / 1-10V	11,2	55 x 55 x 20 cm VOL 0,06 m ³	651,76
729381	SPEERS S6 CANOPY WHITE+				651,76
729990	SPEERS WIRE HOOK COPPER				16,54
729995	SPEERS WIRE HOOK BRASS				16,54
729996	SPEERS WIRE HOOK BLACK				16,54
729997	SPEERS WIRE HOOK WHITE				16,54




729308	SPEERS S1/M BLACK	LED 9W 1100lm 500mA 2700K CRI≥90 110-230V DIM PHASE-CUT	G	31 x 31 x 32,5 cm VOL 0,03 m ³	Ø	424,42
729309	SPEERS S1/L BLACK					444,83
729303	SPEERS S1/M WHITE					424,42
729304	SPEERS S1/L WHITE					444,83
729318	SPEERS SR1/M BLACK	LED 9W 1100lm 500mA 2700K CRI≥90 230V	G	31 x 31 x 32,5 cm VOL 0,03 m ³	Ø	387,89
729319	SPEERS SR1/L BLACK					407,36
729313	SPEERS SR1/M WHITE					387,89
729314	SPEERS SR1/L WHITE					407,36

729398	SPEERS SINGLE M BLACK+	LED 9W 1100lm 500mA 2700K CRI≥90 230V	G	31 x 31 x 32,5 cm VOL 0,03 m ³	Ø	348,37
729399	SPEERS SINGLE L BLACK+					367,29
729393	SPEERS SINGLE M WHITE+					348,37
729394	SPEERS SINGLE L WHITE+					367,29
729362	SPEERS S2/3 CANOPY BLACK+	DIM PUSH/DALI		44 x 28 x 23 cm VOL 0,028 m ³		358,64
729361	SPEERS S2/3 CANOPY WHITE+					358,64
729372	SPEERS S4 CANOPY BLACK+	DIM PUSH / 1-10V		31 x 31 x 32,5 cm VOL 0,031 m ³		453,23
729371	SPEERS S4 CANOPY WHITE+					453,23
729382	SPEERS S6 CANOPY BLACK+	DIM PUSH / 1-10V		55 x 55 x 20 cm VOL 0,06 m ³		651,76
729381	SPEERS S6 CANOPY WHITE+					651,76
729996	SPEERS WIRE HOOK BLACK					16,54
729997	SPEERS WIRE HOOK WHITE					16,54
CASAMBI on request / bajo pedido						150,00


Tree Series

by Werner Aisslinger

TREE SERIES S50



TREE SERIES S75




- White (matte) / white (matte), White (matte) / gold (matte), Black (matte) / black (matte) and Black (matte) / gold (matte).
- DIMMER**
- TREE SERIES C**
p. 40


701352	TREE SERIES S50 LED WHITE-WHITE	LED 19,5W 2350lm 700mA 3000K CRI≥90 230V DIM PUSH / 1-10V	E	10,5	60 x 60 x 55 cm VOL 0,22 m ³	Ø	1.710,27			
701353	TREE SERIES S50 LED BLACK-BLACK						1.710,27			
701350	TREE SERIES S50 LED WHITE-GOLD						1.958,39			
701351	TREE SERIES S50 LED BLACK-GOLD						1.958,39			
701344	TREE SERIES S75 LED WHITE-WHITE	LED 25,7W 3752lm 700mA 3000K CRI≥90 230V DIM PUSH / 1-10V	D	20	90 x 99 x 68 cm VOL 0,6 m ³	Ø	2.324,90			
701345	TREE SERIES S75 LED BLACK-BLACK						2.324,90			
701341	TREE SERIES S75 LED WHITE-GOLD						2.791,64			
701340	TREE SERIES S75 LED BLACK-GOLD						2.791,64			

Aspen

ASPEN F17



ASPEN F40



by Werner Aisslinger

- SHADE:** Grey (matte), Snow (matte), Lemon (matte), Mango (matte), Clear turquoise (matte), Aqua (matte), Merlot (matte), River (matte), Sea (matte), Rose (matte), Limestone (matte), Black (matte) and Brass (matte).
- RING:** Black (matte).


See online color configurator

- DIMMER**
- ASPEN S** p. 14
- ASPEN C** p. 37
- ASPEN SH** p. 46


727220	ASPEN F17	LED 10W (E27) DIM / Fluo. max. 23W (E27) DIM	D/G	10,5	202 x 24 x 21 + 34 x 31 x 9 cm VOL 0,11 m ³					559,79
727221	ASPEN F40	LED 3 x 10W (E27) DIM / Fluo. 3 x max. 23W (E27) DIM	D/G	20,2	176 x 18 x 18 + 52 x 52 x 10 + 50 x 50 x 59 cm VOL 0,323 m ³					879,34
CASAMBI on request / bajo pedido										100,00

Blux System

BLUX SYSTEM F30



BLUX SYSTEM F50




- Black (matte), Red (matte), Beige (matte), Brass (matte) /Black (matte) and Copper (matte) /Black (matte).
- BLUX SYSTEM T** p. 33
- BLUX SYSTEM C** p. 37
- BLUX SYSTEM W** p. 42

736210	BLUX SYSTEM F30 BLACK									449,34
736211	BLUX SYSTEM F30 RED									449,34
736212	BLUX SYSTEM F30 BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	8,75	25 x 25 x 140 cm + 34 x 29 x 8 cm VOL 0,095 m ³					449,34
736213	BLUX SYSTEM F30 BRASS									480,29
736214	BLUX SYSTEM F30 COPPER									480,29
736220	BLUX SYSTEM F50 BLACK									469,77
736221	BLUX SYSTEM F50 RED									469,77
736222	BLUX SYSTEM F50 BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	D/G	8,9	25 x 25 x 140 cm + 34 x 29 x 8 cm VOL 0,095 m ³					469,77
736223	BLUX SYSTEM F50 BRASS									500,71
736224	BLUX SYSTEM F50 COPPER									500,71

Bowee

BOWEE F




by Werner Aisslinger

- Beige (matte), Clear turquoise (matte) and Metallic English bronze.
- DIMMER**
- BOWEE S** p. 14
- BOWEE W** p. 43

758200	BOWEE F BEIGE									1.189,10
758201	BOWEE F CLEAR TURQUOISE	LED 9W 1100lm 500mA 2700K								1.189,10
758202	BOWEE F METALLIC ENGLISH BRONZE	CRI≥90 110-230V								1.189,10
758203	BOWEE F BLACK									1.189,10
CASAMBI on request / bajo pedido										100,00

C_Ball

C_BALL F



by Stone Designs


- Brass (satin) and Black (matte).
- C_BALLS** p. 16
- C_BALL T** p. 33
- C_BALL W** p. 43
- C_BALL System** p. 47

748210	C_BALL F BRASS	LED 6W (E14) DIM / Fluo. max. 12W (E14) DIM	F/G	9,5	169 x 33 x 33 cm VOL 0,18 m ³					826,27
748215	C_BALL F BLACK									601,06
CASAMBI on request / bajo pedido										100,00

Lola

LOLA F

by David Abad




- Black / gold and White / gold.
- LOLAT** p. 34


702201	LOLA F BLACK/GOLD								€
		LED 2 x 10W (E27) / Fluo. 2 x max. 11W (E27)	D/G	9,016	34 x 34 x 158 + 28 x 47 x 48 cm			678,89	
702202	LOLA F WHITE/GOLD				VOL 0,246 m ³			678,89	
CASAMBI on request / bajo pedido									100,00

Misko


MISKO F15



MISKO F25



MISKO F35



by Stone Designs


- Black (matte) and Walnut.
- DIMMER**
- MISKO S** p. 19
- MISKO T** p. 35
- MISKO C** p. 39
- MISKO W** p. 44

756205	MISKO F15 BLACK								€
		LED 10W (E27) DIM / Fluo. max. 11W (E27) DIM	D/G	14,75	40 x 40 x 185 + 30 x 30 x 10 cm			838,75	
756206	MISKO F25 BLACK				14 x 51 x 194 + 31 x 31 x 32,5 cm			838,75	
756207	MISKO F35 BLACK				VOL 0,17 m ³				
756203	MISKO F15 WALNUT				40 x 40 x 185 + 30 x 30 x 10 cm			838,75	
756204	MISKO F25 WALNUT				VOL 0,305 m ³				
756208	MISKO F35 WALNUT				40 x 40 x 185 + 30 x 30 x 10 cm			919,72	
		LED 10W (E27) DIM / Fluo. max. 11W (E27) DIM	D/G	14,75	14 x 51 x 194 + 31 x 31 x 32,5 cm			919,72	
					VOL 0,17 m ³				
CASAMBI on request / bajo pedido									100,00

Overlay

OVERLAY F

by e27, Tim Brauns




- Cognac glass + Beige / Copper / Beige (matte). Cognac glass + Yellow / Grey-Beige / Beige (matte). Grey glass + Beige / Beige / Beige (matte). Grey glass + Dark Blue / Light Blue / Beige (matte).
- OVERLAY S** p. 21
- OVERLAY T** p. 35

734212	OVERLAY F COGNAC GLASS BEIGE/COPPER/BEIGE								€
734213	OVERLAY F COGNAC GLASS YELLOW/GREY/BEIGE							1.072,06	
734214	OVERLAY F GREY GLASS BEIGE/BEIGE/BEIGE				LED 13W (E27) / Fluo. max. 20W (E27)	D/G	13	17x 17 x 175 + 51 x 51 x 8 + 50 x 50 x 59 cm	1.072,06
734215	OVERLAY F GREY GLASS DARK BLUE/LIGHT BLUE/BEIGE				VOL 0,217 m ³			1.072,06	
CASAMBI on request / bajo pedido									100,00

Ring

RING F

by ILMIO Design




- Black, Brass and White
- RING S** p. 23
- RING T** p. 36
- RING W** p. 44

765200	RING F BLACK								€
765201	RING F BRASS				LED 2x6W (E14) 230V 50-60Hz			555,00	
765202	RING F WHITE				Fluo. max. 2x12W (E14) 230V 50-60Hz	D/G		600,00	
CASAMBI on request / bajo pedido									555,00

Speers

SPEERS F



by David Abad

White (matte) / brass (satin) and Black (matte) / copper (satin).


SPEERS S p. 25

SPEERS W p. 45

729202	SPEERS F BLACK-COPPER	LED 2 x 7W 1080lm 2700K	D/G	20	230 x 25 x 25 + 50 x 50 x 16 cm					1.476,7
729207	SPEERS F BLACK-BRASS	LED 2 x 7W 1080lm 2700K	D/G	20	230 x 25 x 25 + 50 x 50 x 16 cm					1.476,7
CASAMBI on request / bajo pedido										150,00

Bluebird

BLUEBIRD T




by Jorge Pensi

Raw / Natural Oak and Chrome / Natural Mahogany.


602006	BLUEBIRD T LED RAW	LED 6,3W 840lm 350mA 3000K	F	7	100 x 34 x 24 cm					607,74
602007	BLUEBIRD T LED CHROME	LED 6,3W 840lm 350mA 3000K	F	7	100 x 34 x 24 cm					607,74

Blux System

BLUX SYSTEM T30



BLUX SYSTEM T40



Black (matte), Red (matte), Beige (matte), Brass (matte) / Black (matte) and Copper (matte) / Black (matte).

BLUX SYSTEM F p. 28


BLUX SYSTEM C p. 37

BLUX SYSTEM W p. 42

736010	BLUX SYSTEM T30 BLACK									404,25
736011	BLUX SYSTEM T30 RED									404,25
736012	BLUX SYSTEM T30 BEIGE	LED 10W (E27) / Flu. max. 11W (E27)	D/G	5,65	25 x 25 x 78 cm					404,25
736013	BLUX SYSTEM T30 BRASS									434,05
736014	BLUX SYSTEM T30 COPPER									434,05
736020	BLUX SYSTEM T40 BLACK									383,69
736021	BLUX SYSTEM T40 RED									383,69
736022	BLUX SYSTEM T40 BEIGE	LED 10W (E27) / Flu. max. 11W (E27)	D/G	5,4	25 x 25 x 78 cm					383,69
736023	BLUX SYSTEM T40 BRASS									413,48
736024	BLUX SYSTEM T40 COPPER									413,48

C_Ball

C_BALL T



by Stone Designs

Brass (satin) and Black (matte).

DIMMER

C_BALLS p. 16

C_BALL F p. 29


C_BALL W p. 43

C_BALL System p. 47


748010	C_BALL T BRASS	LED 6W (E14) DIM / Flu. max. 12W (E14) DIM	F/G	4	70 x 23 x 23 cm					577,44
748015	C_BALL T BLACK	LED 6W (E14) DIM / Flu. max. 12W (E14) DIM	F/G	4	70 x 23 x 23 cm					480,57

Keshi

KESHI T30



KESHI T50




by Werner Aisslinger

- Black Markina marble (matte).
- DIMMER
- KESHIS p. 18

732051	KESHI T30	LED 12W 900lm 2700K CRI≥90 230V DIM	G	10,5	50 x 50 x 44 cm VOL 0,067 m ³		€ 1.070,57
732050	KESHI T50	LED 24W 1730lm 2700K CRI≥90 230V DIM	G	23,8	64 x 64 x 62 cm VOL 0,25 m ³		€ 1.401,95

Kup Camp

KUP CAMP




by e27, Tim Brauns

- Copper, Gold and Black.
- DIMMER

742002	KUP CAMP COPPER	LED 1,3W 150lm 3,7V 2700K CRI≥90 TOUCH DIM	G	1	16 x 16 x 25 cm VOL 0,0064 m ³		€ 383,99
742001	KUP CAMP GOLD						€ 383,99
742000	KUP CAMP BLACK						€ 347,42

Lola

LOLA T




by David Abad

- Black / Gold and White / Gold.
- LOLA F p. 30


702001	LOLA T BLACK/GOLD	LED 2 x 10W (E27) / Flu. 2 x max. 11W (E27)	D/G	8,3	34 x 37 x 89 + 28 x 47 x 48 cm VOL 0,176 m ³		€ 521,36
702002	LOLA T WHITE/GOLD						€ 521,36

Misko


MISKO T15



MISKO T25



MISKO T35




by Stone Designs

- Black (matte) and Natural Walnut.
- MISKO S p. 19
- MISKO F p. 30
- MISKO C p. 39
- MISKO W p. 44


756003	MISKO T15 WALNUT	LED 10W (E27) / Flu. max. 11W (E27)	D/G	5,858	46 x 46 x 26 cm VOL 0,055 m ³		€ 442,75
756004	MISKO T25 WALNUT						€ 442,75
756008	MISKO T35 WALNUT	LED 10W (E27) / Flu. max. 11W (E27)	D/G	6,5	35 x 35 x 46 cm VOL 0,056 m ³		€ 442,75
756005	MISKO T15 BLACK						€ 363,28
756006	MISKO T25 BLACK						€ 363,28
756007	MISKO T35 BLACK	D/G	6,5	35 x 35 x 46 cm VOL 0,056 m ³		€ 363,28	

Misko Camp

MISKO CAMP



MISKO HOOK




by Stone Designs

- Black (matte) and Natural Walnut.
- DIMMER


756024	MISKO CAMP WALNUT	LED 2,1W 250lm 3,7V 2700K CRI≥90 TOUCH DIM	G	6,5	35 x 35 x 46 cm VOL 0,056 m ³		€ 526,04
756026	MISKO CAMP BLACK						€ 450,98
756900	MISKO HOOK						€ 52,31

Overlay

OVERLAY T25



OVERLAY T50




by e27, Tim Brauns

- Cognac glass + Beige / Copper / Beige (matte).
- Cognac glass + Yellow / Grey-Beige / Beige (matte).
- Grey glass + Beige / Beige / Beige (matte).
- Grey glass + Dark Blue / Light Blue / Beige (matte).
- OVERLAY S p. 21
- OVERLAY F p. 31

743420	R2 C90 WHITE							1.813,16
743421	R2 C90 BRONZE							1.813,16
743422	R2 C90 BLACK	LED 4 x 18W 9755lm 250mA 3000K CRI≥90 230V DIM PUSH/DALI	F	13	98 x 98 x 19 cm VOL 0,182 m ³	Ø		1.813,16
743423	R2 C90 OAK							2.313,34
743424	R2 C90 WALNUT							2.313,34
743430	R2 C120 WHITE							2.125,78
743431	R2 C120 BRONZE							2.125,78
743432	R2 C120 BLACK	LED 6 x 17W 13957lm 240mA 3000K CRI≥90 230V DIM PUSH/DALI	F	16	131 x 131 x 21 cm VOL 0,36 m ³	Ø		2.125,78
743433	R2 C120 OAK							2.751,01
743434	R2 C120 WALNUT							2.751,01
CASAMBI on request / bajo pedido								150,00

Tree Series

TREE SERIES C50



by Werner Aisslinger

- Ⓛ White (matte) / white (matte), Black (matte) / black (matte), White (matte) / gold (matte) and Black (matte) / gold (matte).
- Ⓛ DIM DIMMER
- Ⓛ TREE SERIES S p. 27

701452	TREE SERIES C50 LED WHITE-WHITE							972,22
701453	TREE SERIES C50 LED BLACK-BLACK	LED 19,5W 2350lm 700mA 3000K CRI≥90 230V DIM PUSH / 1-10V	E	9,7	55 x 55 x 25 cm VOL 0,22 m ³	Ø		972,22
701454	TREE SERIES C50 LED WHITE-GOLD							1.087,81
701455	TREE SERIES C50 LED BLACK-GOLD							1.087,81
CASAMBI on request / bajo pedido								150,00


Veroca

VEROCA 1

VEROCA 2

VEROCA 3

VEROCA 4



by Werner Aisslinger


- Ⓛ White and Natural white.
- Ⓛ DIM DIMMER

818999	VEROCA ACCESORIOS							81,64
818410EE	VEROCA 1 ELECTRONIC (2G11) BODY +	Fluo. 6 x 55W (2G11)	G					679,30
818415	VEROCA 1 ELECTRONIC (G5) BODY +	Fluo. 6 x 28/54W (G5)	G	14	127 x 35 x 16 cm VOL 0,07 m ³	Ø		679,30
818410DD	VEROCA 1 DIM (2G11) BODY +	Fluo. 6 x 55W (2G11) DIM PUSH/DALI	G					946,69
818416D	VEROCA 1 LED DIM PUSH-DALI BODY +	LED 6 x 21W 18288lm 450mA 3000K CRI≥90 230V DIM PUSH/DALI	D					979,05
818417	VEROCA 1 LED DIM PHASE CUT 2700K BODY +	LED 6 x 16W 13584lm 350mA 2700K CRI≥90 230V DIM PHASE CUT	D	14	127 x 35 x 16 cm VOL 0,07 m ³	Ø		979,05
818418	VEROCA 1 LED DIM PHASE CUT 3000K BODY+	LED 6 x 16W 14076lm 350mA 3000K CRI≥90 230V DIM PHASE CUT	D					979,05


818411	VEROCA 1 SHADE WHITE							217,55
818412	VEROCA 1 SHADE NATURAL WHITE							217,55
818420EE	VEROCA 2 ELECTRONIC (2G11) BODY +	Fluo. 4 x 36W (2G11)	G					367,89
818425	VEROCA 2 ELECTRONIC (G5) BODY +	Fluo. 4 x 14/24W (G5)	G	6,25	65 x 35 x 13 cm VOL 0,031 m ³	Ø		367,89
818420DD	VEROCA 2 DIM (2G11) BODY +	Fluo. 4 x 36W (2G11) DIM PUSH/DALI	G					549,45
818425DD	VEROCA 2 DIM 1-10V (G5) BODY +	Fluo. 4 x 14/24W (G5) DIM 1-10V	G					549,45
818426D	VEROCA 2 LED DIM PUSH-DALI BODY +	LED 4 x 10,25W 6096lm 450mA 3000K CRI≥90 230V DIM PUSH/DALI	D					563,76
818427	VEROCA 2 LED DIM PHASE CUT 2700K BODY +	LED 4 x 8W 4528lm 350mA 2700K CRI≥90 230V DIM PHASE CUT	D	6,25	65 x 35 x 13 cm VOL 0,031 m ³	Ø		563,76
818428	VEROCA 2 LED DIM PHASE CUT 3000K BODY +	LED 4 x 8W 4692lm 350mA 3000K CRI≥90 230V DIM PHASE CUT	D					563,76
818421	VEROCA 2 SHADE WHITE							134,41
818422	VEROCA 2 SHADE NATURAL WHITE							134,41
818435	VEROCA 3 ELECTRONIC (G5) BODY +	Fluo. 2 x 28/54W (G5)	G	6,3	127 x 35 x 15 cm VOL 0,067 m ³	Ø		334,83
818435DD	VEROCA 3 DIM 1-10V (G5) BODY +	Fluo. 2 x 28/54W (G5) DIM 1-10V	G					431,14
818436D	VEROCA 3 LED DIM PUSH-DALI BODY +	LED 2 x 21W 6092lm 450mA 3000K CRI≥90 230V DIM PUSH/DALI	D					435,29
818437	VEROCA 3 LED DIM PHASE CUT 2700K BODY +	LED 2 x 16W 4528lm 350mA 2700K CRI≥90 230V DIM PHASE CUT	D	6,3	127 x 35 x 15 cm VOL 0,067 m ³	Ø		435,29
818438	VEROCA 3 LED DIM PHASE CUT 3000K BODY +	LED 2 x 16W 4692lm 350mA 3000K CRI≥90 230V DIM PHASE CUT	D					435,29
818431	VEROCA 3 SHADE WHITE							133,75
818432	VEROCA 3 SHADE NATURAL WHITE							133,75
818445	VEROCA 4 ELECTRONIC (G5) BODY +	Fluo. 2 x 14/24W (G5)	G	3,75	65 x 35 x 13 cm VOL 0,03 m ³	Ø		214,66
818445DD	VEROCA 4 DIM 1-10V (G5) BODY +	Fluo. 2 x 14/24W (G5) DIM 1-10V	G					304,08
818446D	VEROCA 4 LED DIM PUSH-DALI BODY +	LED 2 x 10,5W 3048lm 450mA 3000K CRI≥90 230V DIM PUSH/DALI	D					303,46
818447	VEROCA 4 LED DIM PHASE CUT 2700K BODY +	LED 2 x 8W 2264lm 350mA 2700K CRI≥90 230V DIM PHASE CUT	D	3,75	65 x 35 x 13 cm VOL 0,03 m ³	Ø		303,46
818448	VEROCA 4 LED DIM PHASE CUT 3000K BODY +	LED 2 x 8W 2346lm 350mA 3000K CRI≥90 230V DIM PHASE CUT	D					303,46
818441	VEROCA 4 SHADE WHITE							124,06
818442	VEROCA 4 SHADE NATURAL WHITE							124,06
CASAMBI on request / bajo pedido (Veroca LED)								150,00
LED T8 on request / bajo pedido								

Blux System


BLUX SYSTEM W




BLUX SYSTEM W20




BLUX SYSTEM W40




BLUX SYSTEM W125




BLUX SYSTEM W20 PLUG-IN



BLUX SYSTEM W40 PLUG-IN



BLUX SYSTEM W125 PLUG-IN



Designed in 1979

Black (matte), Red (matte), Beige (matte), Brass (matte) / Black (matte) and Copper (matte) / Black (matte).

BLUX SYSTEM F p. 28
BLUX SYSTEM T p. 33
BLUX SYSTEM C p. 37


Code	Model	Light Source	Dimensions	Price
736170	BLUX SYSTEM W BLACK			285,99
736171	BLUX SYSTEM W RED			285,99
736172	BLUX SYSTEM W BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	41,5 x 24 x 18,5 cm VOL 0,018 m ³	285,99
736173	BLUX SYSTEM W BRASS			315,77
736174	BLUX SYSTEM W COPPER			315,77
736100	BLUX SYSTEM W20 BLACK			386,07
736101	BLUX SYSTEM W20 RED			386,07
736102	BLUX SYSTEM W20 BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	25 x 25 x 78 cm VOL 0,048 m ³	386,07
736103	BLUX SYSTEM W20 BRASS			415,87
736104	BLUX SYSTEM W20 COPPER			415,87
736105	BLUX SYSTEM W20 PLUG-IN BLACK			393,22
736106	BLUX SYSTEM W20 PLUG-IN RED			393,22
736107	BLUX SYSTEM W20 PLUG-IN BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	25 x 25 x 78 cm VOL 0,048 m ³	393,22
736108	BLUX SYSTEM W20 PLUG-IN BRASS			423,01
736109	BLUX SYSTEM W20 PLUG-IN COPPER			423,01
736120	BLUX SYSTEM W40 BLACK			390,55
736121	BLUX SYSTEM W40 RED			390,55
736122	BLUX SYSTEM W40 BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	25,5 x 25,5 x 91 cm VOL 0,059 m ³	390,55
736123	BLUX SYSTEM W40 BRASS			420,34
736124	BLUX SYSTEM W40 COPPER			420,34

Code	Model	Light Source	Dimensions	Price
736125	BLUX SYSTEM W40 PLUG-IN BLACK			397,39
736126	BLUX SYSTEM W40 PLUG-IN RED			397,39
736127	BLUX SYSTEM W40 PLUG-IN BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	25,5 x 25,5 x 91 cm VOL 0,059 m ³	397,39
736128	BLUX SYSTEM W40 PLUG-IN BRASS			427,19
736129	BLUX SYSTEM W40 PLUG-IN COPPER			427,19
736150	BLUX SYSTEM W125 BLACK			568,00
736151	BLUX SYSTEM W125 RED			568,00
736152	BLUX SYSTEM W125 BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	17 x 17 x 175 cm VOL 0,05 m ³	568,00
736153	BLUX SYSTEM W125 BRASS			597,24
736154	BLUX SYSTEM W125 COPPER			597,24
736155	BLUX SYSTEM W125 PLUG-IN BLACK			576,47
736156	BLUX SYSTEM W125 PLUG-IN RED			576,47
736157	BLUX SYSTEM W125 PLUG-IN BEIGE	LED 10W (E27) / Fluo. max. 11W (E27)	17 x 17 x 175 cm VOL 0,05 m ³	576,47
736158	BLUX SYSTEM W125 PLUG-IN BRASS			605,71
736159	BLUX SYSTEM W125 PLUG-IN COPPER			605,71


Bowee

by Werner Aisslinger


BOWEE W1 LEFT



BOWEE W1 RIGHT



BOWEE W2



Beige (matte), Clear turquoise (matte) and Metallic English bronze.


BOWEE S p. 14
BOWEE F p. 29

Code	Model	Light Source	Dimensions	Price
758100	BOWEE W1 LEFT BEIGE			478,06
758101	BOWEE W1 LEFT CLEAR TURQUOISE	LED 8W 560lm 2700K CRI≥90 230V DIM PHASE CUT	46 x 46 x 26 cm VOL 0,055 m ³	478,06
758102	BOWEE W1 LEFT METALLIC ENGLISH BRONZE			478,06
758103	BOWEE W1 LEFT BLACK			478,06
758110	BOWEE W1 RIGHT BEIGE			478,06
758111	BOWEE W1 RIGHT CLEAR TURQUOISE	LED 8W 560lm 2700K CRI≥90 230V DIM PHASE CUT	46 x 46 x 26 cm VOL 0,055 m ³	478,06
758112	BOWEE W1 RIGHT METALLIC ENGLISH BRONZE			478,06
758113	BOWEE W1 RIGHT BLACK			478,06
758120	BOWEE W2 BEIGE			398,00
758121	BOWEE W2 CLEAR TURQUOISE	LED 2 x 8W 1120lm 2700K CRI≥90 230V DIM PHASE CUT	21 x 21,5 x 34 cm VOL 0,153 m ³	398,00
758122	BOWEE W2 METALLIC ENGLISH BRONZE			398,00
758123	BOWEE W2 BLACK			398,00


C_Ball

by Stone Designs

C_BALL W (1L)



C_BALL W (2L)



Brass (satin) and Black (matte).


C_BALL S p. 16
C_BALL F p. 29
C_BALL T p. 33
C_BALL SYSTEM p. 47

Code	Model	Light Source	Dimensions	Price
748410	C_BALL W (1L) BRASS			381,63
748415	C_BALL W (1L) BLACK	LED 6W (E14) / Fluo. max. 12W (E14)	34 x 21 x 21,5 cm VOL 0,014 m ³	301,04
748420	C_BALL W (2L) BRASS			497,88
748425	C_BALL W (2L) BLACK	LED 6W (E14) / Fluo. max. 12W (E14) + LED 4,5W 546lm 250mA 3000K CRI≥90	23 x 28 x 44 cm VOL 0,028 m ³	458,78


CASAMBI on request / bajo pedido (C_Ball W 1L) 100,00

Aspen SH


ASPEN SH CONNECTION 55/80/110



ASPEN SH A



ASPEN SH B



by Werner Aisslinger

SHADE: Grey (matte), Snow (matte), Lemon (matte), Mango (matte), Clear turquoise (matte), Aqua (matte), Merlot (matte), River (matte), Sea (matte), Rose (matte), Limestone (matte), Black (matte) and Brass (matte).
RING: Black (matte).


See online color configurator

ASPEN S p. 14


ASPEN F p. 28

ASPEN C p. 37

ASPEN SH POWER SUPPLY




ASPEN SH INSTALATION EXAMPLE




750300	ASPEN SH A LED	LED 16,6W 1350lm 2700K CRI≥90 230	F	2,2	53 x 24 x 24 cm VOL 0,03 m ³	Ø	440,05	
750301	ASPEN SH B LED			2,5	53 x 24 x 24 cm VOL 0,03 m ³	Ø	481,67	
750302	ASPEN SH A E27	LED 15W (E27) / Fluo. max. 30W (E27)	D/G	1,1	53 x 24 x 24 cm VOL 0,03 m ³	Ø	344,90	
750303	ASPEN SH B E27			2,5	53 x 24 x 24 cm VOL 0,03 m ³	Ø	386,53	
750320	ASPEN SH POWER SUPPLY			1,3	22 x 17 x 17 cm VOL 0,006 m ³		136,23	
750330	ASPEN SH CONNECTION 55			1,38	6 x 6 x 60 cm VOL 0,0021 m ³		73,79	
750340	ASPEN SH CONNECTION 80			1,38	6 x 6 x 85 cm VOL 0,0030 m ³		85,15	
750350	ASPEN SH CONNECTION 110			1,38	6 x 6 x 115 cm VOL 0,004 m ³		96,50	
CASAMBI on request / bajo pedido								100,00

C_Ball System


C_BALL S CURRENT SUPPLY




C_BALL S SINGLE SUSPENSION



C_BALL SYSTEM S 90°H CURRENT SUPPLY



C_BALL SYSTEM S 90°H SINGLE SUSPENSION



by Stone Designs

Black (matte).


C_BALL S p. 16

C_BALL F p. 29


C_BALL T p. 33

C_BALL W p. 43


C_BALL SYSTEM C/W 90°H CURRENT SUPPLY




C_BALL SYSTEM C/W CURRENT SUPPLY




C_BALL SYSTEM C/W 90°V CURRENT SUPPLY



C_BALL SYSTEM LIGHT MODULE




C_BALL SYSTEM SUSPENSION CABLE



C_BALL SYSTEM LINEAR UNION JOIN




C_BALL SYSTEM LINEAR UNION 30/50/80/110



748905	C_BALL SYSTEM S CURRENT SUPPLY	LED 6W (E14) / Fluo. max. 12W (E14)	F/G	0,9	25 x 25 x 33 cm VOL 0,02 m ³	Ø	431,40	
748915	C_BALL SYSTEM S SINGLE SUSPENSION	LED 6W (E14) / Fluo. max. 12W (E14)	F/G	0,6	25 x 25 x 33 cm VOL 0,02 m ³	Ø	380,32	
748925	C_BALL SYSTEM S 90°H CURRENT SUPPLY	LED 2 x 6W (E14) / Fluo. 2 x max. 12W (E14)	F/G	1,4	46 x 46 x 26 cm VOL 0,05 m ³	Ø	615,88	
748935	C_BALL SYSTEM S 90°H SINGLE SUSPENSION	LED 2 x 6W (E14) / Fluo. 2 x max. 12W (E14)	F/G	1,1	46 x 46 x 26 cm VOL 0,05 m ³	Ø	567,63	
748945	C_BALL SYSTEM C/W CURRENT SUPPLY	LED 6W (E14) / Fluo. max. 12W (E14)	F/G	0,9	25 x 25 x 33 cm VOL 0,02 m ³	Ø	414,38	
748955	C_BALL SYSTEM C/W 90°H CURRENT SUPPLY	LED 2 x 6W (E14) / Fluo. 2 x max. 12W (E14)	F/G	1,1	46 x 46 x 26 cm VOL 0,05 m ³	Ø	613,04	
748965	C_BALL SYSTEM C/W 90°V CURRENT SUPPLY	LED 2 x 6W (E14) / Fluo. 2 x max. 12W (E14)	F/G	1,1	41,5 x 57 x 41,2 cm VOL 0,096 m ³	Ø	613,04	
748985	C_BALL SYSTEM LIGHT MODULE	LED 6W (E14) / Fluo. max. 12W (E14)	F/G	0,8	20 x 20 x 20 cm VOL 0,008 m ³	Ø	241,25	
748975	C_BALL SYST. LINEAR UNION 30			0,4	6 x 6 x 35 cm VOL 0,001 m ³		73,79	
748976	C_BALL SYST. LINEAR UNION 50			0,65	6 x 6 x 55 cm VOL 0,002 m ³		85,15	
748977	C_BALL SYST. LINEAR UNION 80			1	6 x 6 x 85 cm VOL 0,003 m ³		96,50	
748978	C_BALL SYST. LINEAR UNION 110			1,38	6 x 6 x 115 cm VOL 0,004 m ³		113,53	
748980	C_BALL SYSTEM LINEAR UNION JOIN			0			19,86	
748995	C_BALL SYSTEM SUSPENSION CABLE			0,08			20,44	
CASAMBI on request / bajo pedido								100,00

Kup

by e27, Tim Brauns




Black (matte), Gold (satin) and Copper (satin).

DIMMER

742310	KUP 1 BLACK	LED 5 x 8W 2800lm 2700K CRI≥90 230V DIM PHASE CUT	G	6,5	70 x 37 x 37cm	Ø	1.178,46		
742311	KUP 1 GOLD					Ø	1.409,02		
742312	KUP 1 COPPER					Ø	1.409,02		
742320	KUP 2 BLACK	LED 5 x 8W 2800lm 2700K CRI≥90 230V DIM PHASE CUT	G	6,2	70 x 37 x 37 cm	Ø	1.178,46		
742321	KUP 2 GOLD					Ø	1.409,02		
742322	KUP 2 COPPER					Ø	1.409,02		
742900	KUP MODULE BLACK	LED 2 x 8W 1120lm 2700K CRI≥90 230V DIM PHASE CUT	G	2,5	44 x 28 x 23 cm	Ø	499,57		
742901	KUP MODULE GOLD					Ø	602,03		
742902	KUP MODULE COPPER					Ø	602,03		
CASAMBI on request / bajo pedido								100,00	


Kupetz

by e27, Tim Brauns



Black (matte), Gold (satin) and Copper (satin).


DIMMER




760300	KUPETZ 100 GLASS BLACK	LED 8W 560lm 350mA 2700K CRI≥90 230V	G			Ø	288,85		
760301	KUPETZ 100 GLASS GOLD					Ø	307,40		
760302	KUPETZ 100 GLASS COPPER					Ø	307,40		
760310	KUPETZ 150 GLASS BLACK	LED 8W 560lm 350mA 2700K CRI≥90 230V DIM PHASE CUT	G			Ø	291,50		
760311	KUPETZ 150 GLASS GOLD					Ø	310,05		
760312	KUPETZ 150 GLASS COPPER					Ø	310,05		
760330	KUPETZ DIFFUSER BLACK	LED 8W 560lm 350mA 2700K CRI≥90 230V	G			Ø	206,70		
760331	KUPETZ DIFFUSER GOLD					Ø	238,50		
760332	KUPETZ DIFFUSER COPPER					Ø	238,50		
760911	KUPETZ T						108,65		
760900	KUPETZ T SH						121,90		
760910	KUPETZ T SV						121,90		
760905	KUPETZ TS POWER SUPPLY						185,50		
760921	KUPETZ X						121,90		
760920	KUPETZ XS						148,40		
760925	KUPETZ XS POWER SUPPLY						212,00		
760980	KUPETZ S POWER SUPPLY						156,60		
760950	KUPETZ LINEAR UNION 15						53,00		
760951	KUPETZ LINEAR UNION 40						60,95		
760952	KUPETZ LINEAR UNION 60						68,90		
760953	KUPETZ LINEAR UNION 85						74,20		
760954	KUPETZ LINEAR UNION 105						82,15		
760970	KUPETZ END CAP						34,45		
CASAMBI on request / bajo pedido								REQUEST	

Anvil System

by David Abad

 Black (matte), White (matte), Oak and Walnut.

 DIMMER

 See online configurator


					€
851940	ANVIL SYSTEM SUSPENSION/SURFACE PROFILE BLACK (1M)				97,14
851941	ANVIL SYSTEM SUSPENSION/SURFACE PROFILE WHITE (1M)				97,14
851942	ANVIL SYSTEM SUSPENSION/ SURFACE PROFILE OAK (1M)				227,42
851944	ANVIL SYSTEM SUSPENSION/ SURFACE PROFILE WALNUT (1M)				227,42
851950	ANVIL SYSTEM RECESSED PROFILE BLACK (1M)				100,24
851951	ANVIL SYSTEM RECESSED PROFILE WHITE (1M)				100,24
851960	ANVIL SYSTEM COVER PROFILE BLACK (1M)				33,00
851961	ANVIL SYSTEM COVER PROFILE WHITE (1M)				33,00
851970	ANVIL SYSTEM FLAT COVER PROFILE BLACK (1M)				26,89
851971	ANVIL SYSTEM FLAT COVER PROFILE WHITE (1M)				26,89
851930	ANVIL SYSTEM 180° ANGLE				12,60
851920	ANVIL SYSTEM 135° ANGLE SUSPENSION/SURFACE BLACK				55,01
851921	ANVIL SYSTEM 135° ANGLE SUSPENSION/SURFACE WHITE				55,01
851922	ANVIL SYSTEM 135° ANGLE SUSPENSION/SURFACE OAK				55,01
851923	ANVIL SYSTEM 135° ANGLE SUSPENSION/SURFACE WALNUT				55,01
851925	ANVIL SYSTEM 135° ANGLE RECESSED BLACK				55,01
851926	ANVIL SYSTEM 135° ANGLE RECESSED WHITE				55,01
851910	ANVIL SYSTEM 90° ANGLE SUSPENSION/SURFACE BLACK				45,86
851911	ANVIL SYSTEM 90° ANGLE SUSPENSION/SURFACE WHITE				45,86
851912	ANVIL SYSTEM 90° ANGLE SUSPENSION/SURFACE OAK				45,86
851913	ANVIL SYSTEM 90° ANGLE SUSPENSION/SURFACE WALNUT				45,86
851915	ANVIL SYSTEM 90° ANGLE RECESSED BLACK				45,86
851916	ANVIL SYSTEM 90° ANGLE RECESSED WHITE				45,86
851931	ANVIL SYSTEM X BLACK				45,86
851932	ANVIL SYSTEM X WHITE				45,86
851933	ANVIL SYSTEM X RECESSED BLACK				45,86
851934	ANVIL SYSTEM X RECESSED WHITE				45,86
851935	ANVIL SYSTEM T BLACK				45,86
851936	ANVIL SYSTEM T WHITE				45,86
851937	ANVIL SYSTEM T RECESSED BLACK				45,86
851938	ANVIL SYSTEM T RECESSED WHITE				45,86
851900	ANVIL SYSTEM END CAP BLACK (2 UN.)				36,68
851901	ANVIL SYSTEM END CAP WHITE (2 UN.)				36,68
851908	ANVIL SYSTEM RECESSED END CAP BLACK (2 UN.)				36,68
851909	ANVIL SYSTEM RECESSED END CAP WHITE (2 UN.)				36,68
851906	ANVIL SYSTEM LED LINE END CAP BLACK (2 UN.)				37,43
851907	ANVIL SYSTEM LED LINE END CAP WHITE (2 UN.)				37,43
851905	ANVIL SYSTEM WALL FIXATION				14,15
851980	ANVIL SYSTEM CURRENT SUPPLY BLACK				80,59
851981	ANVIL SYSTEM CURRENT SUPPLY WHITE				80,59
851985	ANVIL SYSTEM DIM CURRENT SUPPLY BLACK				120,00
851986	ANVIL SYSTEM DIM CURRENT SUPPLY WHITE				120,00
851990	ANVIL SYSTEM SINGLE SUSPENSION				15,89
851840C	ANVIL SYSTEM LED LINE C420 SURFACE/RECESSED	LED 7,6W 1326lm			169,57
851840S	ANVIL SYSTEM LED LINE S420 SUSPENSION	450mA 3000K CRI≥90			169,57
851850C	ANVIL SYSTEM LED LINE C560 SURFACE/RECESSED	LED 10,2W 1768lm			180,10
851850S	ANVIL SYSTEM LED LINE S560 SUSPENSION	450mA 3000K CRI≥90			180,10
851860C	ANVIL SYSTEM LED LINE C700 SURFACE/RECESSED	LED 12,7W 2210lm			193,78
851860S	ANVIL SYSTEM LED LINE S700 SUSPENSION	450mA 3000K CRI≥90	D	Ø	193,78
851870C	ANVIL SYSTEM LED LINE C840 SURFACE/RECESSED	LED 15,2W 2652lm			207,84
851870S	ANVIL SYSTEM LED LINE S840 SUSPENSION	450mA 3000K CRI≥90			207,84
851880C	ANVIL SYSTEM LED LINE C1120 SURFACE/RECESSED	LED 20,5W 3536lm			280,50
851880S	ANVIL SYSTEM LED LINE S1120 SUSPENSION	450mA 3000K CRI≥90			280,50

851993	ANVIL SYSTEM DRIVER LED LINE 23W-42W 450mA 230V				37,44
851994	ANVIL SYSTEM DRIVER LED LINE DIM 1/10V-PUSH 15W-45W 450mA 230V		PUSH / 1-10V		78,47
851995	ANVIL SYSTEM DRIVER LED LINE DIM DALI-PUSH 21W-42W 450mA 230V		PUSH / DALI		78,47
851997	ANVIL SYSTEM DRIVER LED LINE 0-21W 450mA 110-230V				37,44
851999	ANVIL SYSTEM DRIVER LED LINE DIM DALI-PUSH 0-21W 450mA 230V		PUSH / DALI		78,47
851600	ANVIL SYSTEM LED MODULE 4 38° BLACK				269,88
851601	ANVIL SYSTEM LED MODULE 4 38° WHITE	LED 4 x 4,5W 2184lm	F	Ø	269,88
851610	ANVIL SYSTEM LED MODULE 4 60° BLACK	250mA 3000K CRI≥90			269,88
851611	ANVIL SYSTEM LED MODULE 4 60° WHITE				269,88
851620	ANVIL SYSTEM LED MODULE 2 38° BLACK				180,10
851621	ANVIL SYSTEM LED MODULE 2 38° WHITE	LED 2 x 4,5W 1092lm	F	Ø	180,10
851630	ANVIL SYSTEM LED MODULE 2 60° BLACK	250mA 3000K CRI≥90			180,10
851631	ANVIL SYSTEM LED MODULE 2 60° WHITE				180,10
851996	ANVIL SYSTEM DRIVER LED MODULE 18W-54W 250mA 230V				37,44
851989	ANVIL SYSTEM DRIVER LED MODULE DIM DALI-PUSH 13,5W-18W 250mA 230V		PUSH / DALI		78,47
851991	ANVIL SYSTEM DRIVER LED MODULE DIM 1/10V-PUSH 9W-36W 250mA 230V		PUSH / 1-10V		78,47
851992	ANVIL SYSTEM DRIVER LED MODULE DIM DALI-PUSH 36W-54W 250mA 230V		PUSH / DALI		78,47
851999E1	ANVIL SYSTEM DRIVER LED MODULE 10W 250mA 230V				37,44
851999E2	ANVIL SYSTEM DRIVER LED MODULE/SPOT DIM DALI-PUSH 14W 250mA 230V		PUSH / DALI		78,47
851700	ANVIL SYSTEM LED SPOTLIGHT S 38° BLACK				212,21
851701	ANVIL SYSTEM LED SPOTLIGHT S 38° WHITE				212,21
851702	ANVIL SYSTEM LED SPOTLIGHT S 60° BLACK				212,21
851703	ANVIL SYSTEM LED SPOTLIGHT S 60° WHITE				212,21
851710	ANVIL SYSTEM LED SPOTLIGHT M 38° BLACK				223,38
851711	ANVIL SYSTEM LED SPOTLIGHT M 38° WHITE	LED 4,5W 546lm 250mA	F	Ø	223,38
851712	ANVIL SYSTEM LED SPOTLIGHT M 60° BLACK	3000K CRI≥90 230V			223,38
851713	ANVIL SYSTEM LED SPOTLIGHT M 60° WHITE				223,38
851720	ANVIL SYSTEM LED SPOTLIGHT L 38° BLACK				234,55
851721	ANVIL SYSTEM LED SPOTLIGHT L 38° WHITE				234,55
851722	ANVIL SYSTEM LED SPOTLIGHT L 60° BLACK				234,55
851723	ANVIL SYSTEM LED SPOTLIGHT L 60° WHITE				234,55
851989	ANVIL SYSTEM DRIVER PUSH-DALI 13,5-36W 250mA		PUSH / DALI		78,47
851991	ANVIL SYSTEM DRIVER DIM 1/10V 9W-36W 250mA		PUSH / 1-10V		78,47
851992	ANVIL SYSTEM DRIVER PUSH-DALI 31,5-54W/250mA		PUSH / DALI		78,47
851996	ANVIL SYSTEM DRIVER 13,5-54W 250mA				37,44
851999E1	ANVIL SYSTEM DRIVER 0-10W 250mA				37,44
851999E2	ANVIL SYSTEM DRIVER PUSH-DALI 0-14W 250mA		PUSH / DALI		78,47
851999E4	ANVIL SYSTEM DRIVER 0-4,5W 250mA				37,44
851761	ANVIL SYSTEM LED SPOTLIGHT SLIM S 38° WHITE				212,9
851760	ANVIL SYSTEM LED SPOTLIGHT SLIM S 38° BLACK				212,9
851764	ANVIL SYSTEM LED SPOTLIGHT SLIM S 38° GOLD				237,47
851763	ANVIL SYSTEM LED SPOTLIGHT SLIM S 60° WHITE				212,9
851762	ANVIL SYSTEM LED SPOTLIGHT SLIM S 60° BLACK				212,9
851765	ANVIL SYSTEM LED SPOTLIGHT SLIM S 60° GOLD	LED 4,5W 546lm 250mA		Ø	237,47
851771	ANVIL SYSTEM LED SPOTLIGHT SLIM M 38° WHITE	3000K CRI≥90 230V			223,82
851770	ANVIL SYSTEM LED SPOTLIGHT SLIM M 38° BLACK				223,82
851774	ANVIL SYSTEM LED SPOTLIGHT SLIM M 38° GOLD				248,39
851773	ANVIL SYSTEM LED SPOTLIGHT SLIM M 60° WHITE				223,82
851772	ANVIL SYSTEM LED SPOTLIGHT SLIM M 60° BLACK				223,82
851775	ANVIL SYSTEM LED SPOTLIGHT SLIM M 60° GOLD				248,39
851989	ANVIL SYSTEM DRIVER PUSH-DALI 13,5-36W 250mA		PUSH / DALI		78,47
851991	ANVIL SYSTEM DRIVER DIM 1/10V 9W-36W 250mA		PUSH / 1-10V		78,47
851992	ANVIL SYSTEM DRIVER PUSH-DALI 31,5-54W/250mA		PUSH / DALI		78,47
851996	ANVIL SYSTEM DRIVER 13,5-54W 250mA				37,44
851999E1	ANVIL SYSTEM DRIVER 0-10W 250mA				37,44
851999E2	ANVIL SYSTEM DRIVER PUSH-DALI 0-14W 250mA		PUSH / DALI		78,47
851999E4	ANVIL SYSTEM DRIVER 0-4,5W 250mA				37,44
851750	ANVIL SYSTEM LED SPOT S-38 BLACK				259,31
851751	ANVIL SYSTEM LED SPOT S-38 WHITE	LED 4,5W 546lm 250mA	F	Ø	259,31
851752	ANVIL SYSTEM LED SPOT S-60 BLACK	3000K CRI≥90 230V			259,31
851753	ANVIL SYSTEM LED SPOT S-60 WHITE				259,31


851790	ANVIL SYSTEM LED SPOT ANTI-GLARE RING BLACK							50,12
851791	ANVIL SYSTEM LED SPOT ANTI-GLARE RING WHITE							50,12
851792	ANVIL SYSTEM LED SPOT ANTI-GLARE RING + HONEYCOMB BLACK							61,25
851793	ANVIL SYSTEM LED SPOT ANTI-GLARE RING + HONEYCOMB WHITE							61,25
851989	ANVIL SYSTEM DRIVER PUSH-DALI 13,5-36W 250mA					PUSH / DALI		78,47
851991	ANVIL SYSTEM DRIVER DIM 1/10V 9W-36W 250mA					PUSH / 1-10V		78,47
851992	ANVIL SYSTEM DRIVER PUSH-DALI 31,5-54W 250mA					PUSH / DALI		78,47
851996	ANVIL SYSTEM DRIVER 13,5-54W 250mA							37,44
851999E1	ANVIL SYSTEM DRIVER 0-10W 250mA							37,44
851999E2	ANVIL SYSTEM DRIVER PUSH-DALI 0-14W 250mA					PUSH / DALI		78,47
851999E4	ANVIL SYSTEM DRIVER 0-4,5W 250mA							37,44
851730	ANVIL SYSTEM SPHERE C BLACK							283,87
851731	ANVIL SYSTEM SPHERE C WHITE							283,87
851740	ANVIL SYSTEM SPHERE S BLACK							311,16
851741	ANVIL SYSTEM SPHERE S WHITE							311,16
851989	ANVIL SYSTEM DRIVER PUSH-DALI 13,5-36W 250mA					PUSH / DALI		78,47
851991	ANVIL SYSTEM DRIVER DIM 1/10V 9W-36W 250mA					PUSH / 1-10V		78,47
851992	ANVIL SYSTEM DRIVER PUSH-DALI 31,5-54W 250mA					PUSH / DALI		78,47
851996	ANVIL SYSTEM DRIVER 13,5-54W 250mA							37,44
851999E1	ANVIL SYSTEM DRIVER 0-10W 250mA							37,44
851999E2	ANVIL SYSTEM DRIVER PUSH-DALI 0-14W 250mA					PUSH / DALI		78,47
851999E4	ANVIL SYSTEM DRIVER 0-4,5W 250mA							37,44
851780	ANVIL SYSTEM SPEERS S/S COPPER							305,36
851781	ANVIL SYSTEM SPEERS S/S BRASS							305,36
851782	ANVIL SYSTEM SPEERS S/S BLACK-COPPER							305,36
851783	ANVIL SYSTEM SPEERS S/S BLACK-BRASS							305,36
851784	ANVIL SYSTEM SPEERS S/S WHITE-COPPER							305,36
851785	ANVIL SYSTEM SPEERS S/S WHITE-BRASS							305,36
851786	ANVIL SYSTEM SPEERS S/M BLACK							347,68
851787	ANVIL SYSTEM SPEERS S/M WHITE							347,68
851788	ANVIL SYSTEM SPEERS S/L BLACK							365,70
851789	ANVIL SYSTEM SPEERS S/L WHITE							365,70
851998	ANVIL SYSTEM DRIVER DIM 1/10V 0-18W 500mA					PUSH / DALI		78,47
851999E7	ANVIL SYSTEM DRIVER 10W 500mA PHASE-CUT							37,44
CASAMBI on request / bajo pedido								150,00

Anvil Led Module

ANVIL LED MODULE R2



ANVIL LED MODULE R4



by David Abad

Black (matte) and White (matte).

DIM DIMMER


851100	ANVIL LED MODULE R2 DIM 38° BLACK								274,34
851101	ANVIL LED MODULE R2 DIM 38° WHITE								274,34
851102	ANVIL LED MODULE R2 DIM 60° BLACK								274,34
851103	ANVIL LED MODULE R2 DIM 60° WHITE								274,34
851105	ANVIL LED MODULE R2 38° BLACK								249,74
851106	ANVIL LED MODULE R2 38° WHITE								249,74
851107	ANVIL LED MODULE R2 60° BLACK								249,74
851108	ANVIL LED MODULE R2 60° WHITE								249,74
851110	ANVIL LED MODULE R4 DIM 38° BLACK								357,50
851111	ANVIL LED MODULE R4 DIM 38° WHITE								357,50
851112	ANVIL LED MODULE R4 DIM 60° BLACK								357,50
851113	ANVIL LED MODULE R4 DIM 60° WHITE								357,50

851115	ANVIL LED MODULE R4 38° BLACK								318,68
851116	ANVIL LED MODULE R4 38° WHITE								318,68
851117	ANVIL LED MODULE R4 60° BLACK								318,68
851118	ANVIL LED MODULE R4 60° WHITE								318,68
CASAMBI on request / bajo pedido									150,00


Anvil Spot

by David Abad


ANVIL SPOT S




ANVIL SPOT SR



ANVIL SPOT CR SINGLE



ANVIL SPOT CR DOUBLE



Black (matte) and White (matte).


851220	ANVIL SPOT S 38° BLACK								291,09
851221	ANVIL SPOT S 38° WHITE								291,09
851222	ANVIL SPOT S 60° BLACK								291,09
851223	ANVIL SPOT S 60° WHITE								291,09
851230	ANVIL SPOT SR 38° BLACK								261,97
851231	ANVIL SPOT SR 38° WHITE								261,97
851232	ANVIL SPOT SR 60° BLACK								261,97
851233	ANVIL SPOT SR 60° WHITE								261,97
851200	ANVIL SPOT CR SINGLE 38° BLACK								253,24
851201	ANVIL SPOT CR SINGLE 38° WHITE								253,24
851202	ANVIL SPOT CR SINGLE 60° BLACK								253,24
851203	ANVIL SPOT CR SINGLE 60° WHITE								253,24
851210	ANVIL SPOT CR DOUBLE 38° BLACK								356,57
851211	ANVIL SPOT CR DOUBLE 38° WHITE								356,57
851212	ANVIL SPOT CR DOUBLE 60° BLACK								356,57
851213	ANVIL SPOT CR DOUBLE 60° WHITE								356,57
CASAMBI on request (Anvil Spot CR Double)/ bajo pedido (Anvil Spot CR Double)									150,00

851790	ANVIL SYSTEM LED SPOT ANTI-GLARE RING BLACK								50,12
851791	ANVIL SYSTEM LED SPOT ANTI-GLARE RING WHITE								50,12
851792	ANVIL SYSTEM LED SPOT ANTI-GLARE RING + HONEYCOMB BLACK								61,25
851793	ANVIL SYSTEM LED SPOT ANTI-GLARE RING + HONEYCOMB WHITE								61,25

Anvil Spot Slim

by David Abad

ANVIL SPOT SLIM CR




Black (matte), White (matte) and Gold (matte).

Code	Product Name	Specifications	Type	Power	Dimensions	Volume	Mounting	Price
851250	ANVIL SPOT SLIM CR 38° BLACK	LED 4,5W 546lm 250mA 3000K CRI≥90 230V	F	0,4	25 x 14 x 11,8 cm	0,0041 m ³	○	240,20
851251	ANVIL SPOT SLIM CR 38° WHITE						○	240,20
851252	ANVIL SPOT SLIM CR 38° GOLD						○	259,31
851260	ANVIL SPOT SLIM CR 60° BLACK						○	240,20
851261	ANVIL SPOT SLIM CR 60° WHITE						○	240,20
851262	ANVIL SPOT SLIM CR 60° GOLD						○	259,31

Anvil Point

by David Abad

ANVIL POINT




Black (matte) and White (matte).

Code	Product Name	Specifications	Type	Power	Dimensions	Volume	Mounting	Price
851801	ANVIL POINT 38° WHITE	LED 4,5W 546lm 250mA 3000K CRI≥90 230V	F	0,2	6 x 6 x 18 cm	0,00064 cm ³	○	137,34
851800	ANVIL POINT 38° BLACK						○	137,34
851803	ANVIL POINT 60° WHITE						○	137,34
851802	ANVIL POINT 60° BLACK						○	137,34
851811	ANVIL POINT 38° IP44 WHITE						○	140,81
851810	ANVIL POINT 38° IP44 BLACK						○	140,81
851813	ANVIL POINT 60° IP44 WHITE						○	140,81
851812	ANVIL POINT 60° IP44 BLACK						○	140,81

Marc

by David Abad

MARC S (1L - 2L)



Grey (matte), White (satin), Black (satin) and Oak.


DIMMER

Code	Product Name	Specifications	Type	Power	Dimensions	Volume	Mounting	Price
839350	MARC S70 (1L) LED GREY	LED 10,2W 1768lm 450mA 3000K CRI≥90 110-230V	D	4,1	10 x 14 x 83 cm	0,012 m ³	○	495,22
839351	MARC S70 (1L) LED WHITE						○	495,22
839352	MARC S70 (1L) LED BLACK						○	495,22
839353	MARC S70 (1L) LED OAK						○	796,56
839350D	MARC S70 (1L) LED DIM GREY						○	652,72
839351D	MARC S70 (1L) LED DIM WHITE						○	652,72
839352D	MARC S70 (1L) LED DIM BLACK						○	652,72
839353D	MARC S70 (1L) LED DIM OAK						○	954,04
839355	MARC S70 (2L) LED GREY						○	531,93
839356	MARC S70 (2L) LED WHITE						○	531,93
839357	MARC S70 (2L) LED BLACK						○	531,93
839358	MARC S70 (2L) LED OAK						○	833,25
839355D	MARC S70 (2L) LED DIM GREY						○	689,38
839356D	MARC S70 (2L) LED DIM WHITE						○	689,38
839357D	MARC S70 (2L) LED DIM BLACK						○	689,38
839358D	MARC S70 (2L) LED DIM OAK						○	990,72

Code	Product Name	Specifications	Type	Power	Dimensions	Volume	Mounting	Price
839360	MARC S130 (1L) LED GREY	LED 20,5W 3536lm 450mA 3000K CRI≥90 230V	D	6	11,5 x 14,5 x 141 cm	0,024 m ³	○	616,10
839361	MARC S130 (1L) LED WHITE						○	616,10
839362	MARC S130 (1L) LED BLACK						○	616,10
839363	MARC S130 (1L) LED OAK						○	942,07
839360D	MARC S130 (1L) LED DIM GREY						○	787,20
839361D	MARC S130 (1L) LED DIM WHITE						○	787,20
839362D	MARC S130 (1L) LED DIM BLACK						○	787,20
839363D	MARC S130 (1L) LED DIM OAK						○	1.113,17
839365	MARC S130 (2L) LED GREY						○	742,22
839366	MARC S130 (2L) LED WHITE						○	742,22
839367	MARC S130 (2L) LED BLACK						○	742,22
839368	MARC S130 (2L) LED OAK						○	1.068,18
839365D	MARC S130 (2L) LED DIM GREY						○	912,65
839366D	MARC S130 (2L) LED DIM WHITE						○	912,65
839367D	MARC S130 (2L) LED DIM BLACK						○	912,65
839368D	MARC S130 (2L) LED DIM OAK						○	1.238,62
839370	MARC S160 (1L) LED GREY	LED 25,4W 4420lm 450mA 3000K CRI≥90 230V	D	8,1	10 x 14 x 181 cm	0,025 m ³	○	705,92
839371	MARC S160 (1L) LED WHITE						○	705,92
839372	MARC S160 (1L) LED BLACK						○	705,92
839373	MARC S160 (1L) LED OAK						○	1.075,35
839370D	MARC S160 (1L) LED DIM GREY						○	888,38
839371D	MARC S160 (1L) LED DIM WHITE						○	888,38
839372D	MARC S160 (1L) LED DIM BLACK						○	888,38
839373D	MARC S160 (1L) LED DIM OAK						○	1.257,80
839375	MARC S160 (2L) LED GREY						○	849,96
839376	MARC S160 (2L) LED WHITE						○	849,96
839377	MARC S160 (2L) LED BLACK						○	849,96
839378	MARC S160 (2L) LED OAK						○	1.219,38
839375D	MARC S160 (2L) LED DIM GREY						○	1.030,77
839376D	MARC S160 (2L) LED DIM WHITE						○	1.030,77
839377D	MARC S160 (2L) LED DIM BLACK						○	1.030,77
839378D	MARC S160 (2L) LED DIM OAK						○	1.400,20


CASAMBI on request / bajo pedido (MARC S LED DIM) 150,00

MARC C




Code	Product Name	Specifications	Type	Power	Dimensions	Volume	Mounting	Price
839450	MARC C70 (1L) LED GREY	LED 10,2W 1768lm 450mA 3000K CRI≥90 110-230V	D	3,3	10 x 14 x 83 cm	0,012 m ³	○	401,32
839451	MARC C70 (1L) LED WHITE						○	401,32
839452	MARC C70 (1L) LED BLACK						○	401,32
839453	MARC C70 (1L) LED OAK						○	702,64
839450D	MARC C70 (1L) LED DIM GREY						○	558,86
839451D	MARC C70 (1L) LED DIM WHITE						○	558,86
839452D	MARC C70 (1L) LED DIM BLACK						○	558,86
839453D	MARC C70 (1L) LED DIM OAK						○	860,19
839460	MARC C130 (1L) LED GREY	LED 20,5W 3536lm 450mA 3000K CRI≥90 230V	D	5,1	11,5 x 14,5 x 141 cm	0,024 m ³	○	523,98
839461	MARC C130 (1L) LED WHITE						○	523,98
839462	MARC C130 (1L) LED BLACK						○	523,98
839463	MARC C130 (1L) LED OAK						○	849,94
839460D	MARC C130 (1L) LED DIM GREY						○	678,53
839461D	MARC C130 (1L) LED DIM WHITE						○	678,53
839462D	MARC C130 (1L) LED DIM BLACK						○	678,53
839463D	MARC C130 (1L) LED DIM OAK						○	1.004,50
839470	MARC C160 (1L) LED GREY	LED 25,4W 4420lm 450mA 3000K CRI≥90 230V	D	7,2	10 x 14 x 181 cm	0,025 m ³	○	598,87
839471	MARC C160 (1L) LED WHITE						○	598,87
839472	MARC C160 (1L) LED BLACK						○	598,87
839473	MARC C160 (1L) LED OAK						○	968,29

839470D	MARC C160 (1L) LED DIM GREY							753,43
839471D	MARC C160 (1L) LED DIM WHITE	LED 25,4W 4420lm 450mA 3000K	D	7,2	10 x 14 x 181 cm			753,43
839472D	MARC C160 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,025 m³			753,43
839473D	MARC C160 (1L) LED DIM OAK							1,122,85
CASAMBI on request / bajo pedido (MARC C LED DIM)								150,00



839150	MARC W70 (1L) LED GREY							365,60	
839151	MARC W70 (1L) LED WHITE	LED 10,2W 1768lm 450mA 3000K	D	2,5	10 x 14 x 83 cm			365,60	
839152	MARC W70 (1L) LED BLACK	CRI≥90 110-230V			VOL 0,012 m³			365,60	
839153	MARC W70 (1L) LED OAK							528,58	
839150D	MARC W70 (1L) LED DIM GREY							523,16	
839151D	MARC W70 (1L) LED DIM WHITE	LED 10,2W 1768lm 450mA 3000K	D	2,5	10 x 14 x 83 cm			523,16	
839152D	MARC W70 (1L) LED DIM BLACK	CRI≥90 110-230V DIM PUSH DALI			VOL 0,012 m³			523,16	
839153D	MARC W70 (1L) LED DIM OAK							686,15	
839155	MARC W70 (2L) LED GREY							402,27	
839156	MARC W70 (2L) LED WHITE	LED 2 x 10,2W 3536lm 450mA 3000K	D	2,5	10 x 14 x 83 cm			402,27	
839157	MARC W70 (2L) LED BLACK	CRI≥90 230V			VOL 0,012 m³			402,27	
839158	MARC W70 (2L) LED OAK							565,26	
839155D	MARC W70 (2L) LED DIM GREY							566,46	
839156D	MARC W70 (2L) LED DIM WHITE	LED 2 x 10,2W 3536lm 450mA 3000K	D	2,5	10 x 14 x 83 cm			566,46	
839157D	MARC W70 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,012 m³			566,46	
839158D	MARC W70 (2L) LED DIM OAK							729,45	
839160	MARC W130 (1L) LED GREY							487,99	
839161	MARC W130 (1L) LED WHITE	LED 20,5W 3536lm 450mA 3000K	D	3,8	11,5 x 14,5 x 141 cm			487,99	
839162	MARC W130 (1L) LED BLACK	CRI≥90 230V			VOL 0,024 m³			487,99	
839163	MARC W130 (1L) LED OAK							650,98	
839160D	MARC W130 (1L) LED DIM GREY							642,51	
839161D	MARC W130 (1L) LED DIM WHITE	LED 20,5W 3536lm 450mA 3000K	D	3,8	11,5 x 14,5 x 141 cm			642,51	
839162D	MARC W130 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,024 m³			642,51	
839163D	MARC W130 (1L) LED DIM OAK							805,49	
839165	MARC W130 (2L) LED GREY							582,92	
839166	MARC W130 (2L) LED WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	3,8	11,5 x 14,5 x 141 cm			582,92	
839167	MARC W130 (2L) LED BLACK	CRI≥90 230V			VOL 0,024 m³			582,92	
839168	MARC W130 (2L) LED OAK							745,90	
839165D	MARC W130 (2L) LED DIM GREY							743,90	
839166D	MARC W130 (2L) LED DIM WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	3,8	11,5 x 14,5 x 141 cm			743,90	
839167D	MARC W130 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,024 m³			743,90	
839168D	MARC W130 (2L) LED DIM OAK							906,88	
839170	MARC W160 (1L) LED GREY							546,00	
839171	MARC W160 (1L) LED WHITE	LED 25,4W 4420lm 450mA 3000K	D	4,4	10 x 14 x 181 cm			546,00	
839172	MARC W160 (1L) LED BLACK	CRI≥90 230V			VOL 0,025 m³			546,00	
839173	MARC W160 (1L) LED OAK							730,22	
839170D	MARC W160 (1L) LED DIM GREY							700,54	
839171D	MARC W160 (1L) LED DIM WHITE	LED 25,4W 4420lm 450mA 3000K	D	4,4	10 x 14 x 181 cm			700,54	
839172D	MARC W160 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,025 m³			700,54	
839173D	MARC W160 (1L) LED DIM OAK							884,77	
839175	MARC W160 (2L) LED GREY							704,00	
839176	MARC W160 (2L) LED WHITE	LED 2 x 25,4W 8840lm 450mA 3000K	D	4,4	10 x 14 x 181 cm			704,00	
839177	MARC W160 (2L) LED BLACK	CRI≥90 230V			VOL 0,025 m³			704,00	
839178	MARC W160 (2L) LED OAK							888,23	
839175D	MARC W160 (2L) LED DIM GREY							865,02	
839176D	MARC W160 (2L) LED DIM WHITE	LED 2 x 25,4W 8840lm 450mA 3000K	D	4,4	10 x 14 x 181 cm			865,02	
839177D	MARC W160 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,025 m³			865,02	
839178D	MARC W160 (2L) LED DIM OAK							1,049,25	
CASAMBI on request / bajo pedido (MARC W LED DIM)								150,00	

MARC ARM (1L - 2L)




839560	MARC ARM 130 (1L) LED GREY							648,03	
839561	MARC ARM 130 (1L) LED WHITE	LED 20,5W 3536lm 450mA 3000K	D	5,1	11,5 x 14,5 x 141 cm			648,03	
839562	MARC ARM 130 (1L) LED BLACK	CRI≥90 230V			VOL 0,024 m³			648,03	
839563	MARC ARM 130 (1L) LED OAK							973,99	
839560D	MARC ARM 130 (1L) LED DIM GREY							815,56	
839561D	MARC ARM 130 (1L) LED DIM WHITE	LED 20,5W 3536lm 450mA 3000K	D	5,1	11,5 x 14,5 x 141 cm			815,56	
839562D	MARC ARM 130 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,024 m³			815,56	
839563D	MARC ARM 130 (1L) LED DIM OAK							1.141,52	
839565	MARC ARM 130 (2L) LED GREY							739,99	
839566	MARC ARM 130 (2L) LED WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	5,1	11,5 x 14,5 x 141 cm			739,99	
839567	MARC ARM 130 (2L) LED BLACK	CRI≥90 230V			VOL 0,024 m³			739,99	
839568	MARC ARM 130 (2L) LED OAK							1,065,96	
839565D	MARC ARM 130 (2L) LED DIM GREY							913,41	
839566D	MARC ARM 130 (2L) LED DIM WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	5,1	11,5 x 14,5 x 141 cm			913,41	
839567D	MARC ARM 130 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,024 m³			913,41	
839568D	MARC ARM 130 (2L) LED DIM OAK							1.239,37	
839580	MARC ARM 150 (1L) LED GREY							1.364,06	
839581	MARC ARM 150 (1L) LED WHITE	LED 43,2W 7514lm 450mA 3000K	D	10	15 x 15 x 280 cm			1.364,06	
839582	MARC ARM 150 (1L) LED BLACK	CRI≥90 230V			VOL 0,063 m³			1.364,06	
839583	MARC ARM 150 (1L) LED OAK							1.579,77	
839580D	MARC ARM 150 (1L) LED DIM GREY							1.644,51	
839581D	MARC ARM 150 (1L) LED DIM WHITE	LED 43,2W 7514lm 450mA 3000K	D	10	15 x 15 x 280 cm			1.644,51	
839582D	MARC ARM 150 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,063 m³			1.644,51	
839583D	MARC ARM 150 (1L) LED DIM OAK							1.860,21	
839585	MARC ARM 150 (2L) LED GREY							1.563,56	
839586	MARC ARM 150 (2L) LED WHITE	LED 2 x 43,2W 15028lm 450mA 3000K	D	10	15 x 15 x 280 cm			1.563,56	
839587	MARC ARM 150 (2L) LED BLACK	CRI≥90 230V			VOL 0,063 m³			1.563,56	
839588	MARC ARM 150 (2L) LED OAK							1.779,27	
839585D	MARC ARM 150 (2L) LED DIM GREY							1.997,35	
839586D	MARC ARM 150 (2L) LED DIM WHITE	LED 2 x 43,2W 15028lm 450mA 3000K	D	10	15 x 15 x 280 cm			1.997,35	
839587D	MARC ARM 150 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,063 m³			1.997,35	
839588D	MARC ARM 150 (2L) LED DIM OAK							2.213,06	
CASAMBI on request / bajo pedido (Marc Arm LED DIM)								150,00	

Marc Dos

by David Abad

MARC DOS S (1L - 2L)




- Grey (matte), White (satin), Black (satin) and Oak.
- DIMMER**

841350	MARC DOS S130 (1L) LED GREY							827,93	
841351	MARC DOS S130 (1L) LED WHITE	LED 20,5W 3536lm 450mA 3000K	D	6	160 x 15 x 15 cm			827,93	
841352	MARC DOS S130 (1L) LED BLACK	CRI≥90 230V			VOL 0,036 m³			827,93	
841353	MARC DOS S130 (1L) LED OAK							1.153,89	

841350D	MARC DOS S130 (1L) LED DIM GREY							982,49
841351D	MARC DOS S130 (1L) LED DIM WHITE	LED 20,5W 3536lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		982,49
841352D	MARC DOS S130 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,036 m³			982,49
841353D	MARC DOS S130 (1L) LED DIM OAK							1.308,46
841355	MARC DOS S130 (2L) LED GREY							978,99
841356	MARC DOS S130 (2L) LED WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		978,99
841357	MARC DOS S130 (2L) LED BLACK	CRI≥90 230V			VOL 0,036 m³			978,99
841358	MARC DOS S130 (2L) LED OAK							1.304,96
841355D	MARC DOS S130 (2L) LED DIM GREY							1.140,07
841356D	MARC DOS S130 (2L) LED DIM WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		1.140,07
841357D	MARC DOS S130 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,036 m³			1.140,07
841358D	MARC DOS S130 (2L) LED DIM OAK							1.466,03
841360	MARC DOS S160 (1L) LED GREY							955,05
841361	MARC DOS S160 (1L) LED WHITE	LED 25,4W 4420lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		955,05
841362	MARC DOS S160 (1L) LED BLACK	CRI≥90 230V			VOL 0,0427 m³			955,05
841363	MARC DOS S160 (1L) LED OAK							1.287,33
841360D	MARC DOS S160 (1L) LED DIM GREY							1.109,58
841361D	MARC DOS S160 (1L) LED DIM WHITE	LED 25,4W 4420lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		1.109,58
841362D	MARC DOS S160 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,0427 m³			1.109,58
841363D	MARC DOS S160 (1L) LED DIM OAK							1.441,86
841365	MARC DOS S160 (2L) LED GREY							1.128,60
841366	MARC DOS S160 (2L) LED WHITE	LED 2 x 25,4W 8840lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		1.128,60
841367	MARC DOS S160 (2L) LED BLACK	CRI≥90 230V			VOL 0,0427 m³			1.128,60
841368	MARC DOS S160 (2L) LED OAK							1.460,88
841365D	MARC DOS S160 (2L) LED DIM GREY							1.289,63
841366D	MARC DOS S160 (2L) LED DIM WHITE	LED 2 x 25,4W 8840lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		1.289,63
841367D	MARC DOS S160 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,0427 m³			1.289,63
841368D	MARC DOS S160 (2L) LED DIM OAK							1.621,90
841370	MARC DOS S250 (1L) LED GREY							1.522,48
841371	MARC DOS S250 (1L) LED WHITE	LED 43,2W 7514lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.522,48
841372	MARC DOS S250 (1L) LED BLACK	CRI≥90 230V			VOL 0,063 m³			1.522,48
841373	MARC DOS S250 (1L) LED OAK							1.714,96
841370D	MARC DOS S250 (1L) LED DIM GREY							1.755,84
841371D	MARC DOS S250 (1L) LED DIM WHITE	LED 43,2W 7514lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.755,84
841372D	MARC DOS S250 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,063 m³			1.755,84
841373D	MARC DOS S250 (1L) LED DIM OAK							1.955,86
841375	MARC DOS S250 (2L) LED GREY							1.775,69
841376	MARC DOS S250 (2L) LED WHITE	LED 2 x 43,2W 15028lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.775,69
841377	MARC DOS S250 (2L) LED BLACK	CRI≥90 230V			VOL 0,063 m³			1.775,69
841378	MARC DOS S250 (2L) LED OAK							1.993,13
841375D	MARC DOS S250 (2L) LED DIM GREY							2.308,45
841376D	MARC DOS S250 (2L) LED DIM WHITE	LED 2 x 43,2W 15028lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		2.308,45
841377D	MARC DOS S250 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,063 m³			2.308,45
841378D	MARC DOS S250 (2L) LED DIM OAK							2.524,74
CASAMBI on request / bajo pedido (MARC DOS S LED DIM)								150,00

841165	MARC DOS W130 (2L) LED GREY							655,90
841166	MARC DOS W130 (2L) LED WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		655,90
841167	MARC DOS W130 (2L) LED BLACK	CRI≥90 230V			VOL 0,036 m³			655,90
841168	MARC DOS W130 (2L) LED OAK							817,92
841165D	MARC DOS W130 (2L) LED DIM GREY							816,96
841166D	MARC DOS W130 (2L) LED DIM WHITE	LED 2 x 20,5W 7072lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		816,96
841167D	MARC DOS W130 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,036 m³			816,96
841168D	MARC DOS W130 (2L) LED DIM OAK							978,96
841170	MARC DOS W160 (1L) LED GREY							692,62
841171	MARC DOS W160 (1L) LED WHITE	LED 25,4W 4420lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		692,62
841172	MARC DOS W160 (1L) LED BLACK	CRI≥90 230V			VOL 0,0427 m³			692,62
841173	MARC DOS W160 (1L) LED OAK							880,95
841170D	MARC DOS W160 (1L) LED DIM GREY							846,20
841171D	MARC DOS W160 (1L) LED DIM WHITE	LED 25,4W 4420lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		846,20
841172D	MARC DOS W160 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,0427 m³			846,20
841173D	MARC DOS W160 (1L) LED DIM OAK							1.034,54
841175	MARC DOS W160 (2L) LED GREY							803,25
841176	MARC DOS W160 (2L) LED WHITE	LED 2 x 25,4W 8840lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		803,25
841177	MARC DOS W160 (2L) LED BLACK	CRI≥90 230V			VOL 0,0427 m³			803,25
841178	MARC DOS W160 (2L) LED OAK							991,58
841175D	MARC DOS W160 (2L) LED DIM GREY							964,29
841176D	MARC DOS W160 (2L) LED DIM WHITE	LED 2 x 25,4W 8840lm 450mA 3000K	D	7	190 x 15 x 15 cm	Ø		964,29
841177D	MARC DOS W160 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,0427 m³			964,29
841178D	MARC DOS W160 (2L) LED DIM OAK							1.152,62
841150	MARC DOS W250 (1L) LED GREY							1.432,87
841151	MARC DOS W250 (1L) LED WHITE	LED 43,2W 7514lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.432,87
841152	MARC DOS W250 (1L) LED BLACK	CRI≥90 230V			VOL 0,063 m³			1.432,87
841153	MARC DOS W250 (1L) LED OAK							1.589,80
841150D	MARC DOS W250 (1L) LED DIM GREY							1.673,76
841151D	MARC DOS W250 (1L) LED DIM WHITE	LED 43,2W 7514lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.673,76
841152D	MARC DOS W250 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,063 m³			1.673,76
841153D	MARC DOS W250 (1L) LED DIM OAK							1.830,69
841155	MARC DOS W250 (2L) LED GREY							1.608,50
841156	MARC DOS W250 (2L) LED WHITE	LED 2 x 43,2W 15028lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.608,50
841157	MARC DOS W250 (2L) LED BLACK	CRI≥90 230V			VOL 0,063 m³			1.608,50
841158	MARC DOS W250 (2L) LED OAK							1.767,69
841155D	MARC DOS W250 (2L) LED DIM GREY							1.962,81
841156D	MARC DOS W250 (2L) LED DIM WHITE	LED 2 x 43,2W 15028lm 450mA 3000K	D	11	280 x 15 X 15 cm	Ø		1.962,81
841157D	MARC DOS W250 (2L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,063 m³			1.962,81
841158D	MARC DOS W250 (2L) LED DIM OAK							2.122,02
CASAMBI on request / bajo pedido (MARC DOS W LED DIM)								150,00

MARC DOS W (1L - 2L)




841160	MARC DOS W130 (1L) LED GREY							541,50
841161	MARC DOS W130 (1L) LED WHITE	LED 20,5W 3536lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		541,50
841162	MARC DOS W130 (1L) LED BLACK	CRI≥90 230V			VOL 0,036 m³			541,50
841163	MARC DOS W130 (1L) LED OAK							703,51
841160D	MARC DOS W130 (1L) LED DIM GREY							696,06
841161D	MARC DOS W130 (1L) LED DIM WHITE	LED 20,5W 3536lm 450mA 3000K	D	6	160 x 15 x 15 cm	Ø		696,06
841162D	MARC DOS W130 (1L) LED DIM BLACK	CRI≥90 230V DIM PUSH DALI			VOL 0,036 m³			696,06
841163D	MARC DOS W130 (1L) LED DIM OAK							858,06


AMS

by David Abad


AMS 12





AMS 20



AMS 40



Ⓛ Corten steel and Stainless steel 316L.




Code	Model	Material	Power	Beam	Quantity	Dimensions	Volume	Price
712220	AMS 12 CORTEN	LED 2,5W (G9)	E	2,368	15 x 15 x 15 cm	0,001 m ³	678,60	
712221	AMS 12 INOX	LED 2,5W (G9)	E	2,368	15 x 15 x 15 cm	0,001 m ³	742,42	
712200	AMS 20 CORTEN	LED 10W (E27) / Flu. 18W (E27)	D/G	6,5	24 x 24 x 26 cm	0,015 m ³	700,48	
712201	AMS 20 INOX	LED 10W (E27) / Flu. 18W (E27)	D/G	6,5	24 x 24 x 26 cm	0,015 m ³	870,19	
712210	AMS 40 CORTEN	LED 13W (E27) / Flu. 26W (E27)	D/G	32	50 x 50 x 59 cm	0,147 m ³	1.381,00	
712211	AMS 40 INOX	LED 13W (E27) / Flu. 26W (E27)	D/G	32	50 x 50 x 59 cm	0,147 m ³	1.798,42	


Blok Out

by David Abad


BLOK OUT C



BLOK OUT W15



BLOK OUT W20



Ⓛ Silver (anodised), Bronze and Corten.


Code	Model	Material	Power	Beam	Quantity	Dimensions	Volume	Price
707400	BLOK OUT C SILVER	LED PAR16 5W (Gu10)	F	1,2	15 x 12 x 17 cm	0,003 m ³	269,96	
707401	BLOK OUT C BRONZE	LED PAR16 5W (Gu10)	F	1,2	15 x 12 x 17 cm	0,003 m ³	281,25	
707402	BLOK OUT C CORTEN	LED PAR16 5W (Gu10)	F	1,2	15 x 12 x 17 cm	0,003 m ³	281,25	
707100	BLOK OUT W15 (1L) SILVER	LED PAR16 5W (Gu10)	F	1,3	13,5 x 12,5 x 26 cm	0,004 m ³	318,33	
707101	BLOK OUT W15 (1L) BRONZE	LED PAR16 5W (Gu10)	F	1,3	13,5 x 12,5 x 26 cm	0,004 m ³	323,98	
707102	BLOK OUT W15 (1L) CORTEN	LED PAR16 5W (Gu10)	F	1,3	13,5 x 12,5 x 26 cm	0,004 m ³	323,98	
707110	BLOK OUT W15 (2L) SILVER	LED PAR16 2 x 5W (Gu10)	F	1,134	27 x 17 x 17 cm	0,004 m ³	336,74	
707111	BLOK OUT W15 (2L) BRONZE	LED PAR16 2 x 5W (Gu10)	F	1,134	27 x 17 x 17 cm	0,004 m ³	342,67	
707112	BLOK OUT W15 (2L) CORTEN	LED PAR16 2 x 5W (Gu10)	F	1,134	27 x 17 x 17 cm	0,004 m ³	342,67	
707150	BLOK OUT W20 (1L) SILVER	LED PAR20 6W (Gu10)	F	1,9	35 x 19 x 15 cm	0 m ³	359,20	
707151	BLOK OUT W20 (1L) BRONZE	LED PAR20 6W (Gu10)	F	1,9	35 x 19 x 15 cm	0 m ³	365,03	
707152	BLOK OUT W20 (1L) CORTEN	LED PAR20 6W (Gu10)	F	1,9	35 x 19 x 15 cm	0 m ³	365,03	
707160	BLOK OUT W20 (2L) SILVER	LED PAR20 2 x 6W (Gu10)	F	2,13	35 x 19 x 15 cm	0 m ³	377,26	
707161	BLOK OUT W20 (2L) BRONZE	LED PAR20 2 x 6W (Gu10)	F	2,13	35 x 19 x 15 cm	0 m ³	384,53	
707162	BLOK OUT W20 (2L) CORTEN	LED PAR20 2 x 6W (Gu10)	F	2,13	35 x 19 x 15 cm	0 m ³	384,53	
CASAMBI on request / bajo pedido (BLOK OUT W20)								100,00

C_Ball W Outdoor

by Stone Designs

C_BALL W OUTDOOR

Ⓛ Corten, Beige, Turquoise, Black



Code	Model	Material	Power	Beam	Quantity	Dimensions	Volume	Price
748431	C_BALL W OUTDOOR CORTEN	LED 6W (E14)	F	2,4	34 x 21 x 21,5 cm	0,014 m ³	328,60	
748432	C_BALL W OUTDOOR BEIGE	LED 6W (E14)	F	2,4	34 x 21 x 21,5 cm	0,014 m ³	328,60	
748433	C_BALL W OUTDOOR TURQUOISE	Fluo. max. 12W (E14)	F	2,4	34 x 21 x 21,5 cm	0,014 m ³	328,60	
748435	C_BALL W OUTDOOR BLACK	Fluo. max. 12W (E14)	F	2,4	34 x 21 x 21,5 cm	0,014 m ³	328,60	

Frame


by Mario Ruiz

FRAME S

FRAME M

FRAME L

Ⓛ White (satin), Bronze, Grey (forged) and Corten.




Code	Model	Material	Power	Beam	Quantity	Dimensions	Volume	Price
677200	FRAME S LED WHITE	LED 16,6W 1350lm 2700K	F	5	24 x 55,5 x 25,5 cm	0,034 m ³	590,29	
677201	FRAME S LED BRONZE	LED 16,6W 1350lm 2700K	F	5	24 x 55,5 x 25,5 cm	0,034 m ³	590,29	
677202	FRAME S LED GREY	LED 16,6W 1350lm 2700K	F	5	24 x 55,5 x 25,5 cm	0,034 m ³	590,29	
677240	FRAME S LED CORTEN	LED 16,6W 1350lm 2700K	F	5	24 x 55,5 x 25,5 cm	0,034 m ³	590,29	
677205	FRAME M LED WHITE	LED 16,6W 1350lm 2700K	F	7,4	24,5 x 85,5 x 24,5 cm	0,051 m ³	674,62	
677206	FRAME M LED BRONZE	LED 16,6W 1350lm 2700K	F	7,4	24,5 x 85,5 x 24,5 cm	0,051 m ³	674,62	
677207	FRAME M LED GREY	LED 16,6W 1350lm 2700K	F	7,4	24,5 x 85,5 x 24,5 cm	0,051 m ³	674,62	
677242	FRAME M LED CORTEN	LED 16,6W 1350lm 2700K	F	7,4	24,5 x 85,5 x 24,5 cm	0,051 m ³	674,62	
677210	FRAME L LED WHITE	LED 16,6W 1350lm 2700K	F	9,5	28,5 x 111,5 x 27,5 cm	0,088 m ³	732,43	
677211	FRAME L LED BRONZE	LED 16,6W 1350lm 2700K	F	9,5	28,5 x 111,5 x 27,5 cm	0,088 m ³	732,43	
677212	FRAME L LED GREY	LED 16,6W 1350lm 2700K	F	9,5	28,5 x 111,5 x 27,5 cm	0,088 m ³	732,43	
677244	FRAME L LED CORTEN	LED 16,6W 1350lm 2700K	F	9,5	28,5 x 111,5 x 27,5 cm	0,088 m ³	732,43	

Inn Side

by Gemma Bernal

INN SIDE

Ⓛ Radiata / Opal white.



Code	Model	Material	Power	Beam	Quantity	Dimensions	Volume	Price
730200	INN SIDE LED	LED 4 x 16W 11072lm 350mA 3000K	D	26,75	60 x 60 x 180 cm	0,648 m ³	1.605,78	
CASAMBI on request / bajo pedido								150,00

Kanpazar

by Jon Santacoloma

KANPAZAR 80A		KANPAZAR 80B		KANPAZAR 80C		Opal white.		
659270	KANPAZAR 80A LED	LED 4 x 6W 4152lm 350mA 3000K CRI≥90 230V	D	8,75	88 x 31,5 x 31,5 cm VOL 0,085 m ³	⊘	730,11	
659220	KANPAZAR 80A FLUO	Fluo. 2 x 18/24/36W (2G11)	D	8,75	88 x 31,5 x 31,5 cm VOL 0,085 m ³	⊘	655,02	
659271	KANPAZAR 80B LED	LED 4 x 6W 4152lm 350mA 3000K CRI≥90 230V	D	8,75	88 x 31,5 x 31,5 cm VOL 0,085 m ³	⊘	730,11	
659221	KANPAZAR 80B FLUO	Fluo. 2 x 18/24/36W (2G11)	D	8,75	88 x 31,5 x 31,5 cm VOL 0,085 m ³	⊘	655,02	
659272	KANPAZAR 80C LED	LED 4 x 6W 4152lm 350mA 3000K CRI≥90 230V	D	15,44	88 x 32 x 32 + 22 x 22 x 24,5 cm VOL 0,108 m ³	⊘	829,42	
659222	KANPAZAR 80C FLUO	Fluo. 2 x 18/24/36W (2G11)	D	15,44	88 x 32 x 32 + 22 x 22 x 24,5 cm VOL 0,108 m ³	⊘	802,05	
CASAMBI on request / bajo pedido (KANPAZAR 80 LED)								150,00

KANPAZAR 150A		KANPAZAR 150B		KANPAZAR 150C		KANPAZAR 150C		
659250	KANPAZAR 150A LED	LED 4 x 12W 8304lm 350mA 3000K CRI≥90 230V	D		51,5 x 51 x 156 cm VOL 0,41 m ³	⊘	966,06	
659200	KANPAZAR 150A FLUO 2G11	Fluo. 2 x 55W (2G11)	D	15,4	51,5 x 51 x 156 cm VOL 0,41 m ³	⊘	798,66	
659210	KANPAZAR 150A FLUO G5	Fluo. 2 x 21W/39W (G5)	D		51,5 x 51 x 156 cm VOL 0,41 m ³	⊘	798,66	
659251	KANPAZAR 150B LED	LED 4 x 12W 8304lm 350mA 3000K CRI≥90 230V	D		51,5 x 51 x 156 cm VOL 0,41 m ³	⊘	966,06	
659201	KANPAZAR 150B FLUO 2G11	Fluo. 2 x 55W (2G11)	D	15,3	51,5 x 51 x 156 cm VOL 0,41 m ³	⊘	798,66	
659211	KANPAZAR 150B FLUO G5	Fluo. 2 x 21W/39W (G5)	D		51,5 x 51 x 156 cm VOL 0,41 m ³	⊘	798,66	
659252	KANPAZAR 150C LED	LED 4 x 12W 8304lm 350mA 3000K CRI≥90 230V	D		51,5 x 51 x 156 + 35 x 35 x 32 cm VOL 0,444 m ³	⊘	1.131,57	
659202	KANPAZAR 150C FLUO 2G11	Fluo. 2 x 55W (2G11)	D	37	51,5 x 51 x 156 + 35 x 35 x 32 cm VOL 0,444 m ³	⊘	976,00	
659212	KANPAZAR 150C FLUO G5	Fluo. 2 x 21W/39W (G5)	D		51,5 x 51 x 156 + 35 x 35 x 32 cm VOL 0,444 m ³	⊘	976,00	
659254	KANPAZAR 150D LED	LED 4 x 12W 8304lm 350mA 3000K CRI≥90 230V	D		51,5 x 51 x 156 + 48 x 47,5 x 28,5 cm VOL 0,475 m ³	⊘	1.131,57	
659204	KANPAZAR 150D FLUO 2G11	Fluo. 2 x 55W (2G11)	D	20	51,5 x 51 x 156 + 48 x 47,5 x 28,5 cm VOL 0,475 m ³	⊘	976,00	
659214	KANPAZAR 150D FLUO G5	Fluo. 2 x 21W/39W (G5)	D		51,5 x 51 x 156 + 48 x 47,5 x 28,5 cm VOL 0,475 m ³	⊘	976,00	
CASAMBI on request / bajo pedido (Kanpazar 150 LED)								150,00

Lap Bench

by David Abad

LAP BENCH 45A / 45B		LAP BENCH 45-2A		Concrete grey (satin) and Rust.	
722250	LAP BENCH 45A LED GREY				1.345,26
722251	LAP BENCH 45A LED RUST	LED 2 x 6,5W 900lm 12V 3000K CRI≥90 230V	23,7	50 x 50 x 59 cm VOL 0,147 m ³	1.345,26
722252	LAP BENCH 45B LED GREY				1.345,26
722253	LAP BENCH 45B LED RUST				1.345,26
722254	LAP BENCH 45-2A LED GREY	LED 2 x 6,5W 900lm 12V 3000K CRI≥90 230V	40	50 x 50 x 59 + 40 x 30 x 1600 cm VOL 2,067 m ³	2.203,54
722255	LAP BENCH 45-2A LED RUST				2.203,54

Speers Outdoor


by David Abad

SPEERS OUTDOOR LIGHT SOURCE		SPEERS OUTDOOR F ACCESSORY		Black (matte) and White (matte).		
753200	SPEERS OUTDOOR F ACCESSORY		29,5	128 x 16,5 x 14,5 + 28 x 28 x 41 cm VOL 0,062 m ³	795,80	
753110	SPEERS OUTDOOR W ACCESSORY		0,324	16,5 x 14,5 x 12,5 cm VOL 0,002 m ³	74,52	
753130	SPEERS OUTDOOR ANGLE ACCESSORY		0,6	20 x 16 x 15 cm VOL 0,005 m ³	143,30	
753400	SPEERS OUTDOOR C ACCESSORY		0,6	20 x 16 x 15 cm VOL 0,005 m ³	98,02	
753900	SPEERS OUTDOOR CONNECTION BOX		0,6	20 x 16 x 15 cm VOL 0,005 m ³	163,37	
753920	SPEERS OUTDOOR STEM ACCESSORY 120		1,386	125 x 6 x 6 cm VOL 0,004 m ³	91,71	
753930	SPEERS OUTDOOR STEM ACCESSORY 150		1,715	155 x 6 x 6 cm VOL 0,005 m ³	103,18	
753000	SPEERS OUTDOOR LIGHT SOURCE BLACK				477,48	
753001	SPEERS OUTDOOR LIGHT SOURCE WHITE	LED 7W 520lm 2700K CRI≥90 230V	G	1,2	16 x 16 x 25 cm VOL 0,006 m ³	477,48
753003	SPEERS OUTDOOR LIGHT SOURCE CORTEN				477,48	

Speers Outdoor W1

by David Abad

SPEERS OUTDOOR W1




Black (matte) and White (matte).

753121	SPEERS OUTDOOR W1 WHITE								492,90
753122	SPEERS OUTDOOR W1 BLACK	LED 7W 520lm 2700K	G	2	22 x 22 x 24,5 cm				492,90
753123	SPEERS OUTDOOR W1 CORTEN	CRI≥90 230V			VOL 0,011 m ³				492,90

Speers Outdoor Bollard

by David Abad

SPEERS OUTDOOR BOLLARD



Black (matte) and White (matte).

753211	SPEERS OUTDOOR BOLLARD WHITE								612,15
753212	SPEERS OUTDOOR BOLLARD BLACK	LED 7W 520lm 2700K	G	6	110 x 25 x 25 cm				612,15
753213	SPEERS OUTDOOR BOLLARD CORTEN	CRI≥90 230V			VOL 0,07 m ³				612,15


Topa

by GC Studio

TOPA 100

TOPA 320-1

TOPA 320-2



Galvanised and Corten.

678221	TOPA 100 LED GALVANISED	LED 32,1W 4480m 700mA 3000K	E	40	120 x 25 x 25 cm				1.624,09
678231	TOPA 100 LED CORTEN	CRI≥90 110-230V			VOL 0,075 m ³				1.786,49
678910	TOPA 100 SET OF BOLT FIXTURES			2,12	34 x 29 x 8 cm				72,61
678211	TOPA 320-1 LED GALVANISED	LED 32,1W 4480m 700mA 3000K	E	90	340 x 25 x 25 cm				2.611,27
678241	TOPA 320-1 LED CORTEN	CRI≥90 110-230V			VOL 0,2125 m ³				2.872,39
678920	TOPA 320-1 SET OF BOLT FIXTURES			2,12	34 x 29 x 8 cm				92,80
					VOL 0,007 m ³				


678201	TOPA 320-2 LED GALVANISED	LED 2 x 32,1W 8960m 700mA 3000K	E	90	340 x 25 x 25 cm				3.432,82
678251	TOPA 320-2 LED CORTEN	CRI≥90 110-230V			VOL 0,2125 m ³				3.776,10
678920	TOPA 320-2 SET OF BOLT FIXTURES			2,12	34 x 29 x 8 cm				92,80
					VOL 0,007 m ³				

*Excluding delivery


Tube

by Josep Lluís Xuclà

TUBE 180-1L



TUBE 180-2L




SPIKE




Kakhi (satin) and Corten.

TUBE 90-1L



TUBE 90-2L



SPIKE




744200	TUBE 90-1L KAKHI	LED 4,5W 546lm 250mA 3000K	F	2,5	106 x 16 x 10 cm				485,50
744202	TUBE 90-1L CORTEN	CRI≥90 230V			VOL 0,016 m ³				485,50
744220	TUBE 90-2L KAKHI	LED 2 x 4,5W 1092lm 250mA 3000K	F	3,1	106 x 16 x 10 cm				714,38
744222	TUBE 90-2L CORTEN	CRI≥90 230V			VOL 0,016 m ³				714,38
744230	TUBE 180-1L KAKHI	LED 4,5W 546lm 250mA 3000K	F	3,8	200 x 22,5 x 20 cm				527,12
744232	TUBE 180-1L CORTEN	CRI≥90 230V			VOL 0,09 m ³				527,12
744240	TUBE 180-2L KAKHI	LED 2 x 4,5W 1092lm 250mA 3000K	F	4,5	200 x 22,5 x 20 cm				804,54
744242	TUBE 180-2L CORTEN	CRI≥90 230V			VOL 0,09 m ³				804,54
744900	TUBE SPIKE KAKHI			1	26 x 14 x 12 cm				73,55
					VOL 0 m ³				
744902	TUBE SPIKE CORTEN			1	26 x 14 x 12 cm				73,55
					VOL 0 m ³				
744999	TUBE SET OF BOLT FIXTURE			1	28 x 9 x 8 cm				26,36
					VOL 0 m ³				


Zenete

by Martínez y Soler Arquitectos

ZENETE 300-1




ZENETE 300-2



Grey (matte) / Ipe wood and Corten.


ZENETE 400-1 ZENETE 400-2 ZENETE 400-3



682212L	ZENETE 300-1 LED GREY-WOOD	LED 23,6W 3300lm 700mA 3000K	D	82,5	320 x 80 x 32 cm	Ø				3.577,19
682212LC	ZENETE 300-1 LED CORTEN	LED 23,6W 3300lm 700mA 3000K CRI≥90 110-230V			VOL 0,82 m ³					2.134,47
678920	ZENETE 300-1 SET OF BOLT FIXTURES			3	34 x 29 x 8 cm					92,80
682213L	ZENETE 300-2 LED GREY-WOOD	LED 2 x 23,6W 6600lm 700mA 3000K	D	98,5	320 x 80 x 32 cm	Ø				3.892,03
682213LC	ZENETE 300-2 LED CORTEN	LED 2 x 23,6W 6600lm 700mA 3000K CRI≥90 110-230V			VOL 0,82 m ³					2.882,35
678920	ZENETE 300-2 SET OF BOLT FIXTURES			3	34 x 29 x 8 cm					92,80
682203L1	ZENETE 400-1 LED1 GREY-WOOD	LED 23,6W 3300lm 700mA 3000K	D		420 x 80 x 32 cm	Ø				3.425,66
682203L1C	ZENETE 400-1 LED1 CORTEN	LED 23,6W 3300lm 700mA 3000K CRI≥90 110-230V		85,2	VOL 1,075 m ³					2.418,34
682203L2	ZENETE 400-1 LED2 GREY-WOOD	LED 2 x 23,6W 6600lm 700mA 3000K	D		420 x 80 x 32 cm	Ø				3.719,40
682203L2C	ZENETE 400-1 LED2 CORTEN	LED 2 x 23,6W 6600lm 700mA 3000K CRI≥90 110-230V			VOL 1,075 m ³					2.603,94
678920	ZENETE 400-1 SET OF BOLT FIXTURES			3	34 x 29 x 8 cm					92,80
682204L1	ZENETE 400-2 LED1 GREY-WOOD	LED 2 x 23,6W 6600lm 700mA 3000K	D		420 x 80 x 32 cm	Ø				4.360,95
682204L1C	ZENETE 400-2 LED1 CORTEN	LED 2 x 23,6W 6600lm 700mA 3000K CRI≥90 110-230V		98,5	VOL 1,075 m ³					3.144,38
682204L2	ZENETE 400-2 LED2 GREY-WOOD	LED 4 x 23,6W 13200lm 700mA 3000K	D		420 x 80 x 32 cm	Ø				4.746,44
682204L2C	ZENETE 400-2 LED2 CORTEN	LED 4 x 23,6W 13200lm 700mA 3000K CRI≥90 110-230V			VOL 1,075 m ³					3.439,17
678920	ZENETE 400-2 SET OF BOLT FIXTURES			3	34 x 29 x 8 cm					92,80
682205L1	ZENETE 400-3 LED1 GREY-WOOD	LED 23,6W 3300lm 700mA 3000K	D	95,5	420 x 80 x 32 cm	Ø				4.176,60
682205L1C	ZENETE 400-3 LED1 CORTEN	LED 23,6W 3300lm 700mA 3000K CRI≥90 110-230V + LED 23,6W 3300lm 700mA 3000K CRI≥90 110-230V			VOL 1,075 m ³					3.035,20
682205L2	ZENETE 400-3 LED2 GREY-WOOD	LED 23,6W 3300lm 700mA 3000K	D	95,5	420 x 80 x 32 cm	Ø				4.381,38
682205L2C	ZENETE 400-3 LED2 CORTEN	LED 23,6W 3300lm 700mA 3000K CRI≥90 110-230V + LED 2 x 23,6W 6600lm 700mA 3000K CRI≥90 110-230V			VOL 1,075 m ³					3.128,01
678920	ZENETE 400-3 SET OF BOLT FIXTURES			3	34 x 29 x 8 cm					92,80

*Excluding delivery

Zenthin




759201	ZENTHIN 1	LED 4 x 6,4W 350mA 3040lm 3000K CRI≥90 230V	F			Ø				1.038,80
759202	ZENTHIN 2	LED 4 x 6,4W 350mA 3040lm 3000K CRI≥90 230V + LED 2 x 6,4W 350mA 1520lm 3000K CRI≥90 230V	F			Ø				1.431,00
759100	ZENTHIN W	LED 2 x 6,4W 350mA 1520lm 3000K CRI≥90 230V	F			Ø				349,80
678910	ZENTHIN: SET OF BOLT FIXTURES			2,12	34 x 29 x 8 cm					72,61
					VOL 0,007 m ³					

*Excluding delivery


by Martínez y Soler Arquitectos

Ⓛ Corten / wood.

Zen



ZEN WR




by Martínez y Soler Arquitectos

Ⓛ Corten steel / wood and Stainless steel 316L / Black Markina marble.

746250	ZEN CORTEN-WOOD	LED 4,5W 546lm 250mA 3000K	F	8	66,5 x 15,5 x 15,5 cm	Ø				576,16
746251	ZEN INOX-MARBLE	LED 4,5W 546lm 250mA 3000K CRI≥90 230V			VOL 0,016 m ³					1.000,72
746150	ZEN WR CORTEN-WOOD	LED 4,5W 546lm 250mA 3000K	F	8	66,5 x 15,5 x 15,5 cm	Ø				690,57
746151	ZEN WR INOX-MARBLE	LED 4,5W 546lm 250mA 3000K CRI≥90 230V			VOL 0,016 m ³					1.050,86

Iconography



General sales conditions

- * Prices shown are suggested retail, taxes not included.
- * This price list supersedes the previous one.
- * In the event of breakage, the shipper carrier needs to be informed within 24 hours after the delivery.
- * As a general rule, returns are not allowed. In those cases where returns are allowed, the return merchandise authorisation must be attached. A 15% re-stocking fee applies.
- * Bulbs are not covered by the warranty.
- * Any disputes shall be subject to resolution exclusively by the courts competent in Bizcay (Spain).

B.LUX SA reserves the right to cancel products and/or modify their technical characteristics without prior notice.

Condiciones generales de venta

- * Los precios indicados son venta al público recomendado, IVA no incluido, ecotasa no incluida.
- * La presente lista anula las anteriores.
- * En caso de rotura de la mercancía, se deberá indicar esta circunstancia al transportista, en un plazo inferior a 24 horas desde la recepción del material.
- * Como norma general, no se admiten devoluciones. En los casos en los que se admita una devolución, ésta irá acompañada del documento emitido con nuestra autorización expresa. Se aplicará una depreciación del 15%.
- * Las lámparas no están cubiertas por la garantía.
- * En caso de litigio serán competentes exclusivamente los Tribunales de Bizkaia.

B.LUX SA se reserva el derecho de efectuar cualquier modificación y anulación de los productos y sus características técnicas, sin previo aviso.

Allgemeine verkaufsbedingungen

- * Die vorliegende Preisliste beinhaltet die empfohlenen Verkaufspreise und widerruft die Vorhergehende. Sie kann jederzeit widerrufen werden.
- * Der Transport unserer Waren erfolgt durch Frachtführer oder Spediteur. Bei Anlieferung sind die Anzahl der Colli und die Verpackung auf äusserlich sichtbare Schäddeb zu.
- * Eventuelle Fehlermeldungen oder Schäden sind innerhalb von 48 Stunden dem Frachtführer/ Spediteur und dem B.Lux Servicebüro, München schriftlich anzuzeigen.
- * Generell akzeptieren wir keine Rücksendungen, sofern diese nicht mit uns abgesprochen sind.
- * Sollte eine Rücksendung akzeptiert werden, wird ein von der Fa. B.LUX SA genehmigter Rücksendeschein benötigt. Die Ware muss originalverpackt, komplett und transportfähig sein. Es wird eine Wertminderung von 15 % berechnet.
- * Für Leuchtmittel wird keine Garantie bernommem.
- * Die Ware bleibt bis zur vollständigen Bezahlung Eigentum der Firma B.LUX SA Spanien. Gerichtsstand ist die Provinz Bizkaia, Spanien.

B.LUX SA behalten sich das Recht vor, Produkte bzw. Deren technische Eigenschaften ohne vorherige Ankündigung abzuändern oder zu streichen.

B.LUX S.A.

Pol. Ind. Okamika, pab. 1
 Gizaburuaga (Bizkaia) SPAIN
 T.(+34) 94 682 72 72
 F.(+34) 94 682 49 02
 info@grupoblux.com
 www.bluxlighting.com



B.lux