



euro price list
2024
edition 00



PreciousDesign

Terzani's Precious Design Concept is luxury evolved. Each piece in this new lighting collection breaks the staid boundaries of traditional luxury, and incorporates stunningly modern design, cutting-edge technology, artisan craftsmanship and precious materials. The result are sculptures of light whose illumination transforms spaces through dynamic lighting and shadow effects. They create a new visual language of what luxury is, one that reflects both today's aesthetics, architecture and design traditions yet also pushes towards the future.



Bespoke

Work with the Terzani design team to transform your vision into reality, whether it involves straightforward modifications or intricate design enhancements.




Arts&Crafts

Index

PreciousDesign


- 010 Abacus
- 024 Angel Falls
- 030 Anish
- 034 Argent
- 048 Argent, mon bijou
- 056 Atlantis
- 064 Calle
- 072 Core
- 078 Dragon
- 082 Doodle
- 092 Epoque
- 096 Etoile
- 100 Frame
- 104 G.r.a.
- 110 Gaia
- 116 Glamour
- 120 Harpe
- 130 I Lucci Argentati
- 138 Iceberg
- 140 Magdalena
- 144 Manta
- 150 Mizu
- 172 Moiré
- 174 Orten'zia
- 184 Oscar
- 186 Pug
- 192 Soscik
- 198 Stanley
- 200 Stream
- 206 Volver
- 212 Wabi



Materials

Brass and white glass

Legend



Finishes

Diffuser



Brass | white glass

Canopy



White



Satin brass




Painted brass




Brass


Pendants



Multi light pendant



Wall sconce




Abacus small pendant light

Body | 5 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	3,6W 540 lm 3000K	see power supply options	ØVØ1S E8 B.15 KK	575

On site minimum adjustable overall height 45 cm


0,4 | 1,2 50x31x21 cm

Abacus medium pendant light

Body | 10 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	7,2W 1080 lm 3000K	see power supply options	ØVØ1S E8 B.1A KK	970

On site minimum adjustable overall height 80 cm


0,6 | 1,6 83x25x26 cm

Abacus large pendant light

Body | 15 spheres

Disc

DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	10,8W 1620 lm 3000K	see power supply options	ØVØ1S E8 B.1F KK	1.460

On site minimum adjustable overall height 120 cm

0,9 | 2,1 117x29x16 cm

Power supply options


INTEGRATED LED 3000K

Dimming		Code	Price €
0-10V PWM	max 26 spheres	R1240000	40 (net)
	max 43 spheres	R1250000	40 (net)
	max 60 spheres	R1260000	48 (net)
100kΩ 0/1-10V PUSH DALI	max 26 spheres	KITELETDALISPH26	130 (net)
	max 43 spheres	KITELETDALISPH43	140 (net)
	max 60 spheres	KITELETDALISPH60	145 (net)

Abacus small pendant light

Body | 5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	3,6W 540 lm 3000K	0-10V PWM	ØVØ1S E8 B.P 15	820
			Integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ1S E8 B.P 15 D	945
Brass white glass	Satin brass	champagne fabric	Integrated led	3,6W 540 lm 3000K	0-10V PWM	ØVØ1S M3 B.P 15	945
			Integrated led	3,6W 540 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ1S M3 B.P 15 D	1.065


On site minimum adjustable overall height 45 cm

1,6 | 2,4 50x31x21 cm

Abacus medium pendant light

Body | 10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	7,2W 1080 lm 3000K	0-10V PWM	ØVØ1S E8 B.P 1A	1.220
			Integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ1S E8 B.P 1A D	1.345
Brass white glass	Satin brass	champagne fabric	Integrated led	7,2W 1080 lm 3000K	0-10V PWM	ØVØ1S M3 B.P 1A	1.345
			Integrated led	7,2W 1080 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ1S M3 B.P 1A D	1.465


On site minimum adjustable overall height 80 cm

1,7 | 2,8 83x25x26 cm

Abacus large pendant light

Body | 15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	10,8W 1620 lm 3000K	0-10V PWM	ØVØ1S E8 B.P 1F	1.715
			Integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ1S E8 B.P 1F D	1.840
Brass white glass	Satin brass	champagne fabric	Integrated led	10,8W 1620 lm 3000K	0-10V PWM	ØVØ1S M3 B.P 1F	1.840
			Integrated led	10,8W 1620 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ1S M3 B.P 1F D	1.960


On site minimum adjustable overall height 120 cm

2 | 5 147x32x20 cm

Abacus 3 small round multi light pendant

Body | 3x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	3 x 3,6W 1620 lm 3000K	0-10V PWM	ØVØ3S E8 B.P 1F	1.960
			Integrated led	3 x 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ3S E8 B.P 1F D	2.085
Brass white glass	Satin brass	champagne fabric	Integrated led	3 x 3,6W 1620 lm 3000K	0-10V PWM	ØVØ3S M3 B.P 1F	2.085
			Integrated led	3 x 3,6W 1620 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ3S M3 B.P 1F D	2.210


On site minimum adjustable overall height 60 cm

2,5 | 3,4 77x35x26,5 cm

Abacus 3 medium round multi light pendant

Body | 3x10 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	3 x 7,2W 3240 lm 3000K	0-10V PWM	ØVØ3S E8 B.P 1V	3.165
			Integrated led	3 x 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ3S E8 B.P 1V D	3.285
Brass white glass	Satin brass	champagne fabric	Integrated led	3 x 7,2W 3240 lm 3000K	0-10V PWM	ØVØ3S M3 B.P 1V	3.285
			Integrated led	3 x 7,2W 3240 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ3S M3 B.P 1V D	3.410


On site minimum adjustable overall height 110 cm

3 | 7 155x46x22 cm

Abacus 7 small round multi light pendant

Body | 7x5 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	7 x 3,6W 3780 lm 3000K	0-10V PWM	ØVØ7S E8 B.P 21	4.275
			Integrated led	7 x 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ7S E8 B.P 21 D	4.400
Brass white glass	Satin brass	champagne fabric	Integrated led	7 x 3,6W 3780 lm 3000K	0-10V PWM	ØVØ7S M3 B.P 21	4.400
			Integrated led	7 x 3,6W 3780 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ7S M3 B.P 21 D	4.490


On site minimum adjustable overall height 70 cm

4 | 9,6 83x80x43,5 cm

Abacus 3 large round multi light pendant

Body | 3x15 spheres

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	3 x 10,8W 4860 lm 3000K	0-10V PWM	ØVØ3S E8 B.P 2B	4.630
			Integrated led	3 x 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ3S E8 B.P 2B D	4.755
Brass white glass	Satin brass	champagne fabric	Integrated led	3 x 10,8W 4860 lm 3000K	0-10V PWM	ØVØ3S M3 B.P 2B	4.755
			Integrated led	3 x 10,8W 4860 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ3S M3 B.P 2B D	4.875


On site minimum adjustable overall height 150 cm

3,2 | 7,7 162x35x35 cm

Abacus 7 medium round multi light pendant

Body | 7x10 spheres

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	7 x 7,2W 7560 lm 3000K	0-10V PWM	ØVØ7S E8 B.P 32	7.090
			Integrated led	7 x 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ7S E8 B.P 32 D	7.220
Brass white glass	Satin brass	champagne fabric	Integrated led	7 x 7,2W 7560 lm 3000K	0-10V PWM	ØVØ7S M3 B.P 32	7.220
			Integrated led	7 x 7,2W 7560 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ7S M3 B.P 32 D	7.340

On site minimum adjustable overall height 130 cm

7,5 | 12,5 191x46x46 cm

Abacus 7 large round multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	7 x 10,8W 11340 lm 3000K	0-10V PWM	ØVØ7S E8 B.P 43	10.500
			Integrated led	7 x 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ7S E8 B.P 43 D	10.600
Brass white glass	Satin brass	champagne fabric	Integrated led	7 x 10,8W 11340 lm 3000K	0-10V PWM	ØVØ7S M3 B.P 43	10.600
			Integrated led	7 x 10,8W 11340 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ7S M3 B.P 43 D	10.750

On site minimum adjustable overall height 160 cm

9,6 | 14,6 191x46x46 cm

Abacus small linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	3 x 3,6W 3 x 7,2W 4860 lm 3000K	0-10V PWM	ØVØ6S E8 B.R 2B	4.585
			Integrated led	3 x 3,6W 3 x 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ6S E8 B.R 2B D	4.710
Brass white glass	Painted brass	champagne fabric	Integrated led	3 x 3,6W 3 x 7,2W 4860 lm 3000K	0-10V PWM	ØVØ6S P4 B.R 2B	4.770
			Integrated led	3 x 3,6W 3 x 7,2W 4860 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØVØ6S P4 B.R 2B D	4.900

On site minimum adjustable overall height 110 cm

7 | 1x 6,7
 1x 5,3 1x 90x45x30 cm
 1x 83x25x26 cm

Abacus medium linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	ØV12S E8 B.R 3M	9.120
			Integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØV12S E8 B.R 3M D	9.365
Brass white glass	Painted brass	champagne fabric	Integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	0-10V PWM	ØV12S P4 B.R 3M	9.300
			Integrated led	6 x 3,6W 6 x 7,2W 9720 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØV12S P4 B.R 3M D	9.550

On site minimum adjustable overall height 110 cm

13 | 1x 9,6
 1x 12,4 1x 107x80x24,5 cm
 1x 155x46x22 cm

Abacus large linear multi light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brass white glass	White	champagne fabric	Integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	ØV15S E8 B.R 4D	11.000
			Integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØV15S E8 B.R 4D D	11.250
Brass white glass	Painted brass	champagne fabric	Integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	0-10V PWM	ØV15S P4 B.R 4D	11.250
			Integrated led	7 x 3,6W 8 x 7,2W 12420 lm 3000K	100kΩ 0/1-10V PUSH DALI	ØV15S P4 B.R 4D D	11.460


On site minimum adjustable overall height 110 cm





32 | 1x 13
 1x 22,6 1x 115x95x75 cm
 1x 191x46x46 cm

Abacus wall sconce

Body | 5 spheres

Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Brass white glass	 Brass	-	Integrated led	3,6W 540 lm 3000K	0/1-10V PUSH	ØVØ1A M3 B. 15 	920
		-	Integrated led	3,6W 540 lm 3000K	no	ØVØ1A M3 B. 15L 	920

 1,6 |  2,4  65x27x24,5 cm

Abacus | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

Request form |



Canopy	Size	cm <input type="checkbox"/> cm <input type="checkbox"/> cm <input type="checkbox"/> cm <input type="checkbox"/>	Type *	<input type="checkbox"/> With quick system <input type="checkbox"/> Without quick system <input type="checkbox"/> Available only with quick <input type="checkbox"/> Disc	Finish	<input type="checkbox"/> White <input type="checkbox"/> Satin brass <input type="checkbox"/> Painted brass <input type="checkbox"/> Brass <input type="checkbox"/> Other
	Height	min _____ cm max _____ cm	Pendant Finish	<input type="checkbox"/> Brass <input type="checkbox"/> white glass <input type="checkbox"/> Other		
Diffuser	Type of pendants and the number					
	Standard pendants 5 spheres <input type="checkbox"/> Q.ty _____ 10 spheres <input type="checkbox"/> Q.ty _____ 15 spheres <input type="checkbox"/> Q.ty _____	Custom pendants 1 sphere <input type="checkbox"/> Q.ty _____ 2 spheres <input type="checkbox"/> Q.ty _____ 3 spheres <input type="checkbox"/> Q.ty _____ 4 spheres <input type="checkbox"/> Q.ty _____ 6 spheres <input type="checkbox"/> Q.ty _____ 7 spheres <input type="checkbox"/> Q.ty _____ 8 spheres <input type="checkbox"/> Q.ty _____ 9 spheres <input type="checkbox"/> Q.ty _____ 11 spheres <input type="checkbox"/> Q.ty _____ 12 spheres <input type="checkbox"/> Q.ty _____ 13 spheres <input type="checkbox"/> Q.ty _____ 14 spheres <input type="checkbox"/> Q.ty _____				
Light Source	Voltage	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	Type	<input type="checkbox"/> Integrated led <input type="checkbox"/> 3000K		
			Dimming	<input type="checkbox"/> PWM <input type="checkbox"/> 1-10V <input type="checkbox"/> PUSH <input type="checkbox"/> 0-10V <input type="checkbox"/> DALI <input type="checkbox"/> Other		

Additional information

*For information about canopy types see page 214

Angel Falls | Design Nigel Coates



Material

Clear crystal

Finishes

Diffuser



Clear crystal

Canopy




White




Brushed nickel






Legend



Pendant




Multi pendants



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Angel Falls single pendant



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	-	air craft nylon cable	-	-	-	ØQ10E Z8 A9O	CE ENEC 225


On site minimum adjustable overall height 30 cm

0,2 | 0,7 32x24x17 cm

Angel Falls 7 pendants

Body | 7 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 Led dimmable	5W	all systems	ØQ07S H4 A9.	CE ENEC 2.535


GU10 light bulbs are not included
On site minimum adjustable overall height 125 cm

4,1 | 1x 4
1x 3 1x 50x50x25 cm
1x 50x50x25 cm

Angel Falls 12 pendants

Body | 12 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 Led dimmable	3 x 5W	all systems	ØQ12S H4 A9.	CE ENEC 4.340


GU10 light bulbs are not included
On site minimum adjustable overall height 110 cm

9 | 1x 9
1x 6 1x 67x67x23 cm
1x 67x67x30 cm

Angel Falls 18 pendants

Body | 18 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 Led dimmable	3 x 5W	all systems	ØQ11S H4 A9.	CE ENEC 5.440


GU10 light bulbs are not included
On site minimum adjustable overall height 160 cm

10 | 1x 9
1x 7,5 1x 67x67x23 cm
1x 67x67x30 cm

Angel Falls 24 pendants

Body | 24 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	Brushed nickel	air craft nylon cable	GU10 Led dimmable	3 x 5W	all systems	ØQ10S H4 A9.	CE ENEC 6.890


GU10 light bulbs are not included
On site minimum adjustable overall height 150 cm

14 | 1x 10 | 1x 10 1x 67x67x23 cm 1x 77x77x30 cm

Angel Falls 36 pendants

Body | 36 angels

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	air craft nylon cable	GU10 Led dimmable	9 x 4W	all systems	ØQ13S E8 A9.	CE ENEC 10.700

GU10 light bulbs are not included
On site minimum adjustable overall height 100 cm

25 | 1x 19 | 1x 16 1x 130x85x21 cm 1x 83x80x43,5 cm




Material

Brass


Finishes

 Nickel plated

Legend



Pendants




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Anish small pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel cable	integrated Led boards	6 x 4,5W 3970 lm CRI 90 3000K	1-10V PWM 10-100kΩ	ØQ61S E7 C8.	CE ENEC 3.290
			integrated Led boards	6 x 4,5W 3600 lm CRI 90 2700K	1-10V PWM 10-100kΩ	ØQ61S E7 C8.W	CE ENEC 3.290
			integrated Led boards	6 x 4,5W 3970 lm CRI 90 3000K	0/1-10V PUSH DALI	ØQ61S E7 C8.D	CE ENEC 3.550
			integrated Led boards	6 x 4,5W 3600 lm CRI 90 2700K	0/1-10V PUSH DALI	ØQ61S E7 C8.WD	CE ENEC 3.550

On site minimum adjustable overall height 50 cm


6,5 | 9 51x51x51 cm

Anish large pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel cable	integrated Led boards	6 x 4,5W 3970 lm CRI 90 3000K	1-10V PWM 10-100kΩ	ØQ62S E7 C8.	CE ENEC 4.210
			integrated Led boards	6 x 4,5W 3600 lm CRI 90 2700K	1-10V PWM 10-100kΩ	ØQ62S E7 C8.W	CE ENEC 4.210
			integrated Led boards	6 x 4,5W 3970 lm CRI 90 3000K	0/1-10V PUSH DALI	ØQ62S E7 C8.D	CE ENEC 4.460
			integrated Led boards	6 x 4,5W 3600 lm CRI 960 2700K	0/1-10V PUSH DALI	ØQ62S E7 C8.WD	CE ENEC 4.460

On site minimum adjustable overall height 65 cm

9 | 14,5 76x76x60 cm



Material

Stainless Steel

Finishes


Diffuser

-  Stainless steel
-  Gold plated
-  Rose gold plated
-  Champagne plated


Canopy

-  Nickel plated
-  Gold plated
-  Rose gold plated
-  Champagne plated
-  White


Legend




Pendants




Multi light pendant



Chandelier



Wall sconce



Ceiling light






Table lamp



Argent pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	White	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	see power supply options	ØN9ØS E7 C8.KK	855
Gold plated	White	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	see power supply options	ØN9ØS L6 C8.KK	1.400
Rose gold plated	White	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	see power supply options	ØN9ØS N4 C8.KK	1.400
Champagne plated	White	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	see power supply options	ØN9ØS N1 C8.KK	1.400

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

2,4 | 4,8 51x51x51 cm

Power supply options

G4 HALO


Dimming	Code	Price €
IGBT max 1 pendant	R1030000	30 (net)
DALI max 1 pendant	KITELETDALIHALO70	160 (net)

G4 LED

Dimming	Code	Price €
IGBT max 7 pendants	R1030000	30 (net)
100kΩ 0/1-10V PUSH max 8 pendants	KITELETDALILED60	135 (net)
DALI max 14 pendants	KITELETDALILED100	160 (net)

Argent pendant light

Body Canopy Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN9ØS E7 C8.	920
Stainless steel	Nickel plated	clear	G4 Led	3 x 2W	no	ØN9ØS E7 C8.L CB	920
Stainless steel	Nickel plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN9ØS E7 C8.D	1.050
Stainless steel	Nickel plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN9ØS L6 C8.	1.485
Gold plated	Gold plated	clear	G4 Led	3 x 2W	no	ØN9ØS L6 C8.L CB	1.485
Gold plated	Gold plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN9ØS L6 C8.D	1.605
Gold plated	Gold plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN9ØS N4 C8.	1.485
Rose gold plated	Rose gold plated	clear	G4 Led	3 x 2W	no	ØN9ØS N4 C8.L CB	1.485
Rose gold plated	Rose gold plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN9ØS N4 C8.D	1.605
Rose gold plated	Rose gold plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN9ØS N1 C8.	1.485
Champagne plated	Champagne plated	clear	G4 Led	3 x 2W	no	ØN9ØS N1 C8.L CB	1.485
Champagne plated	Champagne plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN9ØS N1 C8.D	1.605

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

2,4 | 4,8 51x51x51 cm

Argent 4 round multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	White	clear	G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN91S E7 C8. CE ENE	4.470
			G4 Led dimmable	12 x 2W	1-10V PWM	ØN91S E7 C8.L CE ENE CB	4.470
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN91S E7 C8.D CE ENE	4.850
			G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN91S E7 C8.LD CE ENE	4.590
Gold plated	White	clear	G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN91S L6 C8. CE ENE	6.830
			G4 Led dimmable	12 x 2W	1-10V PWM	ØN91S L6 C8.L CE ENE CB	6.830
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN91S L6 C8.D CE ENE	7.210
Rose gold plated	White	clear	G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN91S L6 C8.LD CE ENE	6.940
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN91S N4 C8. CE ENE	6.830
			G4 Led dimmable	12 x 2W	1-10V PWM	ØN91S N4 C8.L CE ENE CB	6.830
Champagne plated	White	clear	G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN91S N4 C8.D CE ENE	7.210
			G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN91S N4 C8.LD CE ENE	6.940
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN91S N1 C8. CE ENE	6.830
Champagne plated	White	clear	G4 Led dimmable	12 x 2W	1-10V PWM	ØN91S N1 C8.L CE ENE CB	6.830
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN91S N1 C8.D CE ENE	7.210
			G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN91S N1 C8.LD CE ENE	6.940

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 90 cm

18,5 Kg | 32 Kg | 115x95x75 cm

Argent 4 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	White	clear	G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN92S E7 C8. CE ENE	4.470
			G4 Led dimmable	12 x 2W	1-10V PWM	ØN92S E7 C8.L CE ENE CB	4.470
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN92S E7 C8.D CE ENE	4.850
			G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN92S E7 C8.LD CE ENE	4.590
Gold plated	White	clear	G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN92S L6 C8. CE ENE	6.830
			G4 Led dimmable	12 x 2W	1-10V PWM	ØN92S L6 C8.L CE ENE CB	6.830
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN92S L6 C8.D CE ENE	7.210
Rose gold plated	White	clear	G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN92S L6 C8.LD CE ENE	6.940
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN92S N4 C8. CE ENE	6.830
			G4 Led dimmable	12 x 2W	1-10V PWM	ØN92S N4 C8.L CE ENE CB	6.830
Champagne plated	White	clear	G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN92S N4 C8.D CE ENE	7.210
			G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN92S N4 C8.LD CE ENE	6.940
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	IGBT	ØN92S N1 C8. CE ENE	6.830
Champagne plated	White	clear	G4 Led dimmable	12 x 2W	1-10V PWM	ØN92S N1 C8.L CE ENE CB	6.830
			G4 Led dimmable or G4 Halogen	12 x 2W or 12 x 20W	DALI	ØN92S N1 C8.D CE ENE	7.210
			G4 Led dimmable	12 x 2W	100kΩ 0/1-10V PUSH DALI	ØN92S N1 C8.LD CE ENE	6.940

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

14,8 Kg | 1x 8 Kg 4x 4,8 | 1x 117x29x16 cm 4x 51x51x51 cm

Argent 6 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	White	clear	G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	IGBT	ØN89S E7 C8.	6.700
			G4 Led dimmable	18 x 2W	1-10V PWM	ØN89S E7 C8.L.	6.700
			G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	DALI	ØN89S E7 C8.D	7.090
			G4 Led dimmable	18 x 2W	100kΩ 0/1-10V PUSH DALI	ØN89S E7 C8.LD	6.830
Gold plated	White	clear	G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	IGBT	ØN89S L6 C8.	10.240
			G4 Led dimmable	18 x 2W	1-10V PWM	ØN89S L6 C8.L.	10.240
			G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	DALI	ØN89S L6 C8.D	10.600
			G4 Led dimmable	18 x 2W	100kΩ 0/1-10V PUSH DALI	ØN89S L6 C8.LD	10.400
Rose gold plated	White	clear	G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	IGBT	ØN89S N4 C8.	10.240
			G4 Led dimmable	18 x 2W	1-10V PWM	ØN89S N4 C8.L.	10.240
			G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	DALI	ØN89S N4 C8.D	10.600
			G4 Led dimmable	18 x 2W	100kΩ 0/1-10V PUSH DALI	ØN89S N4 C8.LD	10.400
Champagne plated	White	clear	G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	IGBT	ØN89S N1 C8.	10.240
			G4 Led dimmable	18 x 2W	1-10V PWM	ØN89S N1 C8.L.	10.240
			G4 Led dimmable or G4 Halogen	18 x 2W or 18 x 20W	DALI	ØN89S N1 C8.D	10.600
			G4 Led dimmable	18 x 2W	100kΩ 0/1-10V PUSH DALI	ØN89S N1 C8.LD	10.400

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 60 cm

22 | 1x 12 6x 4,8 | 1x 177x29x16 cm 6x 51x51x51 cm

Argent small chandelier



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear cord + steel cable	Integrated led	6 x 2,1W Led 1698 lm 3000K	0/1-10V PUSH DALI	ØN95S E7 C8.	4.470
			Integrated led	6 x 2,1W Led 1518 lm 2700K	0/1-10V PUSH DALI	ØN95S E7 C8.W	4.470
Gold plated	White	clear cord + steel cable	Integrated led	6 x 2,1W Led 1698 lm 3000K	0/1-10V PUSH DALI	ØN95S L6 C8.	6.830
			Integrated led	6 x 2,1W Led 1518 lm 2700K	0/1-10V PUSH DALI	ØN95S L6 C8.W	6.830
Rose gold plated	White	clear cord + steel cable	Integrated led	6 x 2,1W Led 1698 lm 3000K	0/1-10V PUSH DALI	ØN95S N4 C8.	6.830
			Integrated led	6 x 2,1W Led 1518 lm 2700K	0/1-10V PUSH DALI	ØN95S N4 C8.W	6.830
Champagne plated	White	clear cord + steel cable	Integrated led	6 x 2,1W Led 1698 lm 3000K	0/1-10V PUSH DALI	ØN95S N1 C8.	6.830
			Integrated led	6 x 2,1W Led 1518 lm 2700K	0/1-10V PUSH DALI	ØN95S N1 C8.W	6.830


On site minimum adjustable overall height 80 cm

11 | 26 | 83x78x95 cm

Argent medium chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear cord + steel cable	Integrated led	12 x 2,1W Led 3396 lm 3000K	0/1-10V PUSH DALI	ØN93S E7 C8.	CE ENEC 7.600
			Integrated led	12 x 2,1W LED 3036 lm 2700K	0/1-10V PUSH DALI	ØN93S E7 C8.W	CE ENEC 7.600
Gold plated	White	clear cord + steel cable	Integrated led	12 x 2,1W LED 3396 lm 3000K	0/1-10V PUSH DALI	ØN93S L6 C8.	CE ENEC 11.450
			Integrated led	12 x 2,1W LED 3036 lm 2700K	0/1-10V PUSH DALI	ØN93S L6 C8.W	CE ENEC 11.450
Rose gold plated	White	clear cord + steel cable	Integrated led	12 x 2,1W LED 3396 lm 3000K	0/1-10V PUSH DALI	ØN93S N4 C8.	CE ENEC 11.450
			Integrated led	12 x 2,1W LED 3036 lm 2700K	0/1-10V PUSH DALI	ØN93S N4 C8.W	CE ENEC 11.450
Champagne plated	White	clear cord + steel cable	Integrated led	12 x 2,1W LED 3396 lm 3000K	0/1-10V PUSH DALI	ØN93S N1 C8.	CE ENEC 11.450
			Integrated led	12 x 2,1W LED 3036 lm 2700K	0/1-10V PUSH DALI	ØN93S N1 C8.W	CE ENEC 11.450


On site minimum adjustable overall height 110 cm

kg 20 | kg 66 | 82x86x146 cm

Argent large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear cord + steel cable	Integrated led	18 x 2,1W Led 5094 lm 3000K	PUSH DALI	ØN94S E7 C8.	CE ENEC 11.450

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear cord + steel cable	Integrated led	18 x 2,1W Led 4554 lm 2700K	PUSH DALI	ØN94S E7 C8.W	CE ENEC 11.450
Gold plated	White	clear cord + steel cable	Integrated led	18 x 2,1W Led 5094 lm 3000K	PUSH DALI	ØN94S L6 C8.	CE ENEC 17.150
			Integrated led	18 x 2,1W Led 4554 lm 2700K	PUSH DALI	ØN94S L6 C8.W	CE ENEC 17.150
Rose gold plated	White	clear cord + steel cable	Integrated led	18 x 2,1W Led 5094 lm 3000K	PUSH DALI	ØN94S N4 C8.	CE ENEC 17.150
			Integrated led	18 x 2,1W Led 4554 lm 2700K	PUSH DALI	ØN94S N4 C8.W	CE ENEC 17.150
Champagne plated	White	clear cord + steel cable	Integrated led	18 x 2,1W Led 5094 lm 3000K	PUSH DALI	ØN94S N1 C8.	CE ENEC 17.150
			Integrated led	18 x 2,1W Led 4554 lm 2700K	PUSH DALI	ØN94S N1 C8.W	CE ENEC 17.150

On site minimum adjustable overall height 175 cm


kg 36 | kg 108 | 85x85x195 cm

Argent wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN97A E7 C8.	CE ENEC 920
			G4 Led	3 x 2W	no	ØN97A E7 C8.L	CE ENEC CB 920
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN97A E7 C8.D	CE ENEC 1.050
Gold plated	Gold plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN97A L6 C8.	CE ENEC 1.485
			G4 Led	3 x 2W	no	ØN97A L6 C8.L	CE ENEC CB 1.485
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN97A L6 C8.D	CE ENEC 1.605
Rose gold plated	Rose gold plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN97A N4 C8.	CE ENEC 1.485

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Rose gold plated	Rose gold plated	clear	G4 Led	3 x 2W	no	ØN97A N4 C8.L	CE ENEC CB 1.485
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN97A N4 C8.D	CE ENEC 1.605
Champagne plated	Champagne plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN97A N1 C8.	CE ENEC 1.485
			G4 Led	3 x 2W	no	ØN97A N1 C8.L	CE ENEC CB 1.485
Champagne plated	Champagne plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN97A N1 C8.D	CE ENEC 1.605

G4 Led and G4 Halogen light bulbs are not included




1,5 | 3,2 41x41x41 cm

Argent ceiling light

Body

Canopy

Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN99L E7 C8.	CE ENEC 920
			G4 Led	3 x 2W	no	ØN99L E7 C8.L	CE ENEC CB 920
Stainless steel	Nickel plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN99L E7 C8.D*	CE ENEC 1.050
			G4 Halogen	3 x 20W	IGBT TRIAC	ØN99L L6 C8.	CE ENEC 1.485
Gold plated	Gold plated	clear	G4 Led	3 x 2W	no	ØN99L L6 C8.L	CE ENEC CB 1.485
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN99L L6 C8.D*	CE ENEC 1.605
Rose gold plated	Rose gold plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN99L N4 C8.	CE ENEC 1.485
			G4 Led	3 x 2W	no	ØN99L N4 C8.L	CE ENEC CB 1.485
Rose gold plated	Rose gold plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN99L N4 C8.D*	CE ENEC 1.605

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Champagne plated	Champagne plated	clear	G4 Halogen	3 x 20W	IGBT TRIAC	ØN99L N1 C8.	CE ENEC 1.485
			G4 Led	3 x 2W	no	ØN99L N1 C8.L	CE ENEC CB 1.485
Champagne plated	Champagne plated	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØN99L N1 C8.D*	CE ENEC 1.605

G4 Led and G4 Halogen light bulbs are not included

2,1 | *1,9 | 3,8 | *3 59x59x28,5 cm | *51x51x51 cm

Argent table lamp




Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel	Nickel	clear	G4 Led	3 x 2W	no	ØN98B E7 C8.	CE ENEC 1.020
Gold plated	Gold plated	clear	G4 Led	3 x 2W	no	ØN98B L6 C8.	CE ENEC 1.570
Rose gold plated	Rose gold plated	clear	G4 Led	3 x 2W	no	ØN98B N4 C8.	CE ENEC 1.570
Champagne plated	Champagne plated	clear	G4 Led	3 x 2W	no	ØN98B N1 C8.	CE ENEC 1.570

G4 Led light bulbs are not included

2,2 | 4,8 51x51x51 cm

Argent | Bespoke

Please furnish the details for your design request by utilizing the request form



For further information, please feel free to contact our customer service

Request form |



Canopy	Size cm <input type="checkbox"/> cm <input type="checkbox"/> cm <input type="checkbox"/> cm <input type="checkbox"/>	Type * <input type="checkbox"/> With quick system <input type="checkbox"/> Without quick system <input type="checkbox"/> Available only with quick <input type="checkbox"/> <input type="checkbox"/>	Finish <input type="checkbox"/> White <input type="checkbox"/> Stainless steel <input type="checkbox"/> Gold plated <input type="checkbox"/> Rose gold plated <input type="checkbox"/> Champagne plated <input type="checkbox"/> Other
	Height Number of pendants min _____ cm max _____ cm	Hanging on Cables <input type="checkbox"/> Rods (for Yachts) <input type="checkbox"/>	Diffuser <input type="checkbox"/> Stainless steel <input type="checkbox"/> Gold plated <input type="checkbox"/> Rose gold plated <input type="checkbox"/> Champagne plated <input type="checkbox"/> Other
Light Source 120V <input type="checkbox"/> 230V <input type="checkbox"/>	Voltage 120V <input type="checkbox"/> 230V <input type="checkbox"/>	Type Halo <input type="checkbox"/> Led <input type="checkbox"/>	Dimming <input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> PWM <input type="checkbox"/> TRIAC <input type="checkbox"/> PUSH <input type="checkbox"/> DALI <input type="checkbox"/> Other

Additional information

*For information about canopy types see page 214



Material

Stainless Steel

Finishes


Diffuser

-  Stainless steel
-  Gold plated | PVD coating
-  Rose gold plated | PVD coating
-  Champagne plated | PVD coating


Canopy

-  White


Legend




Pendants




Multi light pendant




Portable table lamp



Wall sconce



Argent mon bijou pendant light



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel						ØS01S E8 H9.KK	445
Gold plated PVD coating	White	clear	integrated led	1,5W 174 lm 3000K - 500mA	see power supply options	CC ØS01S E8 A5.KK	800
Rose gold plated PVD coating						BE ØS01S E8 A6.KK	800
Champagne plated PVD coating						ØS01S E8 A7.KK	800


On site minimum adjustable overall height 25 cm

0,5 Kg | 1 Kg | 21x21x21 cm

Power supply options

INTEGRATED LED 3000K			
Dimming		Code	Price €
IGBT / TRIAC	max 6 pendants	R1630000	26 (net)
1-10V / PUSH	min 2 max 12 pendants	R1110000	45 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	85 (net)


Argent mon bijou pendant light



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel						ØS01S E8 H9.T	495
Gold plated PVD coating	White	clear	integrated led	1,5W 174 lm 3000K - 500mA	IGBT / TRIAC	CC ØS01S E8 A5.T	850
Rose gold plated PVD coating						BE ØS01S E8 A6.T	850
Champagne plated PVD coating						ØS01S E8 A7.T	850

On site minimum adjustable overall height 45 cm


Argent mon bijou 3 light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel						ØS03S E8 H9.T	1.450
Gold plated PVD coating	White	clear	integrated led	4,5W 522 lm 3000K - 500mA	IGBT / TRIAC	CC ØS03S E8 A5.T	2.495
Rose gold plated PVD coating						BE ØS03S E8 A6.T	2.495
Champagne plated PVD coating						ØS03S E8 A7.T	2.495

On site minimum adjustable overall height 95 cm


Argent mon bijou 5 light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel						ØS05S E8 H9.T	2.450
Gold plated PVD coating	White	clear	integrated led	7,5W 870 lm 3000K - 500mA	IGBT / TRIAC	ØS05S E8 A5.T	4.215
Rose gold plated PVD coating						ØS05S E8 A6.T	4.215
Champagne plated PVD coating						ØS05S E8 A7.T	4.215

On site minimum adjustable overall height 145 cm


Argent mon bijou 7 multi light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Stainless steel						ØS07S E8 H9.T	3.450
Gold plated PVD coating	White	clear	integrated led	10,5W 1218 lm 3000K - 500mA	IGBT / TRIAC	ØS07S E8 A5.T	5.935
Rose gold plated PVD coating						ØS07S E8 A6.T	5.935
Champagne plated PVD coating						ØS07S E8 A7.T	5.935

On site minimum adjustable overall height 180 cm

Argent mon bijou portable table lamp




Finish	Material	Light source	Max power	Dimming	Autonomy	Code	Price €
Stainless steel						ØN88B E7 C8H	325
Gold plated PVD coating	stainless steel	replaceable integrated led 3000K	1,4W 210 lm	integrated 4 steps dimmer	min 5.5h max 36h	ØN88B A5 C8H	490
Rose gold plated PVD coating						ØN88B A6 C8H	490
Champagne plated PVD coating						ØN88B A7 C8H	490

USB-A to USB-C 1m cable and battery included.
Gift box included.

CE | Kg 1 | Kg 1,5 | 36x31x30 cm


Argent mon bijou wall sconce



Diffuser	Canopy	Source	Max power	Dimming	Code	Price €
Stainless steel	Stainless steel				ØS01A E8 H9.T	495
Gold plated PVD coating	Gold plated	integrated led	2,1W 237 lm 3000K - 700mA	0/1-10V / PUSH	ØS01A E8 A5.T	850
Rose gold plated PVD coating	Rose gold				ØS01A E8 A6.T	850
Champagne plated PVD coating	Champagne plated				ØS01A E8 A7.T	850

Argent, mon bijou. | Bespoke

Please furnish the details for your design request by utilizing the request form




For further information, please feel free to contact our customer service

Request form |

Canopy	Size	<input type="checkbox"/> Circle cm <input type="checkbox"/>	<input type="checkbox"/> Oval cm <input type="checkbox"/>	<input type="checkbox"/> Square cm <input type="checkbox"/>	<input type="checkbox"/> Rectangle cm <input type="checkbox"/>	Type * <input type="checkbox"/> Standard <input type="checkbox"/> With quick system <input type="checkbox"/> Without quick system <input type="checkbox"/> Flush <input type="checkbox"/> Available only with quick <input type="checkbox"/> Radial system <input type="checkbox"/> Disc <input type="checkbox"/>	Finish <input type="checkbox"/> White <input type="checkbox"/> Stainless steel <input type="checkbox"/> Gold plated <input type="checkbox"/> Rose gold plated <input type="checkbox"/> Champagne plated <input type="checkbox"/> Other
	Height	Pendant height min <input type="checkbox"/> max <input type="checkbox"/>	Number of pendants min <input type="checkbox"/> cm max <input type="checkbox"/> cm	Hanging on Cables <input type="checkbox"/> Rods (for Yachts) <input type="checkbox"/>	Diffuser PVD Finish Solution for YACHTS HOTELS RESTAURANTS <input type="checkbox"/> Stainless steel <input type="checkbox"/> Gold plated <input type="checkbox"/> Rose gold plated <input type="checkbox"/> Champagne plated		
Light Source	Voltage 120V <input type="checkbox"/> 230V <input type="checkbox"/>	Type <input type="checkbox"/> Integrated led 3000K <input type="checkbox"/> Other _____	Dimming <input type="checkbox"/> IGBT <input type="checkbox"/> TRIAC <input type="checkbox"/> DALI <input type="checkbox"/> 1-10V <input type="checkbox"/> PUSH <input type="checkbox"/> Other _____	<input type="checkbox"/> PWM			

Additional information


*For information about canopy types see page 214



Materials

Brass chains and metal structure plated

Legend



Finishes


Diffuser

-  Nickel plated
-  Black nickel plated
-  Brushed bronze
-  Gold plated
-  Champagne plated
-  Brushed champagne plated


Canopy

-  Nickel plated
-  Black nickel plated
-  Brushed bronze
-  Gold plated
-  Champagne plated
-  Brushed champagne plated

Chandelier



Wall sconce




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Atlantis small three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	E14 Led dimmable	6 x 6W	all systems	ØA13S E7 C8.	CE ENEC 15.650
Black nickel plated	Black nickel plated	clear cord + chain	E14 Led dimmable	6 x 6W	all systems	ØA13S E9 C8.	CE ENEC 17.250
Brushed bronze	Brushed bronze	clear cord + chain	E14 Led dimmable	6 x 6W	all systems	ØA13S F7 C8.	CE ENEC 18.750
Gold plated	Gold plated	clear cord + chain	E14 Led dimmable	6 x 6W	all systems	ØA13S L6 C8.	CE ENEC 19.400
Champagne plated	Champagne plated	clear cord + chain	E14 Led dimmable	6 x 6W	all systems	ØA13S N1 C8.	CE ENEC 19.400
Brushed champagne plated	Brushed champagne plated	clear cord + chain	E14 Led dimmable	6 x 6W	all systems	ØA13S N7 C8.	CE ENEC 21.350


E14 Led light bulbs are not included
On site minimum adjustable overall height 155 cm

18 kg | 54 kg | 75x75x114 cm

Atlantis medium three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA14S E7 C8.	CE ENEC 17.500
Black nickel plated	Black nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA14S E9 C8.	CE ENEC 19.400
Brushed bronze	Brushed bronze	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA14S F7 C8.	CE ENEC 20.700

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Gold plated	Gold plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA14S L6 C8.	CE ENEC 21.950
Champagne plated	Champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA14S N1 C8.	CE ENEC 21.950
Brushed champagne plated	Brushed champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA14S N7 C8.	CE ENEC 23.850


E14 Led light bulbs are not included
On site minimum adjustable overall height 170 cm

28 kg | 58 kg | 85x70x129 cm

Atlantis large three tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA15S E7 C8.	CE ENEC 26.400
Black nickel plated	Black nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA15S E9 C8.	CE ENEC 28.850
Brushed bronze	Brushed bronze	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA15S F7 C8.	CE ENEC 31.300
Gold plated	Gold plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA15S L6 C8.	CE ENEC 31.950
Champagne plated	Champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA15S N1 C8.	CE ENEC 31.950
Brushed champagne plated	Brushed champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA15S N7 C8.	CE ENEC 35.100


E14 Led light bulbs are not included
On site minimum adjustable overall height 230 cm

37 kg | 91 kg | 115x85x150 cm

Atlantis small linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA18S E7 C8.	CE ENEC 18.150
Black nickel plated	Black nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA18S E9 C8.	CE ENEC 20.000
Brushed bronze	Brushed bronze	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA18S F7 C8.	CE ENEC 21.950
Gold plated	Gold plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA18S L6 C8.	CE ENEC 22.500
Champagne plated	Champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA18S N1 C8.	CE ENEC 22.500
Brushed champagne plated	Brushed champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØA18S N7 C8.	CE ENEC 24.550


E14 Led light bulbs are not included
On site minimum adjustable overall height 90 cm

34 | 70 170x55x99 cm

Atlantis medium linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA17S E7 C8.	CE ENEC 25.700
Black nickel plated	Black nickel plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA17S E9 C8.	CE ENEC 28.100
Brushed bronze	Brushed bronze	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA17S F7 C8.	CE ENEC 30.450

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Gold plated	Gold plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA17S L6 C8.	CE ENEC 31.850
Champagne plated	Champagne plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA17S N1 C8.	CE ENEC 31.850
Brushed champagne plated	Brushed champagne plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA17S N7 C8.	CE ENEC 35.000


E14 Led light bulbs are not included
On site minimum adjustable overall height 105 cm

41 | 98 215x65x104 cm

Atlantis large linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA16S E7 C8.	CE ENEC 33.050
Black nickel plated	Black nickel plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA16S E9 C8.	CE ENEC 36.250
Brushed bronze	Brushed bronze	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA16S F7 C8.	CE ENEC 39.150
Gold plated	Gold plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA16S L6 C8.	CE ENEC 39.900
Champagne plated	Champagne plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA16S N1 C8.	CE ENEC 39.900
Brushed champagne plated	Brushed champagne plated	clear cord + chain + steel cable	E14 Led dimmable	10 x 6W	all systems	ØA16S N7 C8.	CE ENEC 43.850


E14 Led light bulbs are not included
On site minimum adjustable overall height 130 cm

66 | 146 270x70x114 cm

Atlantis two tier chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØJØ1S E7 C8.	CE ENEC 25.150
Black nickel plated	Black nickel plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØJØ1S E9 C8.	CE ENEC 27.650
Brushed bronze	Brushed bronze	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØJØ1S F7 C8.	CE ENEC 30.100
Gold plated	Gold plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØJØ1S L6 C8.	CE ENEC 31.300
Champagne plated	Champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØJØ1S N1 C8.	CE ENEC 31.300
Brushed champagne plated	Brushed champagne plated	clear cord + chain	E14 Led dimmable	8 x 6W	all systems	ØJØ1S N7 C8.	CE ENEC 34.450


E14 Led light bulbs are not included
On site minimum adjustable overall height 125 cm

45 | 92 135x100x114 cm

Atlantis small wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	E14 Led dimmable	2 x 6W	all systems	ØJØ4A E7 C8.	CE ENEC 1.855
Black nickel plated	Black nickel plated	-	E14 Led dimmable	2 x 6W	all systems	ØJØ4A E9 C8.	CE ENEC 2.045
Brushed bronze	Brushed bronze	-	E14 Led dimmable	2 x 6W	all systems	ØJØ4A F7 C8.	CE ENEC 2.530

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Gold plated	Gold plated	-	E14 Led dimmable	2 x 6W	all systems	ØJØ4A L6 C8.	CE ENEC 2.105
Champagne plated	Champagne plated	-	E14 Led dimmable	2 x 6W	all systems	ØJØ4A N1 C8.	CE ENEC 2.105
Brushed champagne plated	Brushed champagne plated	-	E14 Led dimmable	2 x 6W	all systems	ØJØ4A N7 C8.	CE ENEC 2.310


E14 Led light bulbs are not included

2,5 | 4 45x30x30 cm

Atlantis large wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	E14 Led dimmable	4 x 6W	all systems	ØJØ3A E7 C8.	CE ENEC 3.810
Black nickel plated	Black nickel plated	-	E14 Led dimmable	4 x 6W	all systems	ØJØ3A E9 C8.	CE ENEC 4.400
Brushed bronze	Brushed bronze	-	E14 Led dimmable	4 x 6W	all systems	ØJØ3A F7 C8.	CE ENEC 4.950
Gold plated	Gold plated	-	E14 Led dimmable	4 x 6W	all systems	ØJØ3A L6 C8.	CE ENEC 4.660
Champagne plated	Champagne plated	-	E14 Led dimmable	4 x 6W	all systems	ØJØ3A N1 C8.	CE ENEC 4.660
Brushed champagne plated	Brushed champagne plated	-	E14 Led dimmable	4 x 6W	all systems	ØJØ3A N7 C8.	CE ENEC 5.120

E14 Led light bulbs are not included

6 | 9 59x59x28,5 cm



Material

Clear crystal

Finishes

Diffuser

Canopy




Clear crystal




White


Legend



Pendants




Multi light pendant



Calle pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear	G4 Led dimmable or G4 Halogen	2W or 20W	see power supply options	ØTØ1S E8 A9.KK	CE ENEC 735

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 130 cm

1,5 | 3 83x25x26 cm

Power supply options

G4 HALO


Dimming	Code	Price €
IGBT max 2 pendants	R1Ø3ØØØØ	30 (net)
DALI max 2 pendants	KITELETDALIHALO7Ø	160 (net)

G4 LED

Dimming	Code	Price €
IGBT min 2 max 21 pendants	R1Ø3ØØØØ	30 (net)
100kΩ 0/1-10V max 25 pendants	KITELETDALILED6Ø	135 (net)
PUSH max 43 pendants	KITELETDALILED1ØØ	160 (net)

Calle pendant light

Body Canopy Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear	G4 Halogen	20W	IGBT TRIAC	ØTØ1S E8 A9.	CE ENEC 785
Clear crystal	White	clear	G4 Led	2W	no	ØTØ1S E8 A9.L	CE ENEC CB 785
Clear crystal	White	clear	G4 Led dimmable or G4 Halogen	3W or 20W	DALI	ØTØ1S E8 A9.D	CE ENEC 915

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 135 cm

1,5 | 3 83x25x26 cm

Calle 3 round multi light pendant

Body Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	IGBT	ØTØ3S E8 A9.	CE ENEC 2.620
Clear crystal	White	clear	G4 Led	3 x 2W	no	ØTØ3S E8 A9.L	CE ENEC CB 2.920
Clear crystal	White	clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØTØ3S E8 A9.D	CE ENEC 2.880

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 110 cm


6 | 10 77x77x30 cm

Calle 3 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	IGBT	ØTØ3S E8 A9. R	2.620
Clear crystal	White	clear	G4 Led	3 x 2W	no	ØTØ3S E8 A9. RL CB	2.920
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 20W	DALI	ØTØ3S E8 A9. RD	2.880

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 110 cm




Calle 5 linear multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 20W	IGBT	ØTØ5S E8 A9. R	4.340
Clear crystal	White	clear	G4 Led dimmable	5 x 2W	1-10V PWM	ØTØ5S E8 A9. RL CB	4.340
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 20W	DALI	ØTØ5S E8 A9. RD	4.720

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 110 cm



Calle 5 round multi light pendant




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 20W	IGBT	ØTØ5S E8 A9.	4.340
Clear crystal	White	clear	G4 Led dimmable	5 x 2W	1-10V PWM	ØTØ5S E8 A9. L CB	4.340
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 20W	DALI	ØTØ5S E8 A9. D	4.720

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 135 cm



Calle | Bespoke

Please furnish the details for your design request by utilizing the request form




For further information, please feel free to contact our customer service

Request form |



Canopy	Size		Type *		Finish	
	<input type="checkbox"/> Circle _____ cm	<input type="checkbox"/> Oval _____ cm	<input type="checkbox"/> Standard <input type="checkbox"/> Available only with quick	<input type="checkbox"/> Flush <input type="checkbox"/> Available only with quick	<input type="checkbox"/> White <input type="checkbox"/> Other _____	
	<input type="checkbox"/> Square _____ cm	<input type="checkbox"/> Rectangle _____ cm	<input type="checkbox"/> Disc <input type="checkbox"/>			
Height	Pendant height					
	min _____ max _____		min _____ cm max _____ cm			
Diffuser	Finish			Number of pendants		
	<input type="checkbox"/> Clear crystal <input type="checkbox"/> Other			_____		
Light Source	Voltage		Type		Dimming	
	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	<input type="checkbox"/> Halo <input type="checkbox"/> Led	<input type="checkbox"/> IGBT <input type="checkbox"/> TRIAC <input type="checkbox"/> DALI	<input type="checkbox"/> 1-10V <input type="checkbox"/> PWM <input type="checkbox"/> Other	_____	
Additional information						
_____ _____ _____						


*For information about canopy types see page 214



Materials




Brass and glass

Legend






Finishes


Diffuser

-  Nickel plated | clear glass
-  Black nickel plated | clear glass
-  Gold plated | clear glass

Canopy

-  Nickel plated
-  Black nickel plated
-  Gold plated

Pendant




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Core pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated clear glass	Nickel plated	clear	integrated led	2,1W 194 lm 3000K	no	ØP22S E7 A9.	835
			integrated led	2,1W 172 lm 2700K	no	ØP22S E7 A9.W	835
Black nickel plated clear glass	Black nickel plated	clear	integrated led	2,1W 194 lm 3000K	no	ØP22S E9 A9.	870
			integrated led	2,1W 172 lm 2700K	no	ØP22S E9 A9.W	870
Gold plated clear glass	Gold plated	clear	integrated led	2,1W 194 lm 3000K	no	ØP22S L6 A9.	915
			integrated led	2,1W 172 lm 2700K	no	ØP22S L6 A9.W	915

On site minimum adjustable overall height 50 cm




Core dome pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated clear glass	Nickel plated	clear cord + steel cable	Integrated COB Led	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP21S E7 A9.	6.250
			Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP21S E7 A9.W	6.250
			Integrated COB Led	18W 1640 lm CRI 90 3000K	DALI	ØP21S E7 A9.D	6.510


Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated clear glass	Nickel plated	clear cord + steel cable	Integrated COB Led	18W 1570 lm CRI 90 2700K	DALI	ØP21S E7 A9.WD	6.510
			Integrated COB Led	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP21S E9 A9.	6.700
Black nickel plated clear glass	Black nickel plated	clear cord + steel cable	Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP21S E9 A9.W	6.700
			Integrated COB Led	18W 1640 lm CRI 90 3000K	DALI	ØP21S E9 A9.D	6.950
			Integrated COB Led	18W 1570 lm CRI 90 2700K	DALI	ØP21S E9 A9.WD	6.950
Gold plated clear glass	Gold plated	clear cord + steel cable	Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP21S L6 A9.	7.410
			Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP21S L6 A9.W	7.410
			Integrated COB Led	18W 1640 lm CRI 90 3000K	DALI	ØP21S L6 A9.D	7.660
Integrated COB Led	18W 1570 lm CRI 90 2700K	DALI	ØP21S L6 A9.WD	7.660			

On site minimum adjustable overall height 65 cm




Core sphere pendant light





Body





Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated clear glass	Nickel plated	clear cord + steel cable	Integrated COB Led	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP2ØS E7 A9.	9.190
			Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP2ØS E7 A9.W	9.190
			Integrated COB Led	18W 1640 lm CRI 90 3000K	DALI	ØP2ØS E7 A9.D	9.450
Integrated COB Led	18W 1570 lm CRI 90 2700K	DALI	ØP2ØS E7 A9.WD	9.450			
Black nickel plated clear glass	Black nickel plated	clear cord + steel cable	Integrated COB Led	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP2ØS E9 A9.	10.160

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Black nickel plated clear glass	 Black nickel plated	clear cord + steel cable	Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP2ØS E9 A9.W	CE ENEC 10.160
			Integrated COB Led	18W 1640 lm CRI 90 3000K	DALI	ØP2ØS E9 A9.D	CE ENEC 10.400
			Integrated COB Led	18W 1570 lm CRI 90 2700K	DALI	ØP2ØS E9 A9.WD	CE ENEC 10.400
 Gold plated clear glass	 Gold plated	clear cord + steel cable	Integrated COB Led	18W 1640 lm CRI 90 3000K	1-10V PUSH	ØP2ØS L6 A9.	CE ENEC 11.450
			Integrated COB Led	18W 1570 lm CRI 90 2700K	1-10V PUSH	ØP2ØS L6 A9.W	CE ENEC 11.450
			Integrated COB Led	18W 1640 lm CRI 90 3000K	DALI	ØP2ØS L6 A9.D	CE ENEC 11.700
			Integrated COB Led	18W 1570 lm CRI 90 2700K	DALI	ØP2ØS L6 A9.WD	CE ENEC 11.700

On site minimum adjustable overall height 90 cm

 16,5 |
  26
  83x78x95 cm





Material

Brass

Finish


Body

 Polished brass


Ceiling attachment

 White



Legend




Element



Optional light



Dragon oval pendant




Finish	Ceiling attachment	Cord	Code	Price €
Polished brass	White	steel cable	ØE02S E8 N50	14.500

On site minimum adjustable overall height 55 cm


6,4 Kg

Dragon ceiling mounted light source



Diffuser	Source	Max power	Dimming	Code	Price €
White	integrated led	2 x 10W 2 x 930 lm 3000K	no	SWX12139S	555 (net)


Dragon recessed downlights light source



Diffuser	Source	Max power	Dimming	Code	Price €
White	integrated led	2x10W 2x930 lm 3000K	see power supply options	LDQX12139S	474 (net)

Power supply options


INTEGRATED LED 3000K				
Dimming			Code	Price €
IGBT / TRIAC			AL4032	76 (net)
1-10V			AL4030	76 (net)
DALI			AL4031	76 (net)



Material


Brass

Legend






Finishes


Diffuser

-  Nickel plated
-  Black nickel plated
-  Gold plated
-  Copper (may age naturally)


Canopy

-  Nickel plated
-  Black nickel plated
-  Gold plated
-  Copper (may age naturally)

Pendant



Chandelier



Floor lamp






Table lamp



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Doodle pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel cable	G4 Led	2W	no	ØJ8ØS E7 C8.L CE ENE CB	510
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ8ØS E7 C8.D CE ENE	640
Black nickel plated	Black nickel plated	clear cord + steel cable	G4 Led	2W	no	ØJ8ØS E9 C8.L CE ENE CB	540
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ8ØS E9 C8.D CE ENE	670
Gold plated	Gold plated	clear cord + steel cable	G4 Led	2W	no	ØJ8ØS L6 C8.L CE ENE CB	565
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ8ØS L6 C8.D CE ENE	695
Copper (may age naturally)	Copper (may age naturally)	clear cord + steel cable	G4 Led	2W	no	ØJ8ØS L5 C8.L CE ENE CB	565
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ8ØS L5 C8.D CE ENE	695

G4 Led light bulbs are not included
On site minimum adjustable overall height 45 cm

1,4 | 2,4 36x31x30 cm

Light bulb


Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J1530000	15 (net)

Doodle chandelier

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel cable	G4 Led dimmable	5 x 2W	IGBT	ØJ93S E7 C8. CE ENE	1.785
			G4 Led dimmable	5 x 2W	1-10V PWM	ØJ93S E7 C8.L CE ENE CB	1.785
Black nickel plated	Black nickel plated	clear cord + steel cable	G4 Led dimmable	5 x 2W	DALI	ØJ93S E7 C8.D CE ENE	1.915
			G4 Led dimmable	5 x 2W	IGBT	ØJ93S E9 C8. CE ENE	1.980
Black nickel plated	Black nickel plated	clear cord + steel cable	G4 Led dimmable	5 x 2W	1-10V PWM	ØJ93S E9 C8.L CE ENE CB	1.980
			G4 Led dimmable	5 x 2W	DALI	ØJ93S E9 C8.D CE ENE	2.105
Gold plated	Gold plated	clear cord + steel cable	G4 Led dimmable	5 x 2W	IGBT	ØJ93S L6 C8. CE ENE	2.360
			G4 Led dimmable	5 x 2W	1-10V PWM	ØJ93S L6 C8.L CE ENE CB	2.360
Gold plated	Gold plated	clear cord + steel cable	G4 Led dimmable	5 x 2W	DALI	ØJ93S L6 C8.D CE ENE	2.495

G4 Led light bulbs are not included
On site minimum adjustable overall height 60 cm


5 | 10 60x60x60 cm

Light bulb


Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J1530000	15 (net)

Doodle vertical chandelier


Body



Canopy



Canopy for DALI | CB version



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Led dimmable	6 x 2W	IGBT	ØJ87S E7 C8.	CE ENEC 2.680
Nickel plated	Nickel plated	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ87S E7 C8.L	CE ENEC CB 2.680
			G4 Led dimmable	6 x 2W	DALI	ØJ87S E7 C8.D	CE ENEC 2.935
			G4 Led dimmable	6 x 2W	IGBT	ØJ87S E9 C8.	CE ENEC 2.805
Black nickel plated	Black nickel plated	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ87S E9 C8.L	CE ENEC CB 2.805
			G4 Led dimmable	6 x 2W	DALI	ØJ87S E9 C8.D	CE ENEC 3.060
			G4 Led dimmable	6 x 2W	IGBT	ØJ87S L6 C8.	CE ENEC 2.935
Gold plated	Gold plated	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ87S L6 C8.L	CE ENEC CB 2.935
			G4 Led dimmable	6 x 2W	DALI	ØJ87S L6 C8.D	CE ENEC 3.190
			G4 Led dimmable	6 x 2W	IGBT	ØJ87S L5 C8.	CE ENEC 2.935
Copper (may age naturally)	Copper (may age naturally)	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ87S L5 C8.L	CE ENEC CB 2.935
			G4 Led dimmable	6 x 2W	DALI	ØJ87S L5 C8.D	CE ENEC 3.190

G4 Led light bulbs are not included
On site minimum adjustable overall height 150 cm


7,5 | 10 | 162x35x35 cm

Light bulb


Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J1530000	15 (net)

Doodle linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Led dimmable	6 x 2W	IGBT	ØJ81S E7 C8.	CE ENEC 2.680
Nickel plated	Nickel plated	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ81S E7 C8.L	CE ENEC CB 2.680
			G4 Led dimmable	6 x 2W	DALI	ØJ81S E7 C8.D	CE ENEC 2.935
			G4 Led dimmable	6 x 2W	IGBT	ØJ81S E9 C8.	CE ENEC 2.805
Black nickel plated	Black nickel plated	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ81S E9 C8.L	CE ENEC CB 2.805
			G4 Led dimmable	6 x 2W	DALI	ØJ81S E9 C8.D	CE ENEC 3.060
			G4 Led dimmable	6 x 2W	IGBT	ØJ81S L6 C8.	CE ENEC 2.935
Gold plated	Gold plated	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ81S L6 C8.L	CE ENEC CB 2.935
			G4 Led dimmable	6 x 2W	DALI	ØJ81S L6 C8.D	CE ENEC 3.190
			G4 Led dimmable	6 x 2W	IGBT	ØJ81S L5 C8.	CE ENEC 2.935
Copper (may age naturally)	Copper (may age naturally)	clear cord + steel cable	G4 Led dimmable	6 x 2W	1-10V PWM	ØJ81S L5 C8.L	CE ENEC CB 2.935
			G4 Led dimmable	6 x 2W	DALI	ØJ81S L5 C8.D	CE ENEC 3.190

G4 Led light bulbs are not included
On site minimum adjustable overall height 50 cm


7,5 | 10 | 162x35x35 cm

Light bulb

Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J1530000	15 (net)

Doodle floor lamp

Body



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	-	clear	G4 Led	6 x 1,2W	no	ØJ86P E7 C8.	CE ENEC 3.000
Black nickel plated	-	clear	G4 Led	6 x 1,2W	no	ØJ86P E9 C8.	CE ENEC 3.130
Gold plated	-	clear	G4 Led	6 x 1,2W	no	ØJ86P L6 C8.	CE ENEC 3.445
Copper (may age naturally)	-	clear	G4 Led	6 x 1,2W	no	ØJ86P L5 C8.	CE ENEC 3.445

G4 Led light bulbs are not included


16 | 21 | 191x46x46 cm

Light bulb

Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J15300000	15 (net)

Doodle table lamp

Body



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	-	clear	G4 Led	2W	no	ØJ84B E7 C8.	CE ENEC 510
Black nickel plated	-	clear	G4 Led	2W	no	ØJ84B E9 C8.	CE ENEC 540
Gold plated	-	clear	G4 Led	2W	no	ØJ84B L6 C8.	CE ENEC 565
Copper (may age naturally)	-	clear	G4 Led	2W	no	ØJ84B L5 C8.	CE ENEC 565

G4 Led light bulbs are not included


1,2 | 2 | 36x31x30 cm

Light bulb


Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J15300000	15 (net)

Doodle wall sconce


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear	G4 Led	2W	no	ØJ82A E7 C8.L	CE ENEC CB 510
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ82A E7 C8.D*	CE ENEC 640
Black nickel plated	Black nickel plated	clear	G4 Led	2W	no	ØJ82A E9 C8.L	CE ENEC CB 540
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ82A E9 C8.D*	CE ENEC 670
Gold plated	Gold plated	clear	G4 Led	2W	no	ØJ82A L6 C8.L	CE ENEC CB 565
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ82A L6 C8.D*	CE ENEC 695
Copper (may age naturally)	Copper (may age naturally)	clear	G4 Led	2W	no	ØJ82A L5 C8.L	CE ENEC CB 565
			G4 Led dimmable	2W	100kΩ 0/1-10V PUSH DALI	ØJ82A L5 C8.D*	CE ENEC 695

G4 Led light bulbs are not included

1,8 kg | 2,4 kg * 2,2 | * 3
 36x31x30 cm * 36x31x30 cm

Light bulb


Source	Max power	Code	Price €
G4 12V Led dimmable	2W 2700K	J1530000	15 (net)



Materials

Brass chains and metal structure plated

Legend




Finishes


Diffuser



Nickel plated



Black nickel plated



Brushed bronze




Gold plated


Canopy



Nickel plated



Black nickel plated




Brushed bronze



Gold plated

Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Epoque vertical chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel cable	Integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	ØG91S E7 C8.	CE ENEC 17.500
			Integrated led	12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	ØG91S E7 C8.W	CE ENEC 17.500
Black nickel plated	Black nickel plated	clear cord + steel cable	Integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	ØG91S E9 C8.	CE ENEC 19.500
			Integrated led	12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	ØG91S E9 C8.W	CE ENEC 19.500
Brushed bronze	Brushed bronze	clear cord + steel cable	Integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	ØG91S F7 C8.	CE ENEC 20.850
			Integrated led	12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	ØG91S F7 C8.W	CE ENEC 20.850
Gold plated	Gold plated	clear cord + steel cable	Integrated led	12 x 2,1W 2328 lm 3000K	0/1-10V PUSH DALI	ØG91S L6 C8.	CE ENEC 21.950
			Integrated led	12 x 2,1W 2064 lm 2700K	0/1-10V PUSH DALI	ØG91S L6 C8.W	CE ENEC 21.950

On site minimum adjustable overall height 215 cm


14,5 kg | 55 kg | 196x50x71 cm

Epoque chandelier


Body



Top view




Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel rope	Integrated led	20 x 2,1W 3880 lm 3000K	PUSH DALI	ØG9ØS E7 C8.	CE ENEC 23.700
			Integrated led	20 x 2,1W 3440 lm 2700K	PUSH DALI	ØG9ØS E7 C8.W	CE ENEC 23.700
Black nickel plated	Black nickel plated	clear cord + steel rope	Integrated led	20 x 2,1W 3880 lm 3000K	PUSH DALI	ØG9ØS E9 C8.	CE ENEC 31.500
			Integrated led	20 x 2,1W 3440 lm 2700K	PUSH DALI	ØG9ØS E9 C8.W	CE ENEC 31.500
Brushed bronze	Brushed bronze	clear cord + steel rope	Integrated led	20 x 2,1W 3880 lm 3000K	PUSH DALI	ØG9ØS F7 C8.	CE ENEC 33.550
			Integrated led	20 x 2,1W 3440 lm 2700K	PUSH DALI	ØG9ØS F7 C8.W	CE ENEC 33.550
Gold plated	Gold plated	clear cord + steel rope	Integrated led	20 x 2,1W 3880 lm 3000K	PUSH DALI	ØG9ØS L6 C8.	CE ENEC 35.450
			Integrated led	20 x 2,1W 3440 lm 2700K	PUSH DALI	ØG9ØS L6 C8.W	CE ENEC 35.450

Not adjustable on site

36 kg | 96 kg | 155x95x139 cm



Material

Metal

Finishes

Diffuser




Nickel plated

Canopy




Nickel plated


Legend




Pendant



Chandelier



Wall sconce




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Etoile pendant light


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Halogen	20W	IGBT TRIAC	ØP05S E7 C8.	505
Nickel plated	Nickel plated	clear	G4 Led	2W	no	ØP05S E7 C8.L	505
			G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØP05S E7 C8.D	635

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 40 cm




Etoile chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Halogen	8 x 10W or 8 x 20W	IGBT TRIAC	ØP01S E7 C8.	5.360
Nickel plated	Nickel plated	clear cord + steel cable	G4 Led dimmable	16 x 1,2W	1-10V PWM	ØP01S E7 C8.L	5.360
			G4 Led dimmable	16 x 1,2W	100kΩ 0/1-10V PUSH DALI	ØP01S E7 C8.LD	5.490

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 40 cm




Etoile linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Halogen	8 x 20W	IGBT TRIAC	ØP04S E7 C8.	3.900
Nickel plated	Nickel plated	clear cord + steel cable	G4 Led	8 x 2W	no	ØP04S E7 C8.L	3.900
			G4 Led dimmable	8 x 2W	DALI	ØP04S E7 C8.LD	4.200

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 40 cm



Etoile wall sconce

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
			G4 Led dimmable or G4 Halogen	6 x 2W or 6 x 10W	IGBT	ØP03A E7 C8.	1.250
Nickel plated	Nickel plated	-	G4 Led	6 x 2W	no	ØP03A E7 C8.L	1.250

G4 Led and G4 Halogen light bulbs are not included






Material


Clear


Legend




Finishes

Diffuser

 White | clear glass

 Silver plated | clear glass

 Gold plated | clear glass


Canopy

 White


 Silver plated

 Gold plated

Pendants




Wall sconce



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Frame small cylinder pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White clear glass	White	clear	E14 Led	4W	all systems	ØQØ1S E8 A9.	CE ENEC 620
Silver plated clear glass	Silver plated	clear	E14 Led	4W	all systems	ØQØ1S G7 A9.	CE ENEC 655
Gold plated clear glass	Gold plated	clear	E14 Led	4W	all systems	ØQØ1S L6 A9.	CE ENEC 655

E14 Led light bulbs are not included
On site minimum adjustable overall height 95 cm

1,2 | 2,5 65x27x24,5 cm

Frame cone pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White clear glass	White	clear	E14 Led	4W	all systems	ØQØ3S E8 A9.	CE ENEC 990
Silver plated clear glass	Silver plated	clear	E14 Led	4W	all systems	ØQØ3S G7 A9.	CE ENEC 1.040
Gold plated clear glass	Gold plated	clear	E14 Led	4W	all systems	ØQØ3S L6 A9.	CE ENEC 1.040

E14 Led light bulbs are not included
On site minimum adjustable overall height 95 cm

1,4 | 3,6 77x35x26,5 cm

Frame large cylinder pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White clear glass	White	clear	E14 Led	4W	all systems	ØQØ2S E8 A9.	CE ENEC 825
Silver plated clear glass	Silver plated	clear	E14 Led	4W	all systems	ØQØ2S G7 A9.	CE ENEC 900
Gold plated clear glass	Gold plated	clear	E14 Led	4W	all systems	ØQØ2S L6 A9.	CE ENEC 900

E14 Led light bulbs are not included
On site minimum adjustable overall height 95 cm

1,8 | 3 65x27x24,5 cm


Frame wall sconce



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White clear glass	White	-	G9 Led	3,5W	all systems	ØQØ4A E8 A9.	CE ENEC 650
Silver plated clear glass	Silver plated	-	G9 Led	3,5W	all systems	ØQØ4A G7 A9.	CE ENEC 715
Gold plated clear glass	Gold plated	-	G9 Led	3,5W	all systems	ØQØ4A L6 A9.	CE ENEC 715

E14 Led light bulbs are not included


1,2 | 2,5 49x41x19 cm



Material




Metal

Legend






Finishes


Diffuser

-  Nickel plated
-  Gold leaf
-  Gold plated

Canopy

-  Nickel plated
-  Gold leaf
-  Gold plated


Pendants



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

G.r.a. oval pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		red fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN41S E7 C8.L	CE ENEC 2.045
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN41S E7 C8.LW	CE ENEC 2.045
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN41S E7 C8.LD	CE ENEC 2.170
			Integrated COB Led	18W 1570 lm 2700K	DALI	ØN41S E7 C8.LWD	CE ENEC 2.170
		black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN41S H5 C8.L	CE ENEC 2.425
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN41S H5 C8.LW	CE ENEC 2.425
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN41S H5 C8.LD	CE ENEC 2.555
		black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN41S P3 C8.L	CE ENEC 2.625
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN41S P3 C8.LW	CE ENEC 2.625
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN41S P3 C8.LD	CE ENEC 2.755
		black fabric + steel cable	Integrated COB Led	18W 1570 lm 2700K	DALI	ØN41S P3 C8.LWD	CE ENEC 2.755

On site minimum adjustable overall height 45 cm

7 | 11 | 67x67x30 cm

G.r.a. small pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		red fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN43S E7 C8.L	CE ENEC 2.625
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN43S E7 C8.LW	CE ENEC 2.625
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN43S E7 C8.LD	CE ENEC 2.755
			Integrated COB Led	18W 1570 lm 2700K	DALI	ØN43S E7 C8.LWD	CE ENEC 2.755
		black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN43S H5 C8.L	CE ENEC 2.965
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN43S H5 C8.LW	CE ENEC 2.965
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN43S H5 C8.LD	CE ENEC 3.100
		black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN43S P3 C8.L	CE ENEC 3.245
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN43S P3 C8.LW	CE ENEC 3.245
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN43S P3 C8.LD	CE ENEC 3.375
		black fabric + steel cable	Integrated COB Led	18W 1570 lm 2700K	DALI	ØN43S P3 C8.LWD	CE ENEC 3.375

On site minimum adjustable overall height 75 cm


8,5 | 15 | 62x62x72 cm

G.r.a. medium pendant light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	red fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN42S E7 C8.L	CE ENEC 3.395
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN42S E7 C8.LW	CE ENEC 3.395
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN42S E7 C8.LD	CE ENEC 3.530
			Integrated COB Led	18W 1570 lm 2700K	DALI	ØN42S E7 C8.LWD	CE ENEC 3.530
Gold leaf	Gold leaf	black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN42S H5 C8.L	CE ENEC 3.935
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN42S H5 C8.LW	CE ENEC 3.935
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN42S H5 C8.LD	CE ENEC 4.065
Gold plated	Gold plated	black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN42S P3 C8.L	CE ENEC 4.300
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN42S P3 C8.LW	CE ENEC 4.300
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN42S P3 C8.LD	CE ENEC 4.430
			Integrated COB Led	18W 1570 lm 2700K	DALI	ØN42S P3 C8.LWD	CE ENEC 4.430

On site minimum adjustable overall height 90 cm


10,5 |
 21 |
 77x77x84 cm

G.r.a. large pendant light

Body




Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	red fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN40S E7 C8.L	CE ENEC 4.470
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN40S E7 C8.LW	CE ENEC 4.470
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN40S E7 C8.LD	CE ENEC 4.590
			Integrated COB Led	18W 1570 lm 2700K	DALI	ØN40S E7 C8.LWD	CE ENEC 4.590
Gold leaf	Gold leaf	black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN40S H5 C8.L	CE ENEC 5.100
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN40S H5 C8.LW	CE ENEC 5.100
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN40S H5 C8.LD	CE ENEC 5.230
Gold plated	Gold plated	black fabric + steel cable	Integrated COB Led	18W 1640 lm 3000K	1-10V PUSH	ØN40S P3 C8.L	CE ENEC 5.580
			Integrated COB Led	18W 1570 lm 2700K	1-10V PUSH	ØN40S P3 C8.LW	CE ENEC 5.580
			Integrated COB Led	18W 1640 lm 3000K	DALI	ØN40S P3 C8.LD	CE ENEC 5.700
			Integrated COB Led	18W 1570 lm 2700K	DALI	ØN40S P3 C8.LWD	CE ENEC 5.700

On site minimum adjustable overall height 110 cm


17 |
 27 |
 91x91x102 cm



Materials




Raw metal and brass

Legend



Finishes


Diffuser

-  Nickel plated
-  Gold plated
-  Matte walnut

Canopy

-  White

Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Gaia linear chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	White	clear cord + steel cable	integrated led	12 x 1,5W 1752 lm 3000K	1-10V PUSH	ØG41S E7 C8.	CE ENEC 3.445
			integrated led	12 x 1,5W 1548 lm 2700K	1-10V PUSH	ØG41S E7 C8.W	CE ENEC 3.445
			integrated led	12 x 1,5W 1752 lm 3000K	DALI	ØG41S E7 C8.D	CE ENEC 3.570
			integrated led	12 x 1,5W 1548 lm 2700K	DALI	ØG41S E7 C8.WD	CE ENEC 3.570
Gold plated	White	clear cord + steel cable	integrated led	12 x 1,5W 1752 lm 3000K	1-10V PUSH	ØG41S L6 C8.	CE ENEC 4.310
			integrated led	12 x 1,5W 1548 lm 2700K	1-10V PUSH	ØG41S L6 C8.W	CE ENEC 4.310
			integrated led	12 x 1,5W 1752 lm 3000K	DALI	ØG41S L6 C8.D	CE ENEC 4.440
			integrated led	12 x 1,5W 1548 lm 2700K	DALI	ØG41S L6 C8.WD	CE ENEC 4.440
Matte walnut	White	clear cord + steel cable	integrated led	12 x 1,5W 1752 lm 3000K	1-10V PUSH	ØG41S P2 C8.	CE ENEC 4.400
			integrated led	12 x 1,5W 1548 lm 2700K	1-10V PUSH	ØG41S P2 C8.W	CE ENEC 4.400
			integrated led	12 x 1,5W 1752 lm 3000K	DALI	ØG41S P2 C8.D	CE ENEC 4.530
			integrated led	12 x 1,5W 1548 lm 2700K	DALI	ØG41S P2 C8.WD	CE ENEC 4.530

On site minimum adjustable overall height 50 cm.
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different.


kg 4,2 | kg 6 | 107x23x26 cm

Gaia double linear chandelier


Body



Top view



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	White	clear cord + steel cable	integrated led	24 x 1,5W 3504 lm 3000K	0/1-10V PUSH DALI	ØG4ØS E7 C8.	CE ENEC 6.830
			integrated led	24 x 1,5W 3096 lm 2700K	0/1-10V PUSH DALI	ØG4ØS E7 C8.W	CE ENEC 6.830
Gold plated	White	clear cord + steel cable	integrated led	24 x 1,5W 3504 lm 3000K	0/1-10V PUSH DALI	ØG4ØS L6 C8.	CE ENEC 8.500
			integrated led	24 x 1,5W 3096 lm 2700K	0/1-10V PUSH DALI	ØG4ØS L6 C8.W	CE ENEC 8.500
Matte walnut	White	clear cord + steel cable	integrated led	24 x 1,5W 3504 lm 3000K	0/1-10V PUSH DALI	ØG4ØS P2 C8.	CE ENEC 8.680
			integrated led	24 x 1,5W 3096 lm 2700K	0/1-10V PUSH DALI	ØG4ØS P2 C8.W	CE ENEC 8.680

On site minimum adjustable overall height 50 cm.
Please note that due to natural wood properties, the shade of each chandelier in matte wood may be slightly different.

kg 7,6 | kg 9,8 | 107x23x26 cm

Please furnish the details for your design request by utilizing the request form





Request form |

Canopy	Size		Finish			
	<input type="checkbox"/> Circle _____ cm <input type="checkbox"/>	<input type="checkbox"/> Rectangle _____ cm <input type="checkbox"/>	<input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Other _____			
Height	Chandelier height					
	<input type="checkbox"/> H max L max _____ cm H max _____ cm	<input type="checkbox"/> H max L max _____ cm H max _____ cm				
Diffuser	Finish					
	<input type="checkbox"/> Black	<input type="checkbox"/> White	<input type="checkbox"/> Other	_____		
Light Source	Voltage		Type		Dimming	
	<input type="checkbox"/> 120V	<input type="checkbox"/> 230V	<input type="checkbox"/> 3000K	<input type="checkbox"/> 2700K	<input type="checkbox"/> IGBT <input type="checkbox"/> TRIAC <input type="checkbox"/> DALI	<input type="checkbox"/> 1-10V <input type="checkbox"/> PUSH <input type="checkbox"/> Other

Additional information

For further information, please feel free to contact our customer service



Material

Metal

Finishes

Diffuser



Nickel plated



Gold plated

Canopy




Nickel plated




Gold plated


Legend




Chandelier



Wall sconce



Ceiling light




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Glamour chandelier

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	red fabric + steel cable	E14 Led dimmable	3 x 4W	all systems	ØN16S E7 C8.	CE ENEC 1.910
Gold plated	Gold plated	black fabric + steel cable	E14 Led dimmable	3 x 4W	all systems	ØN16S L6 C8.	CE ENEC 2.040

E14 Led light bulbs are not included
On site minimum adjustable overall height 70 cm


5,5 | 10 60x60x60 cm

Glamour ceiling light

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	E14 Led dimmable	3 x 4W	all systems	ØN17L E7 C8.	CE ENEC 1.510
Gold plated	Gold plated	-	E14 Led dimmable	3 x 4W	all systems	ØN17L L6 C8.	CE ENEC 1.575

E14 Led light bulbs are not included
Not adjustable on site

4,5 | 8,5 60x60x60 cm

Glamour wall sconce


Body



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	R7s halogen	48W	all systems	ØN18A E7 C8.	CE ENEC 610
			integrated led	13W 1025 lm 3000K	IGBT	ØN18A E7 C8.L	CE ENEC 610
Gold plated	Gold plated	-	R7s halogen	48W	all systems	ØN18A L6 C8.	CE ENEC 640
			integrated led	13W 1025 lm 3000K	IGBT	ØN18A L6 C8.L	CE ENEC 640

R7s Halogen light bulbs are not included

1,5 | 3 50x30x30 cm



Material

Metal

Finishes

Diffuser

Canopy



Matte nickel




White




Matte black nickel


Legend



Pendants




Multi light pendant




Harpe pendant light

Body



Disc



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ11S E8 B5.KK	445
Matte black nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ11S E8 B6.KK	445


Power supply options

INTEGRATED LED 3000K


Dimming	Code	Price €
IGBT / TRIAC	R1630000	26 (net)
1-10V / PUSH	R1110000	48 (net)
0/1-10V / PUSH / DALI	R1070000	88 (net)

Harpe pendant light

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ11S E8 B5.T	495
Matte black nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ11S E8 B6.T	495

Harpe pendant light

Body



Disc



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ12S E8 B5.KK	645
Matte black nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ12S E8 B6.KK	645


Power supply options

INTEGRATED LED 3000K


Dimming	Code	Price €
IGBT / TRIAC	R1630000	26 (net)
1-10V / PUSH	R1110000	48 (net)
0/1-10V / PUSH / DALI	R1070000	88 (net)

Harpe pendant light

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ12S E8 B5.T	695
Matte black nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ12S E8 B6.T	695

Harpe pendant light

Body



Disc



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ13S E8 B5.KK	845
Matte black nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ13S E8 B6.KK	845


Power supply options

INTEGRATED LED 3000K


Dimming	Code	Price €
IGBT / TRIAC	R1630000	26 (net)
1-10V / PUSH	R1110000	48 (net)
0/1-10V / PUSH / DALI	R1070000	88 (net)

Harpe pendant light

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ13S E8 B5.T	895
Matte black nickel	White	grey fabric	integrated led	2,1W 237 lm 3000K - 700mA	see power supply options	ØWØ13S E8 B6.T	895

Harpe 2 light pendant

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	see power supply options	ØWØ24S E8 B5.T	1.190
Matte black nickel	White	grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	see power supply options	ØWØ24S E8 B6.T	1.190

Harpe 2 light pendant

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Matte nickel	White	grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	see power supply options	ØWØ25S E8 B5.T	1.685
Matte black nickel	White	grey fabric	integrated led	2 x 2,1W 474 lm 3000K - 700mA	see power supply options	ØWØ25S E8 B6.T	1.685





Harpe 3 light pendant

Body




Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Matte nickel	 White	grey fabric	integrated led	3 X 2,1W 711 lm 3000K - 700mA	see power supply options	CE E8 ØWØ34S E8 B5.T	1.685
 Matte black nickel	 White	grey fabric	integrated led	3 X 2,1W 711 lm 3000K - 700mA	see power supply options	CE E8 ØWØ34S E8 B6.T	1.685





Harpe 3 light pendant

Body




Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Matte nickel	 White	grey fabric	integrated led	3 X 2,1W 711 lm 3000K - 700mA	see power supply options	CE E8 ØWØ37S E8 B5.T	1.995
 Matte black nickel	 White	grey fabric	integrated led	3 X 2,1W 711 lm 3000K - 700mA	see power supply options	CE E8 ØWØ37S E8 B6.T	1.995

Harpe | Bespoke

Please furnish the details for your design request by utilizing the request form




Request form |

Canopy	Size	<input type="checkbox"/> Circle cm <input type="checkbox"/>	<input type="checkbox"/> Oval cm <input type="checkbox"/>	<input type="checkbox"/> Square cm <input type="checkbox"/>	<input type="checkbox"/> Rectangle cm <input type="checkbox"/>	Type * <input type="checkbox"/> Standard <input type="checkbox"/> Flush <input type="checkbox"/> Radial system <input type="checkbox"/> Disc	Finish <input type="checkbox"/> White <input type="checkbox"/> Other _____
	Height	Pendant height min _____ cm max _____ cm					
Diffuser	Type of pendants						
	<input type="checkbox"/> Matte nickel Q.ty _____ <input type="checkbox"/> Matte black nickel Q.ty _____ <input type="checkbox"/> Other Q.ty _____	<input type="checkbox"/> Matte nickel Q.ty _____ <input type="checkbox"/> Matte black nickel Q.ty _____ <input type="checkbox"/> Other Q.ty _____	<input type="checkbox"/> Matte nickel Q.ty _____ <input type="checkbox"/> Matte black nickel Q.ty _____ <input type="checkbox"/> Other Q.ty _____				
Light Source	Voltage	<input type="checkbox"/> 120V <input type="checkbox"/> 230V	Type	<input type="checkbox"/> Integrated led 3000K <input type="checkbox"/> Other _____	Dimming	<input type="checkbox"/> IGBT / TRIAC <input type="checkbox"/> Other _____	

Additional information


I Lucci Argentati | Design Dodo Arslan



Material




Metal

Legend





Finishes


Diffuser

-  White polished
-  Brushed nickel plated
-  Brushed gold plated


Canopy

-  White polished
-  Brushed nickel plated
-  Brushed gold plated

Chandelier




Wall sconce



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

I Lucci Argentati small linear chandelier




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White polished	White polished	clear cord + steel cable	integrated led	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØN82S M2 C8.L	4.210
			integrated led	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØN82S M2 C8.LW	4.210
			integrated led	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØN82S M2 C8.LD	4.340
			integrated led	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØN82S M2 C8.LWD	4.340
Brushed nickel plated	Brushed nickel plated	clear cord + steel cable	integrated led	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØN82S H4 C8.L	4.590
			integrated led	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØN82S H4 C8.LW	4.590
			integrated led	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØN82S H4 C8.LD	4.720
			integrated led	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØN82S H4 C8.LWD	4.720
Brushed gold plated	Brushed gold plated	clear cord + steel cable	integrated led	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØN82S L9 C8.L	5.980
			integrated led	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØN82S L9 C8.LW	5.980
			integrated led	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØN82S L9 C8.LD	6.120
			integrated led	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØN82S L9 C8.LWD	6.120

On site minimum adjustable over all height 50 cm

4,2 | 10,5 | 155x46x22 cm

I Lucci Argentati medium linear chandelier




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White polished	White polished	clear cord + steel cable	integrated led	8 x 4,5W 5294 lm CRI 90 3000K	0-10V PWM	ØN83S M2 C8.L	5.230
			integrated led	8 x 4,5W 4800 lm CRI 90 2700K	0-10V PWM	ØN83S M2 C8.LW	5.230
			integrated led	8 x 4,5W 5294 lm CRI 90 3000K	PUSH DALI	ØN83S M2 C8.LD	5.360
			integrated led	8 x 4,5W 4800 lm CRI 90 2700K	PUSH DALI	ØN83S M2 C8.LWD	5.360
Brushed nickel plated	Brushed nickel plated	clear cord + steel cable	integrated led	8 x 4,5W 5294 lm CRI 90 3000K	0-10V PWM	ØN83S H4 C8.L	5.430
			integrated led	8 x 4,5W 4800 lm CRI 90 2700K	0-10V PWM	ØN83S H4 C8.LW	5.430
			integrated led	8 x 4,5W 5294 lm CRI 90 3000K	PUSH DALI	ØN83S H4 C8.LD	5.550
			integrated led	8 x 4,5W 4800 lm CRI 90 2700K	PUSH DALI	ØN83S H4 C8.LWD	5.550
Brushed gold plated	Brushed gold plated	clear cord + steel cable	integrated led	8 x 4,5W 5294 lm CRI 90 3000K	0-10V PWM	ØN83S L9 C8.L	7.020
			integrated led	8 x 4,5W 4800 lm CRI 90 2700K	0-10V PWM	ØN83S L9 C8.LW	7.020
			integrated led	8 x 4,5W 5294 lm CRI 90 3000K	PUSH DALI	ØN83S L9 C8.LD	7.150
			integrated led	8 x 4,5W 4800 lm CRI 90 2700K	PUSH DALI	ØN83S L9 C8.LWD	7.150

On site minimum adjustable overall height 50 cm


7,2 | 14,8 | 192x46x22 cm

I Lucci Argentati large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White polished	White polished	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØN81S M2 C8.L	6.360
			integrated led	6000 lm CRI 90 2700K	0-10V PWM	ØN81S M2 C8.LW	6.360
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØN81S M2 C8.LD	6.480
			integrated led	6000 lm CRI 90 2700K	PUSH DALI	ØN81S M2 C8.LWD	6.480
Brushed nickel plated	Brushed nickel plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØN81S H4 C8.L	6.870
			integrated led	6000 lm CRI 90 2700K	0-10V PWM	ØN81S H4 C8.LW	6.870
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØN81S H4 C8.LD	6.990
			integrated led	6000 lm CRI 90 2700K	PUSH DALI	ØN81S H4 C8.LWD	6.990
Brushed gold plated	Brushed gold plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØN81S L9 C8.L	8.930
			integrated led	6000 lm CRI 90 2700K	0-10V PWM	ØN81S L9 C8.LW	8.930
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØN81S L9 C8.LD	9.050
			integrated led	6000 lm CRI 90 2700K	PUSH DALI	ØN81S L9 C8.LWD	9.050

On site minimum adjustable overall height 55 cm


9 | 18 | 241x46x22 cm

I Lucci Argentati xlarge linear chandelier


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White polished	White polished	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØN8ØS M2 C8.L	8.810
			integrated led	6000 lm CRI 90 2700K	0-10V PWM	ØN8ØS M2 C8.LW	8.810
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØN8ØS M2 C8.LD	8.940
			integrated led	6000 lm CRI 90 2700K	PUSH DALI	ØN8ØS M2 C8.LWD	8.940
Brushed nickel plated	Brushed nickel plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØN8ØS H4 C8.L	9.320
			integrated led	6000 lm CRI 90 2700K	0-10V PWM	ØN8ØS H4 C8.LW	9.320
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØN8ØS H4 C8.LD	9.450
			integrated led	6000 lm CRI 90 2700K	PUSH DALI	ØN8ØS H4 C8.LWD	9.450
Brushed gold plated	Brushed gold plated	clear cord + steel cable	integrated led	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØN8ØS L9 C8.L	11.450
			integrated led	6000 lm CRI 90 2700K	0-10V PWM	ØN8ØS L9 C8.LW	11.450
			integrated led	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØN8ØS L9 C8.LD	11.550
			integrated led	6000 lm CRI 90 2700K	PUSH DALI	ØN8ØS L9 C8.LWD	11.550

On site minimum adjustable overall height 60 cm




12 | 25,4 | 276x46x22 cm







I Lucci Argentati wall sconce

Body

Canopy

Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 White polished  White polished	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ØN85A M2 C8.LB	CE ENEC 1.275
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ØN85A M2 C8.LBW	CE ENEC 1.275
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ØN85A M2 C8.LBD	CE ENEC CB 1.405
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ØN85A M2 C8.LBWD	CE ENEC CB 1.405
 Brushed nickel plated  Brushed nickel plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ØN85A H4 C8.LB	CE ENEC 1.535
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ØN85A H4 C8.LBW	CE ENEC 1.535
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ØN85A H4 C8.LBD	CE ENEC CB 1.665
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ØN85A H4 C8.LBWD	CE ENEC CB 1.665
 Brushed gold plated  Brushed gold plated	-	-	integrated led	2 x 4,5W 1323 lm CRI 90 3000K	no	ØN85A L9 C8.LB	CE ENEC 1.990
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	no	ØN85A L9 C8.LBW	CE ENEC 1.990
			integrated led	2 x 4,5W 1323 lm CRI 90 3000K	0/1-10V PUSH DALI	ØN85A L9 C8.LBD	CE ENEC CB 2.120
			integrated led	2 x 4,5W 1200 lm CRI 90 2700K	0/1-10V PUSH DALI	ØN85A L9 C8.LBWD	CE ENEC CB 2.120

 3 |
  4 |
  107x23x26 cm



Materials

Metal and PMMA

Finishes

Diffuser




Matte white | clear diffuser

Canopy




Matte white

Legend






Iceberg chandelier

Body






Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Matte white clear diffuser	 Matte white	clear cord + steel cable	E14 Led dimm. + E27 Led dimm.	6 x 6W + 8W	all systems	ØP6ØS E8 A9.	CE ENEC 16.900




E14 Led and E27 Led light bulbs are not included
On site minimum adjustable overall height 150 cm

 41 |  4x 10,25
 1x 13,2 |  4x 77x35x26,5 cm
 1x 76x76x60 cm

Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service


Magdalena | Design Bruno Rainaldi



Material




Metal

Legend






Finishes


Diffuser available in

-  White
-  Semipolished nickel plated
-  Gold leaf

Canopy available in

-  White
-  Semipolished nickel plated
-  Gold leaf


Pendants



Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Magdalena small dome pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Semipolished nickel plated	Semipolished nickel plated	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM65S G8 C8.	880
Gold leaf	Gold leaf	black fabric + steel cable	E27 Led dimmable	15W	all systems	ØM65S H5 C8.	1.020

E27 Led light bulbs are not included
On site minimum adjustable overall height 36 cm

3,7 | 8,5 60x60x60 cm

Magdalena small pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White	White	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM61S E8 C8.	1.215
Semipolished nickel plated	Semipolished nickel plated	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM61S G8 C8.	1.480
Gold leaf	Gold leaf	black fabric + steel cable	E27 Led dimmable	15W	all systems	ØM61S H5 C8.	1.765

E27 Led light bulbs are not included
On site minimum adjustable overall height 90 cm

6 | 12,5 60x60x60 cm

Magdalena large dome pendant light




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Semipolished nickel plated	Semipolished nickel plated	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM66S G8 C8.	1.525

E27 Led light bulbs are not included
On site minimum adjustable overall height 48 cm

8 | 15 76x76x60 cm

Magdalena large pendant light



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
White	White	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM62S E8 C8.	1.665
Semipolished nickel plated	Semipolished nickel plated	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM62S G8 C8.	2.170
Gold leaf	Gold leaf	black fabric + steel cable	E27 Led dimmable	15W	all systems	ØM62S H5 C8.	2.545

E27 Led light bulbs are not included
On site minimum adjustable overall height 120 cm

13 | 23 76x76x60 cm



Material

Clear

Finishes

Diffuser available in




Clear crystal

Canopy available in




White


Legend



Pendants



3 Light pendant




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Manta pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	ØKØ11 E8 A9. KK	CE ENEC CB 725
			integrated led	1,5W 115 lm 2700K	see power supply options	ØKØ11 E8 A9. W KK	CE ENEC CB 725

On site minimum adjustable overall height 180 cm. Up to minimum 30 cm on request.

2,2 | 2,8 32x24x17 cm


Power supply options

INTEGRATED LED 2700K or 3000K

Dimming	Code	Price €
not	R1040000	30 (net)
1-10V / PUSH	R1110000	48 (net)
0/1-10V / PUSH / DALI	R1070000	88 (net)

Manta pendant light

Body Canopy Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	ØKØ11 E8 A9.	CE ENEC CB 760
			integrated led	1,5W 115 lm 2700K	no	ØKØ11 E8 A9. W	CE ENEC CB 760
			integrated led	1,5W 135 lm 3000K	PUSH DALI	ØKØ11 E8 A9. D	CE ENEC CB 1.020


Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear cord + steel cable	integrated led	1,5W 115 lm 2700K	PUSH DALI	ØKØ11 E8 A9. WD	CE ENEC CB 1.020

On site minimum adjustable overall height 180 cm. Up to minimum 30 cm on request.

2,2 | 2,8 32x24x17 cm

Manta pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	see power supply options	ØKØ12 E8 A9. KK	CE ENEC 925
			integrated led	1,5W 115 lm 2700K	see power supply options	ØKØ12 E8 A9. W KK	CE ENEC 925

On site minimum adjustable overall height 180 cm. Up to minimum 30 cm on request.

4,2 | 5,2 41x41x21 cm


Power supply options

INTEGRATED LED 2700K or 3000K


Dimming	Code	Price €
not	R1040000	30 (net)
1-10V / PUSH	R1110000	48 (net)
0/1-10V / PUSH / DALI	R1070000	88 (net)

Manta pendant light


Body



Canopy



Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear cord + steel cable	integrated led	1,5W 135 lm 3000K	no	ØKØ12 E8 A9. CB	975
			integrated led	1,5W 115 lm 2700K	no	ØKØ12 E8 A9.W CB	975
			integrated led	1,5W 135 lm 3000K	PUSH DALI	ØKØ12 E8 A9.D* CB	1.225
			integrated led	1,5W 115 lm 2700K	PUSH DALI	ØKØ12 E8 A9.WD* CB	1.225


On site minimum adjustable overall height 180 cm.
Up to minimum 30 cm on request.

4,2 | 5,2
 *6,2 | *8


41x41x21 cm
 *50x50x25 cm

Manta 3 light pendant

Body



Canopy




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	clear cord + steel cable	integrated led	3 x 1,5W 405 lm 3000K	1-10V PUSH	ØKØ31 E8 A9. CB	2.285
			integrated led	3 x 1,5W 345 lm 2700K	1-10V PUSH	ØKØ31 E8 A9.W CB	2.285
			integrated led	3 x 1,5W 405 lm 3000K	PUSH DALI	ØKØ31 E8 A9.D CB	2.410
			integrated led	3 x 1,5W 345 lm 2700K	PUSH DALI	ØKØ31 E8 A9.WD CB	2.410

On site minimum adjustable overall height 170 cm.
Up to minimum 70 cm on request.

7 | 8,4


47,5x31,5x27,5 cm



Materials

Clear Crystal
Metal

Legend



Finishes

Diffuser



Clear crystal



Champagne crystal



Cognac crystal



Silver dust
crystal



Gold crystal

Canopy



Brushed nickel




White


IP Protection

IP65 ⚡ on request

Pendants




Multi light pendant



Mizu pendant light

Body Disc DRIVER NOT INCLUDED



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	Clear	G4 Led or G4 Halogen	2W or 10W	see power supply options	ØR01S E8 A9.KK CE ENEC	390
			Integrated led	1,5W 146 lm 3000K - 500mA	see power supply options	ØR01S E8 A9.E KK CE ENEC	415
Champagne crystal	White	Clear	G4 Led or G4 Halogen	2W or 10W	see power supply options	ØR01S E8 H1.KK CE ENEC	400
			Integrated led	1,5W 146 lm 3000K - 500mA	see power supply options	ØR01S E8 H1.E KK CE ENEC	435
Cognac crystal	White	Clear	G4 Led or G4 Halogen	2W or 10W	see power supply options	ØR01S E8 H4.KK CE ENEC	400
			Integrated led	1,5W 129 lm 2700K - 500mA	see power supply options	ØR01S E8 H4.EW KK CE ENEC	435
Silver dust crystal	White	Clear	G4 Led or G4 Halogen	2W or 10W	see power supply options	ØR01S E8 F4.KK CE ENEC	460
			Integrated led	1,5W 146 lm 3000K - 500mA	see power supply options	ØR01S E8 F4.E KK CE ENEC	515
Gold crystal	White	Clear	G4 Led or G4 Halogen	2W or 10W	see power supply options	ØR01S E8 A4.KK CE ENEC	555
			Integrated led	1,5W 146 lm 3000K - 500mA	see power supply options	ØR01S E8 A4.E KK CE ENEC	590
			Integrated led	1,5W 129 lm 2700K - 500mA	see power supply options	ØR01S E8 A4.EW KK CE ENEC	590

G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 20 cm

2 kg | 2,5 kg 16,5x16,5x22,5 cm

Power supply options

G4 HALO

Dimming		Code	Price €
IGBT	max 5 pendants	R1030000	30 (net)
DALI	max 5 pendants	KITELETDALIHALO70	160 (net)


G4 LED

Dimming		Code	Price €
IGBT	min 2 max 21 pendants	R1030000	30 (net)
100kΩ 0/1-10V PUSH	max 25 pendants	KITELETDALILED60	135 (net)
DALI	max 43 pendants	KITELETDALILED100	160 (net)

INTEGRATED LED 2700K or 3000K

Dimming		Code	Price €
1-10V / PUSH	min 2 max 12 pendants	R1110000	48 (net)
0/1-10V / PUSH / DALI	min 4 max 16 pendants	R1070000	88 (net)

Mizu pendant light



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	Clear	G4 Halogen	10W	IGBT TRIAC	ØR01S E8 A9. CE ENEC	435
			G4 Led	2W	no	ØR01S E8 A9.L CE ENEC CB	435
Clear crystal	White	Clear	G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØR01S E8 A9.D* CE ENEC	560
			Integrated led	1,5W 146 lm 3000K	no	ØR01S E8 A9.E CE ENEC	470
Clear crystal	Brushed nickel	Clear	Integrated led	1,5W 129 lm 2700K	no	ØR01S E8 A9.EW CE ENEC	470
			G4 Halogen	10W	IGBT TRIAC	ØR01S H4 A9. CE ENEC	435
Clear crystal	Brushed nickel	Clear	G4 Led	2W	no	ØR01S H4 A9.L CE ENEC CB	435

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	Brushed nickel	Clear	G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØRØ1S H4 A9.D*	560
			Integrated led	1,5W 146 lm 3000K	no	ØRØ1S H4 A9.E	470
			Integrated led	1,5W 129 lm 2700K	no	ØRØ1S H4 A9.EW	470
Champagne crystal	White	Clear	G4 Halogen	10W	IGBT TRIAC	ØRØ1S E8 H1.	455
			G4 Led	2W	no	ØRØ1S E8 H1.L	455
			G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØRØ1S E8 H1.D*	575
			Integrated led	1,5W 146 lm 3000K	no	ØRØ1S E8 H1.E	480
			Integrated led	1,5W 129 lm 2700K	no	ØRØ1S E8 H1.EW	480
			G4 Halogen	10W	IGBT TRIAC	ØRØ1S E8 H4.	455
Cognac crystal	White	Clear	G4 Led	2W	no	ØRØ1S E8 H4.L	455
			G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØRØ1S E8 H4.D*	575
			Integrated led	1,5W 146 lm 3000K	no	ØRØ1S E8 H4.E	480
			Integrated led	1,5W 129 lm 2700K	no	ØRØ1S E8 H4.EW	480
			G4 Halogen	10W	IGBT TRIAC	ØRØ1S H4 F4.	500
Silver dust crystal	Brushed nickel	Clear	G4 Led	2W	no	ØRØ1S H4 F4.L	500
			G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØRØ1S H4 F4.D*	625
			Integrated led	1,5W 146 lm 3000K	no	ØRØ1S H4 F4.E	525
			Integrated led	1,5W 129 lm 2700K	no	ØRØ1S H4 F4.EW	525
			G4 Halogen	10W	IGBT TRIAC	ØRØ1S E8 A4.	605
			G4 Led	2W	no	ØRØ1S E8 A4.L	605
Gold crystal	White	Clear	G4 Led dimmable or G4 Halogen	3W or 10W	DALI	ØRØ1S E8 A4.D*	730
			Integrated led	1,5W 146 lm 3000K	no	ØRØ1S E8 A4.E	635

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Gold crystal	White	Clear	Integrated led	1,5W 129 lm 2700K	no	ØRØ1S E8 A4.EW	635


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 30 cm

2 * 2,8 | 2,5 * 3,4 | 16,5x16,5x22,5 cm * 30x30x30 cm

Mizu 3 light pendant

Body | 3 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	Clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	IGBT	ØRØ3S E8 A9.	1.340
			G4 Led	3 x 2W	no	ØRØ3S E8 A9.L	1.405
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	DALI	ØRØ3S E8 A9.D	1.535
			Integrated led	3 x 1,5W 438 lm 3000K	1-10V PUSH	ØRØ3S E8 A9.E	1.440
			Integrated led	3 x 1,5W 387 lm 2700K	1-10V PUSH	ØRØ3S E8 A9.EW	1.440
			Integrated led	3 x 1,5W 438 lm 3000K	DALI	ØRØ3S E8 A9.ED	1.625
			Integrated led	3 x 1,5W 387 lm 2700K	DALI	ØRØ3S E8 A9.EWD	1.625
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	IGBT	ØRØ3S H4 A9.	1.340
			G4 Led	3 x 2W	no	ØRØ3S H4 A9.L	1.405
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	DALI	ØRØ3S H4 A9.D	1.535
			Integrated led	3 x 1,5W 438 lm 3000K	1-10V PUSH	ØRØ3S H4 A9.E	1.440
			Integrated led	3 x 1,5W 387 lm 2700K	1-10V PUSH	ØRØ3S H4 A9.EW	1.440
Integrated led	3 x 1,5W 438 lm 3000K	DALI	ØRØ3S H4 A9.ED	1.625			

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	Brushed nickel	Clear	Integrated led	3 x 1,5W 387 lm 2700K	DALI	ØRØ3S H4 A9.EWD	CE ENEC 1.625
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	IGBT	ØRØ3S E8 H1.	CE ENEC 1.380
			G4 Led	3 x 2W	no	ØRØ3S E8 H1.L	CE ENEC CB 1.440
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	DALI	ØRØ3S E8 H1.D	CE ENEC 1.570
Champagne crystal	White	Clear	Integrated led	3 x 1,5W 438 lm 3000K	1-10V PUSH	ØRØ3S E8 H1.E	CE ENEC 1.480
			Integrated led	3 x 1,5W 387 lm 2700K	1-10V PUSH	ØRØ3S E8 H1.EW	CE ENEC 1.480
			Integrated led	3 x 1,5W 438 lm 3000K	DALI	ØRØ3S E8 H1.ED	CE ENEC 1.665
			Integrated led	3 x 1,5W 387 lm 2700K	DALI	ØRØ3S E8 H1.EWD	CE ENEC 1.665
Cognac crystal	White	Clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	IGBT	ØRØ3S E8 H4.	CE ENEC 1.380
			G4 Led	3 x 2W	no	ØRØ3S E8 H4.L	CE ENEC CB 1.440
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	DALI	ØRØ3S E8 H4.D	CE ENEC 1.570
			Integrated led	3 x 1,5W 438 lm 3000K	1-10V PUSH	ØRØ3S E8 H4.E	CE ENEC 1.480
Silver dust crystal	Brushed nickel	Clear	Integrated led	3 x 1,5W 387 lm 2700K	1-10V PUSH	ØRØ3S E8 H4.EW	CE ENEC 1.480
			Integrated led	3 x 1,5W 438 lm 3000K	DALI	ØRØ3S E8 H4.ED	CE ENEC 1.665
			Integrated led	3 x 1,5W 387 lm 2700K	DALI	ØRØ3S E8 H4.EWD	CE ENEC 1.665
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	IGBT	ØRØ3S H4 F4.	CE ENEC 1.545
Silver dust crystal	Brushed nickel	Clear	G4 Led	3 x 2W	no	ØRØ3S H4 F4.L	CE ENEC CB 1.600
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	DALI	ØRØ3S H4 F4.D	CE ENEC 1.735
			Integrated led	3 x 1,5W 438 lm 3000K	1-10V PUSH	ØRØ3S H4 F4.E	CE ENEC 1.645
			Integrated led	3 x 1,5W 387 lm 2700K	1-10V PUSH	ØRØ3S H4 F4.EW	CE ENEC 1.645
Silver dust crystal	Brushed nickel	Clear	Integrated led	3 x 1,5W 438 lm 3000K	DALI	ØRØ3S H4 F4.ED	CE ENEC 1.830
			Integrated led	3 x 1,5W 387 lm 2700K	DALI	ØRØ3S H4 F4.EWD	CE ENEC 1.830

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Gold crystal	White	Clear	G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	IGBT	ØRØ3S E8 A4.	CE ENEC 1.765
			G4 Led	3 x 2W	no	ØRØ3S E8 A4.L	CE ENEC CB 1.825
			G4 Led dimmable or G4 Halogen	3 x 2W or 3 x 10W	DALI	ØRØ3S E8 A4.D	CE ENEC 1.950
			Integrated led	3 x 1,5W 438 lm 3000K	1-10V PUSH	ØRØ3S E8 A4.E	CE ENEC 1.860
Gold crystal	White	Clear	Integrated led	3 x 1,5W 387 lm 2700K	1-10V PUSH	ØRØ3S E8 A4.EW	CE ENEC 1.860
			Integrated led	3 x 1,5W 438 lm 3000K	DALI	ØRØ3S E8 A4.ED	CE ENEC 2.050
			Integrated led	3 x 1,5W 387 lm 2700K	DALI	ØRØ3S E8 A4.EWD	CE ENEC 2.050


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 50 cm

8 | 10 30x30x30 cm









Mizu 5 light pendant



Body | 5 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	Clear	G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	IGBT	ØRØ5S E8 A9.	CE ENEC 2.235
			G4 Led dimmable	5 x 2W	1-10V PWM	ØRØ5S E8 A9.L	CE ENEC CB 2.290
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	DALI	ØRØ5S E8 A9.D	CE ENEC 2.495
			Integrated led	5 x 1,5W 730 lm 3000K	0/1-10V PUSH DALI	ØRØ5S E8 A9.E	CE ENEC 2.580
Clear crystal	Brushed nickel	Clear	Integrated led	5 x 1,5W 645 lm 2700K	0/1-10V PUSH DALI	ØRØ5S E8 A9.EW	CE ENEC 2.580
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	IGBT	ØRØ5S H4 A9.	CE ENEC 2.235
			G4 Led dimmable	5 x 2W	1-10V PWM	ØRØ5S H4 A9.L	CE ENEC CB 2.290

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Clear crystal	 Brushed nickel	Clear	G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	DALI	ØR05S H4 A9.D	CE ENEC 2.495
			Integrated led	5 x 1,5W 730 lm 3000K	0/1-10V PUSH DALI	ØR05S H4 A9.E	CE ENEC 2.580
			Integrated led	5 x 1,5W 645 lm 2700K	0/1-10V PUSH DALI	ØR05S H4 A9.EW	CE ENEC 2.580
 Champagne crystal	 White	Clear	G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	IGBT	ØR05S E8 H1.	CE ENEC 2.295
			G4 Led dimmable	5 x 2W	1-10V PWM	ØR05S E8 H1.L	CE ENEC CB 2.350
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	DALI	ØR05S E8 H1.D	CE ENEC 2.555
			Integrated led	5 x 1,5W 730 lm 3000K	0/1-10V PUSH DALI	ØR05S E8 H1.E	CE ENEC 2.650
			Integrated led	5 x 1,5W 645 lm 2700K	0/1-10V PUSH DALI	ØR05S E8 H1.EW	CE ENEC 2.650
 Cognac crystal	 White	Clear	G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	IGBT	ØR05S E8 H4.	CE ENEC 2.295
			G4 Led dimmable	5 x 2W	1-10V PWM	ØR05S E8 H4.L	CE ENEC CB 2.350
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	DALI	ØR05S E8 H4.D	CE ENEC 2.555
			Integrated led	5 x 1,5W 730 lm 3000K	0/1-10V PUSH DALI	ØR05S E8 H4.E	CE ENEC 2.650
 Silver dust crystal	 Brushed nickel	Clear	Integrated led	5 x 1,5W 645 lm 2700K	0/1-10V PUSH DALI	ØR05S E8 H4.EW	CE ENEC 2.650
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	IGBT	ØR05S H4 F4.	CE ENEC 2.555
			G4 Led dimmable	5 x 2W	1-10V PWM	ØR05S H4 F4.L	CE ENEC CB 2.605
 Gold crystal	 White	Clear	G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	DALI	ØR05S H4 F4.D	CE ENEC 2.805
			Integrated led	5 x 1,5W 730 lm 3000K	0/1-10V PUSH DALI	ØR05S H4 F4.E	CE ENEC 2.900
			Integrated led	5 x 1,5W 645 lm 2700K	0/1-10V PUSH DALI	ØR05S H4 F4.EW	CE ENEC 2.900
 Gold crystal	 White	Clear	G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	IGBT	ØR05S E8 A4.	CE ENEC 2.985
			G4 Led dimmable	5 x 2W	1-10V PWM	ØR05S E8 A4.L	CE ENEC CB 3.045
			G4 Led dimmable or G4 Halogen	5 x 2W or 5 x 10W	DALI	ØR05S E8 A4.D	CE ENEC 3.240
			Integrated led	5 x 1,5W 730 lm 3000K	0/1-10V PUSH DALI	ØR05S E8 A4.E	CE ENEC 3.330

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Gold crystal	 White	Clear	Integrated led	5 x 1,5W 645 lm 2700K	0/1-10V PUSH DALI	ØR05S E8 A4.EW	CE ENEC 3.330


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 80 cm

 12 |  15  47,5x31,5x27,5 cm

Mizu 7 light pendant

Body | 7 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	IGBT	ØRØ7S E8 A9.	3.130
			G4 Led dimmable	7 x 2W	1-10V PWM	ØRØ7S E8 A9.L CB	3.130
			G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	DALI	ØRØ7S E8 A9.D	3.385
			Integrated led	7 x 1,5W 1022 lm 3000K	0/1-10V PUSH DALI	ØRØ7S E8 A9.E	3.545
			Integrated led	7 x 1,5W 903 lm 2700K	0/1-10V PUSH DALI	ØRØ7S E8 A9.EW	3.545
Clear crystal	Brushed nickel	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	IGBT	ØRØ7S H4 A9.	3.130
			G4 Led dimmable	7 x 2W	1-10V PWM	ØRØ7S H4 A9.L CB	3.130
			G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	DALI	ØRØ7S H4 A9.D	3.385
			Integrated led	7 x 1,5W 1022 lm 3000K	0/1-10V PUSH DALI	ØRØ7S H4 A9.E	3.545
			Integrated led	7 x 1,5W 903 lm 2700K	0/1-10V PUSH DALI	ØRØ7S H4 A9.EW	3.545
Champagne crystal	White	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	IGBT	ØRØ7S E8 H1.	3.215
			G4 Led dimmable	7 x 2W	1-10V PWM	ØRØ7S E8 H1.L CB	3.215
			G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	DALI	ØRØ7S E8 H1.D	3.465
			Integrated led	7 x 1,5W 1022 lm 3000K	0/1-10V PUSH DALI	ØRØ7S E8 H1.E	3.630
			Integrated led	7 x 1,5W 903 lm 2700K	0/1-10V PUSH DALI	ØRØ7S E8 H1.EW	3.630
Cognac crystal	White	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	IGBT	ØRØ7S E8 H4.	3.215
			G4 Led dimmable	7 x 2W	1-10V PWM	ØRØ7S E8 H4.L CB	3.215

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Cognac crystal	White	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	DALI	ØRØ7S E8 H4.D	3.465
			Integrated led	7 x 1,5W 1022 lm 3000K	0/1-10V PUSH DALI	ØRØ7S E8 H4.E	3.630
			Integrated led	7 x 1,5W 903 lm 2700K	0/1-10V PUSH DALI	ØRØ7S E8 H4.EW	3.630
Silver dust crystal	Brushed nickel	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	IGBT	ØRØ7S H4 F4.	3.570
			G4 Led dimmable	7 x 2W	1-10V PWM	ØRØ7S H4 F4.L CB	3.570
			G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	DALI	ØRØ7S H4 F4.D	3.830
			Integrated led	7 x 1,5W 1022 lm 3000K	0/1-10V PUSH DALI	ØRØ7S H4 F4.E	3.985
			Integrated led	7 x 1,5W 903 lm 2700K	0/1-10V PUSH DALI	ØRØ7S H4 F4.EW	3.985
Gold crystal	White	Clear	G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	IGBT	ØRØ7S E8 A4.	4.150
			G4 Led dimmable	7 x 2W	1-10V PWM	ØRØ7S E8 A4.L CB	4.150
			G4 Led dimmable or G4 Halogen	7 x 2W or 7 x 10W	DALI	ØRØ7S E8 A4.D	4.400
			Integrated led	7 x 1,5W 1022 lm 3000K	0/1-10V PUSH DALI	ØRØ7S E8 A4.E	4.570
			Integrated led	7 x 1,5W 903 lm 2700K	0/1-10V PUSH DALI	ØRØ7S E8 A4.EW	4.570


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 80 cm

15 | 19 | 50x35x38 cm

Mizu 15 rectangular multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Clear crystal	White	Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 A9. R	CE ENEC CB 7.860
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 A9. RL	CE ENEC CB 7.860
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 A9. RD	CE ENEC 8.230
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 A9. RE	CE ENEC 8.330
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 A9. REW	CE ENEC 8.330
Champagne crystal	White	Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 H1. R	CE ENEC 8.030
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 H1. RL	CE ENEC CB 8.030
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 H1. RD	CE ENEC 8.430
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 H1. RE	CE ENEC 8.520
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 H1. REW	CE ENEC 8.520
Cognac crystal	White	Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 H4. R	CE ENEC 8.030
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 H4. RL	CE ENEC CB 8.030
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 H4. RD	CE ENEC 8.430
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 H4. RE	CE ENEC 8.520
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 H4. REW	CE ENEC 8.520
Silver dust crystal	White	Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 F4. R	CE ENEC 8.870

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Silver dust crystal	White	Clear	G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 F4. RL	CE ENEC CB 8.870
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 F4. RD	CE ENEC 9.260
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 F4. RE	CE ENEC 9.340
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 F4. REW	CE ENEC 9.340
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 A4. R	CE ENEC 10.190
Gold crystal	White	Clear	G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 A4. RL	CE ENEC CB 10.190
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 A4. RD	CE ENEC 10.550
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 A4. RE	CE ENEC 10.650
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 A4. REW	CE ENEC 10.650


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 30 cm

36 | 40 77x77x30 cm

Mizu 15 round multi light pendant

Body | 15 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 A9.T	7.860
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 A9.TL	CB 7.860
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 A9.TD	8.230
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 A9.TE	8.330
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 A9.TEW	8.330
		Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 H1.T	8.030
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 H1.TL	CB 8.030
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 H1.TD	8.430
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 H1.TE	8.520
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 H1.TEW	8.520
		Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 H4.T	8.030
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 H4.TL	CB 8.030
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 H4.TD	8.430
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 H4.TE	8.520
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 H4.TEW	8.520
		Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 F4.T	8.870
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 F4.TL	CB 8.870

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 F4.TD	9.260
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 F4.TE	9.340
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 F4.TEW	9.340
		Clear	G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	IGBT	ØR15S E8 A4.T	10.190
			G4 Led dimmable	15 x 2W	1-10V PWM	ØR15S E8 A4.TL	CB 10.190
			G4 Led dimmable or G4 Halogen	15 x 2W or 15 x 10W	DALI	ØR15S E8 A4.TD	10.550
			Integrated led	15 x 1,5W 2190 lm 3000K	0/1-10V PUSH DALI	ØR15S E8 A4.TE	10.650
			Integrated led	15 x 1,5W 1935 lm 2700K	0/1-10V PUSH DALI	ØR15S E8 A4.TEW	10.650


G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 70 cm

36 | 40 77x77x30 cm






























Mizu 26 square multi light pendant

Body | 26 crystals


Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 A9.Q	13.250
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 A9.QL	CB 13.250
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 A9.QD	13.750
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 A9.QE	14.050
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 A9.QEW	14.050
		Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 H1.Q	13.600

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Champagne crystal	 White	Clear	G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 H1 .QL 	13.600
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 H1 .QD 	14.050
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 H1 .QE 	14.400
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 H1 .QEW 	14.400
 Cognac crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 H4 .Q 	13.600
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 H4 .QL 	13.600
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 H4 .QD 	14.050
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 H4 .QE 	14.400
 Silver dust crystal	 White	Clear	Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 H4 .QEW 	14.400
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 F4 .Q 	15.000
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 F4 .QL 	15.000
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 F4 .QD 	15.550
 Gold crystal	 White	Clear	Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 F4 .QE 	15.850
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 F4 .QEW 	15.850
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 A4 .Q 	17.000
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 A4 .QL 	17.000
 Gold crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 A4 .QD 	17.500
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 A4 .QE 	17.800
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 A4 .QEW 	17.800


Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 30 cm




























 60 |  67  90x90x30 cm













Mizu 26 round multi light pendant

Body | 26 crystals

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Clear crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 A9 .T 	13.250
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 A9 .TL 	13.250
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 A9 .TD 	13.750
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 A9 .TE 	14.050
 Champagne crystal	 White	Clear	Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 A9 .TEW 	14.050
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 H1 .T 	13.600
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 H1 .TL 	13.600
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 H1 .TD 	14.050
 Cognac crystal	 White	Clear	Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 H1 .TE 	14.400
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 H1 .TEW 	14.400
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 H4 .T 	13.600
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 H4 .TL 	13.600
 Cognac crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 H4 .TD 	14.050
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 H4 .TE 	14.400
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 H4 .TEW 	14.400
 Silver dust crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 F4 .T 	15.000
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 F4 .TL 	15.000


Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Silver dust crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 F4.TD 	15.550
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 F4.TE 	15.850
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 F4.TEW 	15.850
 Gold crystal	 White	Clear	G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	IGBT	ØR26S E8 A4.T 	17.000
			G4 Led dimmable	26 x 2W	1-10V PWM	ØR26S E8 A4.TL 	17.000
			G4 Led dimmable or G4 Halogen	26 x 2W or 26 x 10W	DALI	ØR26S E8 A4.TD 	17.500
			Integrated led	26 x 1,5W 3796 lm 3000K	0/1-10V PUSH DALI	ØR26S E8 A4.TE 	17.800
			Integrated led	26 x 1,5W 3554 lm 2700K	0/1-10V PUSH DALI	ØR26S E8 A4.TEW 	17.800

Quick system included (for further information see page 216-217)
G4 Led and G4 Halogen light bulbs are not included
On site minimum adjustable overall height 105 cm

 60 |  67  90x90x35 cm

Mizu | Bespoke

Please furnish the details for your design request by utilizing the request form



Request form |

	Size	Type *	Finish
Canopy	cm <input type="checkbox"/>	cm <input type="checkbox"/>	<input type="checkbox"/> With quick system <input type="checkbox"/> Without quick system
	cm <input type="checkbox"/>	cm <input type="checkbox"/>	<input type="checkbox"/> Available only with quick
		<input type="checkbox"/>	<input type="checkbox"/> White <input type="checkbox"/> Mirror Stainless steel <input type="checkbox"/> Brushed Stainless steel <input type="checkbox"/> Other
		<input type="checkbox"/>	

Height
<p>min _____ cm max _____ cm</p>

Diffuser	Finish	Number of pendants
	Clear <input type="checkbox"/> Champagne <input type="checkbox"/> Cognac <input type="checkbox"/> Silver Dust <input type="checkbox"/> Gold <input type="checkbox"/>	

Light Source	Voltage	Type	Dimming
	120V <input type="checkbox"/> 230V <input type="checkbox"/>	Bulb <input type="checkbox"/> Halo <input type="checkbox"/> Integrated led <input type="checkbox"/> 3000K <input type="checkbox"/> 2700K <input type="checkbox"/>	<input type="checkbox"/> IGBT <input type="checkbox"/> 1-10V <input type="checkbox"/> TRIAC <input type="checkbox"/> PUSH <input type="checkbox"/> DALI <input type="checkbox"/> Other


Additional information



Material



Metal

Legend





Finishes

Diffuser


-  Nickel plated
-  Gold plated

Canopy


-  Nickel plated
-  Gold plated





Moiré pendant light

Body



Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Nickel plated	 Nickel plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	ØM1ØS E7 C8.	CE ENEC 6.320
			integrated led	15W 1952 lm 3000K	DALI	ØM1ØS E7 C8.D	CE ENEC 6.510
 Gold plated	 Gold plated	clear cord + steel cable	integrated led	15W 1952 lm 3000K	1-10V PUSH	ØM1ØS L6 C8.	CE ENEC 7.470
			integrated led	15W 1952 lm 3000K	DALI	ØM1ØS L6 C8.D	CE ENEC 7.660

On site minimum adjustable overall height 90 cm

 10,5 |  25  83x78x95 cm

Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service



Material

Metal

Finishes

Diffuser



Nickel plated



Gold plated

Canopy




Nickel plated




Gold plated

Legend



Pendants



Ceiling lamp







Table lamp



Floor lamp



Wall sconce




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Orten'zia small mini pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear	G9 Led dimmable	3,5W	all systems	ØM47S E7 C8.	295
Gold plated	Gold plated	clear	G9 Led dimmable	3,5W	all systems	ØM47S L6 C8.	380


G9 Led light bulbs are not included
On site minimum adjustable overall height 35 cm

0,5 | 1 20x20x20 cm

Orten'zia large mini pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	red fabric	E14 Led dimmable	4W	all systems	ØM4ØS E7 C8.	510
Gold plated	Gold plated	black fabric	E14 Led dimmable	4W	all systems	ØM4ØS L6 C8.	580


E14 Led light bulbs are not included
On site minimum adjustable overall height 45 cm

1,2 | 2 30x30x30 cm

Orten'zia small pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM46S E7 C8.	1.695
Gold plated	Gold plated	black fabric + steel cable	E27 Led dimmable	15W	all systems	ØM46S L6 C8.	2.090


E27 Led light bulbs are not included
On site minimum adjustable overall height 90 cm

5 | 9 60x60x60 cm

Orten'zia large pendant light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	red fabric + steel cable	E27 Led dimmable	15W	all systems	ØM51S E7 C8.	3.810
Gold plated	Gold plated	black fabric + steel cable	E27 Led dimmable	15W	all systems	ØM51S L6 C8.	4.970

E27 Led light bulbs are not included
On site minimum adjustable overall height 120 cm




11 | 21 83x78x95 cm

Orten'zia small round ceiling light | wall sconce

Body | ceiling lamp

Body | wall sconce

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	G9 Led dimmable	3,5W	all systems	ØM57L E7 C8.	310
Gold plated	Gold plated	-	G9 Led dimmable	3,5W	all systems	ØM57L L6 C8.	340



G9 Led light bulbs are not included

0,5 | 0,8 20x20x20 cm

Orten'zia large round ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	G9 Led dimmable	4W	all systems	ØM85L E7 C8.	560
Gold plated	Gold plated	-	G9 Led dimmable	4W	all systems	ØM85L L6 C8.	625




G9 Led light bulbs are not included

1 | 1,8 30x30x30 cm

Orten'zia small ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	R7s Halogen	120W	all systems	ØM44L E7 C8.	855
Gold plated	Gold plated	-	R7s Halogen	120W	all systems	ØM44L L6 C8.	990




R7s Halogen light bulbs are not included

2,5 | 4 50x50x25 cm

Orten'zia medium ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	E27 Led dimmable	11W	all systems	ØM43L E7 C8.	1.655
Gold plated	Gold plated	-	E27 Led dimmable	11W	all systems	ØM43L L6 C8.	2.040

E27 Led light bulbs are not included




5 | 8,6 77x77x30 cm

Orten'zia large ceiling light

Body

Canopy

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	E27 Led dimmable	15W	all systems	ØM42L E7 C8.	CE ENEC 1.910
Gold plated	Gold plated	-	E27 Led dimmable	15W	all systems	ØM42L L6 C8.	CE ENEC 2.420



E27 Led light bulbs are not included

5,5 | 10 | 83x80x43,5 cm

Orten'zia small table | floor

Body

Base



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Clear	red fabric	E14 Led dimmable	4W	integrated dimmer	ØM41B E7 C8.	CE ENEC 620
Gold plated	Clear	black fabric	E14 Led dimmable	4W	integrated dimmer	ØM41B L6 C8.	CE ENEC 655



E14 Led light bulbs are not included

1,2 | 2 | 30x30x30 cm

Orten'zia medium table | floor

Body

Base



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Clear	red fabric	E27 Led dimmable	11W	integrated dimmer	ØM48P E7 C8.	CE ENEC 1.855
Gold plated	Clear	black fabric	E27 Led dimmable	11W	integrated dimmer	ØM48P L6 C8.	CE ENEC 2.360



E27 Led light bulbs are not included

5 | 9 | 60x60x60 cm

Orten'zia large table | floor

Body

Base




Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Clear	red fabric	E27 Led dimmable	15W	integrated dimmer	ØM49P E7 C8.	CE ENEC 3.960
Gold plated	Clear	black fabric	E27 Led dimmable	15W	integrated dimmer	ØM49P L6 C8.	CE ENEC 4.970







E27 Led light bulbs are not included

11 | 21 | 83x78x95 cm



Orten'zia wall sconce



Body



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Nickel plated	 Nickel plated	-	G9 Led dimmable	3,5W	all systems	ØM56A E7 C8. 	465
 Gold plated	 Gold plated	-	G9 Led dimmable	3,5W	all systems	ØM56A L6 C8. 	555

G9 Led light bulbs are not included


 1,5 |  2  20x20x20 cm



Materials

Brass and Glass

Legend
















Finishes

- | | |
|--|---|
| Structure | Diffuser |
|  Nickel plated |  Satin white |
|  Satin brass | |
|  Black | |
|  White | |
|  Gold plated | |
|  Rose gold plated | |

Oscar table lamp

Body



Diffuser	Structure	Cord	Source	Max power	Dimming	Code	Price €
 Satin white	 Nickel plated	white fabric	E14 Led dimmable	7W	Integrated dimmer	ØCØ2B E7 F5.	CE ENEC 465
 Satin white	 Satin brass	white fabric	E14 Led dimmable	7W	Integrated dimmer	ØCØ2B N9 F5.	CE ENEC 465
 Satin white	 Black	black fabric	E14 Led dimmable	7W	Integrated dimmer	ØCØ2B G2 F5.	CE ENEC 465
 Satin white	 White	white fabric	E14 Led dimmable	7W	Integrated dimmer	ØCØ2B M2 F5.	CE ENEC 465
 Satin white	 Gold plated	white fabric	E14 Led dimmable	7W	Integrated dimmer	ØCØ2B L6 F5.	CE ENEC 520
 Satin white	 Rose gold plated	white fabric	E14 Led dimmable	7W	Integrated dimmer	ØCØ2B N4 F5.	CE ENEC 520

E14 Led light bulbs are not included

 1,2 |  2,8  41x41x41 cm




Materials

Brass and Glass

Finishes

Diffuser


 Raw brass | clear glass

 Polished brass | satin white glass


Canopy

 White


Legend




Pendants



3 Light pendant



Pug pendant light



Diffuser	Disc	Cord	Source	Max power	Dimming	Code	Price €
Raw brass clear glass	White	clear cord + steel cable	G4 Led dimmable	1,5W	see power supply options	ØUØ1S P1 A9.KK	400
Polished brass satin white glass	White	clear cord + steel cable	G4 Led dimmable	1,5W	see power supply options	ØUØ1S N5 A3.KK	440


G4 Led light bulbs are not included
On site minimum adjustable overall height 25 cm

0,9 kg | 1,1 kg 16,5x16,5x22,5 cm

Power supply options

G4 LED		Code	Price €
Dimming			
IGBT	max 28 pendants	R1Ø3ØØØØ	30 (net)
100kΩ 0/1-10V PUSH DALI	max 34 pendants	KITELETDALILED6Ø	135 (net)
	max 57 pendants	KITELETDALILED1ØØ	160 (net)

Pug pendant light



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Raw brass clear glass	White	clear cord + steel cable	G4 Led	1,5W	no	ØUØ1S P1 A9.	455
			G4 Led dimmable	1,5W	100kΩ 0/1-10V PUSH DALI	ØUØ1S P1 A9.D	575

Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Polished brass satin white glass	White	clear cord + steel cable	G4 Led	1,5W	no	ØUØ1S N5 A3.	490
			G4 Led dimmable	1,5W	100kΩ 0/1-10V PUSH DALI	ØUØ1S N5 A3.D	615


G4 Led light bulbs are not included
On site minimum adjustable overall height 30 cm

0,9 kg | 1,1 kg 16,5x16,5x22,5 cm

Light bulb

Source	Max power	Code	Price €
G4 12V Led dimmable	1,5W 3000K	J132ØØØØ	15 (net)

Pug 3 light pendant



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Raw brass clear glass	White	clear cord + steel cable	G4 Led dimmable	3 x 1,5W	IGBT	ØUØ3S P1 A9.	1.265
			G4 Led dimmable	3 x 1,5W	DALI	ØUØ3S P1 A9.D	1.400
Polished brass satin white glass	White	clear cord + steel cable	G4 Led dimmable	3 x 1,5W	IGBT	ØUØ3S N5 A3.	1.400
			G4 Led dimmable	3 x 1,5W	DALI	ØUØ3S N5 A3.D	1.530

G4 Led light bulbs are not included
On site minimum adjustable overall height 30 cm
On request it is available the CB version dimmable 1-10V/PWM.


2 kg | 3,2 kg 30x30x30 cm

Light bulb

Source	Max power	Code	Price €
G4 12V Led dimmable	1,5W 3000K	J132ØØØØ	15 (net)









Pug | Bespoke

Please furnish the details for your design request by utilizing the request form



Request form |



Canopy	Size		Type *		Finish
	 cm <input type="checkbox"/>	 cm <input type="checkbox"/>	 Standard <input type="checkbox"/> With quick system <input type="checkbox"/> Without quick system	<input type="checkbox"/> White <input type="checkbox"/> Other	
	 cm <input type="checkbox"/>	 cm <input type="checkbox"/>	 Flush <input type="checkbox"/> Available only with quick		
		 Disc <input type="checkbox"/>			
Height	Pendant height				
	min <input type="text"/> max <input type="text"/>		min <input type="text"/> cm max <input type="text"/> cm		
Diffuser	Glass finish		Structure finish		Number of pendants
	Clear <input type="checkbox"/> Satin white <input type="checkbox"/>	Raw brass <input type="checkbox"/> Polished brass <input type="checkbox"/>			
Light Source	Voltage		Type	Dimming	
	120V <input type="checkbox"/>	230V <input type="checkbox"/>	Led <input type="checkbox"/>	<input type="checkbox"/> IGBT <input type="checkbox"/> TRIAC <input type="checkbox"/> DALI	<input type="checkbox"/> Other


Additional information



Materials

Brass chains and metal structure plated

Legend



Finishes


Diffuser

-  Nickel plated |
Brushed nickel plated
-  Brushed bronze
-  Gold plated |
Brushed gold plated
-  Champagne plated |
Brushed champagne


Canopy

-  Nickel plated
-  Brushed bronze
-  Gold plated
-  Champagne plated

Chandelier



Ceiling lamp




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Soscik small chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated Brushed nickel plated	Nickel plated	clear cord + steel cable	G9 Led dimmable	8 x 3,5W	all systems	ØG55S H4 C8.	CE ENEC 11.150
Brushed bronze	Brushed bronze	clear cord + steel cable	G9 Led dimmable	8 x 3,5W	all systems	ØG55S F7 C8.	CE ENEC 13.550
Gold plated Brushed gold plated	Gold plated	clear cord + steel cable	G9 Led dimmable	8 x 3,5W	all systems	ØG55S L8 C8.	CE ENEC 14.000
Champagne plated Brushed champagne	Champagne plated	clear cord + steel cable	G9 Led dimmable	8 x 3,5W	all systems	ØG55S N1 C8.	CE ENEC 14.000


G9 Led light bulbs are not included
On site minimum adjustable overall height 115 cm



Soscik large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated Brushed nickel plated	Nickel plated	clear cord + steel rope	G9 Led dimmable	14 x 3,5W	all systems	ØG57S H4 C8.	CE ENEC 39.300
Brushed bronze	Brushed bronze	clear cord + steel rope	G9 Led dimmable	14 x 3,5W	all systems	ØG57S F7 C8.	CE ENEC 45.700
Gold plated Brushed gold plated	Gold plated	clear cord + steel rope	G9 Led dimmable	14 x 3,5W	all systems	ØG57S L8 C8.	CE ENEC 48.500
Champagne plated Brushed champagne	Champagne plated	clear cord + steel rope	G9 Led dimmable	14 x 3,5W	all systems	ØG57S N1 C8.	CE ENEC 48.500


G9 Led light bulbs are not included
Not adjustable on site



Soscik medium chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated Brushed nickel plated	Nickel plated	clear cord + steel rope	G9 Led dimmable	12 x 3,5W	all systems	ØG56S H4 C8.	CE ENEC 23.100
Brushed bronze	Brushed bronze	clear cord + steel rope	G9 Led dimmable	12 x 3,5W	all systems	ØG56S F7 C8.	CE ENEC 26.650
Gold plated Brushed gold plated	Gold plated	clear cord + steel rope	G9 Led dimmable	12 x 3,5W	all systems	ØG56S L8 C8.	CE ENEC 28.500
Champagne plated Brushed champagne	Champagne plated	clear cord + steel rope	G9 Led dimmable	12 x 3,5W	all systems	ØG56S N1 C8.	CE ENEC 28.500


G9 Led light bulbs are not included
Not adjustable on site



Soscik small ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated Brushed nickel plated	Nickel plated	-	G9 Led dimmable	8 x 3,5W	all systems	ØG6ØL H4 C8.	CE ENEC 4.720
Brushed bronze	Brushed bronze	-	G9 Led dimmable	8 x 3,5W	all systems	ØG6ØL F7 C8.	CE ENEC 5.940
Gold plated Brushed gold plated	Gold plated	-	G9 Led dimmable	8 x 3,5W	all systems	ØG6ØL L8 C8.	CE ENEC 6.200
Champagne plated Brushed champagne	Champagne plated	-	G9 Led dimmable	8 x 3,5W	all systems	ØG6ØL N1 C8.	CE ENEC 6.200


G9 Led light bulbs are not included



Soscik medium ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated Brushed nickel plated	Nickel plated	-	G9 Led dimmable	10 x 3,5W	all systems	ØG61L H4 C8.	CE ENEC 12.600
Brushed bronze	Brushed bronze	-	G9 Led dimmable	10 x 3,5W	all systems	ØG61L F7 C8.	CE ENEC 15.550
Gold plated Brushed gold plated	Gold plated	-	G9 Led dimmable	10 x 3,5W	all systems	ØG61L L8 C8.	CE ENEC 16.150
Champagne plated Brushed champagne	Champagne plated	-	G9 Led dimmable	10 x 3,5W	all systems	ØG61L N1 C8.	CE ENEC 16.150


G9 Led light bulbs are not included

36 | 75 115x115x66 cm

Soscik large ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated Brushed nickel plated	Nickel plated	-	G9 Led dimmable	12 x 3,5W	all systems	ØG62L H4 C8.	CE ENEC 21.200
Brushed bronze	Brushed bronze	-	G9 Led dimmable	12 x 3,5W	all systems	ØG62L F7 C8.	CE ENEC 25.100
Gold plated Brushed gold plated	Gold plated	-	G9 Led dimmable	12 x 3,5W	all systems	ØG62L L8 C8.	CE ENEC 26.050
Champagne plated Brushed champagne	Champagne plated	-	G9 Led dimmable	12 x 3,5W	all systems	ØG62L N1 C8.	CE ENEC 26.050

G9 Led light bulbs are not included

65 | 122 160x160x79 cm




Material


Stainless steel



Finish




Legend



Stanley floor lamp

Body

Top view



Structure	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Brushed stainless steel	-	black	integrated leds	Top: 21W Edges: 3x39W Total: 138W 15750lm 3000K CRI>80	Casambi Xpress wireless switch	ØCØ6P H2 C8.	€ 4.950

Casambi technology | Xpress-LR remote control
Each light source can be dimmed independently or in programmable groups.
Light sources are replaceable

50 | 66 212x64x62 cm






Materials




Brass chains and metal structure plated

Legend






Finishes


Diffuser

-  Nickel plated
-  Black nickel plated
-  Gold plated


Canopy

-  Nickel plated
-  Black nickel plated
-  Gold plated


Chandelier




Ceiling lamp



Wall sconce



Floor lamp




Bespoke

Bespoke options available on request | for further information, please feel free to contact our customer service

Stream mini chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	G9 Led dimm. + GU10 Led dimm.	4 x 3,5W + 5W	all systems	ØJ54S E7 C8.	CE ENEC 3.315
Black nickel plated	Black nickel plated	clear cord + chain	G9 Led dimm. + GU10 Led dimm.	4 x 3,5W + 5W	all systems	ØJ54S E9 C8.	CE ENEC 3.610
Gold plated	Gold plated	clear cord + chain	G9 Led dimm. + GU10 Led dimm.	4 x 3,5W + 5W	all systems	ØJ54S L6 C8.	CE ENEC 4.085


G9 Led and GU10 Led light bulbs are not included
On site minimum adjustable overall height 80 cm

5,5 | 6,5 46x39x32 cm

Stream large chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel rope	E14 Led dimm. + GU10 Led dimm.	20 x 4W + 5W	all systems	ØJ5ØS E7 C8.	CE ENEC 30.650
Black nickel plated	Black nickel plated	clear cord + steel rope	E14 Led dimm. + GU10 Led dimm.	20 x 4W + 5W	all systems	ØJ5ØS E9 C8.	CE ENEC 34.150
Gold plated	Gold plated	clear cord + steel rope	E14 Led dimm. + GU10 Led dimm.	20 x 4W + 5W	all systems	ØJ5ØS L6 C8.	CE ENEC 36.850


E14 Led and GU10 Led light bulbs are not included
Not adjustable on site

63 | 140 135x135x144 cm

Stream small chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + steel rope	E14 Led dimm. + GU10 Led dimm.	18 x 4W + 5W	all systems	ØJ51S E7 C8.	CE ENEC 24.700
Black nickel plated	Black nickel plated	clear cord + steel rope	E14 Led dimm. + GU10 Led dimm.	18 x 4W + 5W	all systems	ØJ51S E9 C8.	CE ENEC 27.650
Gold plated	Gold plated	clear cord + steel rope	E14 Led dimm. + GU10 Led dimm.	18 x 4W + 5W	all systems	ØJ51S L6 C8.	CE ENEC 31.300


E14 Led and GU10 Led light bulbs are not included
Not adjustable on site

40 | 93 115x115x124 cm

Stream linear chandelier

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	clear cord + chain	G9 Led dimm. + GU10 Led dimm.	12 x 3,5W + 3 x 5W	all systems	ØJ52S E7 C8.	CE ENEC 20.000
Black nickel plated	Black nickel plated	clear cord + chain	G9 Led dimm. + GU10 Led dimm.	12 x 3,5W + 3 x 5W	all systems	ØJ52S E9 C8.	CE ENEC 21.950
Gold plated	Gold plated	clear cord + chain	G9 Led dimm. + GU10 Led dimm.	12 x 3,5W + 3 x 5W	all systems	ØJ52S L6 C8.	CE ENEC 24.550


G9 Led and GU10 Led light bulbs are not included
On site minimum adjustable overall height 100 cm

48 | 86 170x55x99 cm

Stream ceiling light

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	G9 Led dimm. + GU10 Led dimm.	8 x 3,5W + 5W	all systems	ØJ7ØL E7 C8.	CE ENEC 11.150
Black nickel plated	Black nickel plated	-	G9 Led dimm. + GU10 Led dimm.	8 x 3,5W + 5W	all systems	ØJ7ØL E9 C8.	CE ENEC 12.350
Gold plated	Gold plated	-	G9 Led dimm. + GU10 Led dimm.	8 x 3,5W + 5W	all systems	ØJ7ØL L6 C8.	CE ENEC 13.550


G9 Led and GU10 Led light bulbs are not included
Not adjustable on site

17 | 30 83x78x95 cm

Stream floor lamp

Body

Base



Diffuser	Base	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	black	E14 Led dimmable	6 x 6W	integrated dimmer	ØJ65P E7 C8.	CE ENEC 5.050
Black nickel plated	Black nickel plated	black	E14 Led dimmable	6 x 6W	integrated dimmer	ØJ65P E9 C8.	CE ENEC 5.550
Gold plated	Gold plated	black	E14 Led dimmable	6 x 6W	integrated dimmer	ØJ65P L6 C8.	CE ENEC 6.320


E14 Led light bulbs are not included

16,5 | 23,5 191x46x46 cm

Stream wall sconce

Body

Canopy



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
Nickel plated	Nickel plated	-	E14 Led dimmable	2 x 6W	all systems	ØJ6ØA E7 C8.	CE ENEC 1.265
Black nickel plated	Black nickel plated	-	E14 Led dimmable	2 x 6W	all systems	ØJ6ØA E9 C8.	CE ENEC 1.405
Gold plated	Gold plated	-	E14 Led dimmable	2 x 6W	all systems	ØJ6ØA L6 C8.	CE ENEC 1.595

E14 Led light bulbs are not included


2 | 3 42x24x20 cm



Materials


Brass chains and metal structure plated

Legend



Finishes


Diffuser

-  Nickel plated
-  Black nickel plated
-  Brushed bronze
-  Gold plated

Canopy

-  Nickel plated
-  Black nickel plated
-  Brushed bronze
-  Gold plated

Chandelier




Bespoke


Bespoke options available on request | for further information, please feel free to contact our customer service

Volver small linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØL63S E7 C8.	CE ENEC CB 9.570
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØL63S E7 C8.W	CE ENEC CB 9.570
			integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØL63S E7 C8.D	CE ENEC CB 9.700
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØL63S E7 C8.WD	CE ENEC CB 9.700
		clear cord + steel cable	integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØL63S E9 C8.	CE ENEC CB 10.600
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØL63S E9 C8.W	CE ENEC CB 10.600
			integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØL63S E9 C8.D	CE ENEC CB 10.700
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØL63S E9 C8.WD	CE ENEC CB 10.700
		clear cord + steel cable	integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØL63S F7 C8.	CE ENEC CB 11.450
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØL63S F7 C8.W	CE ENEC CB 11.450
			integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØL63S F7 C8.D	CE ENEC CB 11.550
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØL63S F7 C8.WD	CE ENEC CB 11.550
		clear cord + steel cable	integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	0-10V PWM	ØL63S L6 C8.	CE ENEC CB 11.850
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	0-10V PWM	ØL63S L6 C8.W	CE ENEC CB 11.850
			integrated Led boards	7 x 4,5W 4632 lm CRI 90 3000K	PUSH DALI	ØL63S L6 C8.D	CE ENEC CB 12.000
			integrated Led boards	7 x 4,5W 4200 lm CRI 90 2700K	PUSH DALI	ØL63S L6 C8.WD	CE ENEC CB 12.000

On site minimum adjustable overall height 95 cm


18 | 47 85x55x99 cm

Volver medium linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL60S E7 C8.	CE ENEC CB 19.400
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL60S E7 C8.W	CE ENEC CB 19.400
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL60S E7 C8.D	CE ENEC CB 19.500
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL60S E7 C8.WD	CE ENEC CB 19.500
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL60S E9 C8.	CE ENEC CB 21.950
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL60S E9 C8.W	CE ENEC CB 21.950
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL60S E9 C8.D	CE ENEC CB 22.050
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL60S E9 C8.WD	CE ENEC CB 22.050
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL60S F7 C8.	CE ENEC CB 23.800
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL60S F7 C8.W	CE ENEC CB 23.800
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL60S F7 C8.D	CE ENEC CB 23.900
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL60S F7 C8.WD	CE ENEC CB 23.900
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL60S L6 C8.	CE ENEC CB 24.250
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL60S L6 C8.W	CE ENEC CB 24.250
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL60S L6 C8.D	CE ENEC CB 24.400
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL60S L6 C8.WD	CE ENEC CB 24.400

On site minimum adjustable overall height 95 cm


36,5 | 72 148x55x99 cm

Volver large linear chandelier


Body



Canopy



Canopy for DALI




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	ØL62S E7 C8.	26.350
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	ØL62S E7 C8.W	26.350
			integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	ØL62S E7 C8.D	26.550
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	ØL62S E7 C8.WD	26.550
		clear cord + steel cable	integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	ØL62S E9 C8.	29.850
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	ØL62S E9 C8.W	29.850
			integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	ØL62S E9 C8.D	30.050
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	ØL62S E9 C8.WD	30.050
		clear cord + steel cable	integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	ØL62S F7 C8.	32.500
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	ØL62S F7 C8.W	32.500
			integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	ØL62S F7 C8.D	32.800
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	ØL62S F7 C8.WD	32.800
		clear cord + steel cable	integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	0-10V PWM	ØL62S L6 C8.	33.800
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	0-10V PWM	ØL62S L6 C8.W	33.800
			integrated Led boards	20 x 4,5W 13234 lm CRI 90 3000K	PUSH DALI	ØL62S L6 C8.D	34.000
			integrated Led boards	20 x 4,5W 12000 lm CRI 90 2700K	PUSH DALI	ØL62S L6 C8.WD	34.000

On site minimum adjustable overall height 95 cm


45 | 95 | 199x55x99 cm

Volver round chandelier


Body



Canopy




Canopy for DALI



Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL61S E7 C8.	23.050
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL61S E7 C8.W	23.050
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL61S E7 C8.D	23.250
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL61S E7 C8.WD	23.250
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL61S E9 C8.	25.500
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL61S E9 C8.W	25.500
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL61S E9 C8.D	25.700
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL61S E9 C8.WD	25.700
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL61S F7 C8.	27.050
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL61S F7 C8.W	27.050
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL61S F7 C8.D	27.150
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL61S F7 C8.WD	27.150
		clear cord + steel cable	integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	0-10V PWM	ØL61S L6 C8.	28.250
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	0-10V PWM	ØL61S L6 C8.W	28.250
			integrated Led boards	10 x 4,5W 6617 lm CRI 90 3000K	PUSH DALI	ØL61S L6 C8.D	28.400
			integrated Led boards	10 x 4,5W 6000 lm CRI 90 2700K	PUSH DALI	ØL61S L6 C8.WD	28.400

On site minimum adjustable overall height 95 cm

40 | 90 | 115x155x124 cm



Material



Metal

Legend





Finishes

Diffuser


-  Nickel plated
-  Gold plated





Canopy

-  Nickel plated
-  Gold plated

Wabi wall sconce

Body




Diffuser	Canopy	Cord	Source	Max power	Dimming	Code	Price €
 Nickel plated	 Nickel plated	-	R7s Halogen	48W	all systems	ØN74A E7 C8.	CE ENEC 245
 Gold plated	 Gold plated	-	R7s Halogen	48W	all systems	ØN74A L6 C8.	CE ENEC 270

R7s Halogen light bulbs are not included


 1 |  1,4  32x24x17 cm

Canopy types |


Standard




Radial




Flush



Disc





Glasses&Components

Glasses and Components



Item	Description	Code	€	Item	Description	Code	€
Abacus	White glass	W389V6CV	32	Mizu	Clear	W341V000	258
Angel Falls	Clear	W349V6G0	230		Champagne	W341V8N0	275
Calle	Clear	W356V6G0	620		Cognac	W395V6J0	275
Frame	Clear Ø7 wall sc.	KITMECC00-020	215		Silver dust	W366V8M0	330
	Clear Ø7 susp.	W344V000	245		Gold	W351V8L0	470
	Clear Ø10 susp.	W343V000	360	Oscar	Satin White	W390V6CA	250
	Clear cone susp.	W352V000	415	Petit theatre	Amber Gold H61 R	W245V7U0	420
Glamour	Glass	W325V6A0	145		White H60 L	W242V6A0	335
Iceberg	"A" module	X287P000	82	Phantom	White	W008V6A0	335
	"B" module	X288P000	82		Gold	W022V7J0	420
	"C" module	X292P000	82	Pug	Clear	W391V000	120
	"F" module	X290P000	82		Satin White	W392V6CA	185
	"E" module	X289P000	82	Solune	Amber F62	W004V6L0	440
	"G" module	X291P000	82		Amber G31	W193V6L0	260
	Manta	Clear Ø20	W379V6G0	420		Amber F63 Ø40	W188V6L0
	Clear Ø26	W380V6G0	630		Amber F60 F61 F64 Ø55	W041V6L0	940

Condizioni Generali di vendita e consegna

Validità

Il presente listino annulla e sostituisce il precedente. La Terzani Srl si riserva il diritto di apportare modifiche al listino in qualunque momento e senza preavviso e declina ogni responsabilità per eventuali inesattezze in esso contenute derivanti da errori di stampa o trascrizione.

Prezzi

Tutti i prezzi indicati su questo listino sono espressi in euro e sono al pubblico I.V.A. esclusa. Sui prezzi netti (net) presenti nel listino non sono applicabili sconti commerciali. Le offerte emesse da Terzani srl hanno una validità di 30 giorni. Decorso detto termine la Terzani srl si riserva il diritto di apportare eventuali modifiche ai prezzi senza preavviso.

Pagamenti

50% anticipo all’ordine, saldo (incluso le spese di trasporto) prima del ritiro/della spedizione.

Modifiche e annullamento ordini

La modifica o la cancellazione dell’ordine dopo la data di conferma non è valida se non previa accettazione scritta da parte di Terzani. Non è comunque in ogni caso ammesso l’annullamento di ordini per prodotti su misura.

Consegna

I termini eventualmente fissati per la consegna della merce sono puramente indicativi.

La loro mancata osservanza non darà luogo a penalità di sorta né potrà originare richieste di risarcimento danni.

Garanzia & Responsabilità

La garanzia ha la durata di 2 anni a decorrere dalla data di fatturazione della merce. Durante il periodo di validità, la garanzia dà diritto alla riparazione o sostituzione della merce o parte di essa. La presente garanzia non si applica ai danni derivanti da incidenti, alterazioni, manomissioni, uso improprio, negligenza o abuso. Terzani Srl non fornisce garanzie in caso di utilizzo errato o inappropriato, installazione/disinstallazione errata, uso improprio e manutenzione errata, pertanto nessuna responsabilità può essere attribuita alla società e nessuna richiesta di risarcimento sarà accettata.

Limitazione di Responsabilità

TERZANI SRL NON E’ RESPONSABILE PER DANNI INDIRETTI, SPECIALI, ACCIDENTALI O CONSEQUENZIALI DI QUALSIASI NATURA.

Inoltre, Terzani Srl non è responsabile per quanto segue:

- Eventuali costi relativi all’installazione, reinstallazione, rimozione o riparazione
- Danni causati da installazione o assemblaggio improprio da parte dell’acquirente o di terzi
- Danni causati dall’esposizione alle intemperie o da un ambiente improprio
- Danni causati da soluzioni o metodi di pulizia impropri
- Qualsiasi cambiamento nell’aspetto o patina causato dall’usura naturale

Spese di Trasporto

Per le spedizioni in Italia di importo

superiori o uguali a € 750 il trasporto è franco destino

inferiore a € 750 sarà addebitato in fattura un contributo di € 35.

Rotture Trasporto

Terzani srl non è responsabile per danni alle merci che si verificano durante il trasporto o lo stoccaggio. Al momento della consegna il destinatario deve accertarsi che i colli siano integri; in caso di colli scondizionati, manomessi, mancanti o quanto altro possa far intuire un danno o una rottura, la merce deve essere accettata annotando sul documento di trasporto: “Riserva di controllo del contenuto”. Specificando la motivazione per cui è posta la riserva al fine di presentare eventuale reclamo per iscritto alla Terzani srl entro 8 giorni lavorativi dalla data dell’accettazione con riserva della merce.

Contestazioni

Eventuali contestazioni sulla qualità e quantità della merce ricevuta dovranno essere notificate dall’acquirente alla Terzani Srl esclusivamente in forma scritta o per e-mail entro 8 giorni dall’avenuta consegna. Non si accettano contestazioni per prodotti già installati o manomessi.

Resi

Non sarà accettata la restituzione dei prodotti senza il consenso scritto e le istruzioni di spedizione di Terzani Srl. Qualsiasi operazione di reso si intende “Franco nostro stabilimento”. La merce deve essere perfettamente imballata, possibilmente nell’imballo originale. La Terzani Srl non sarà responsabile per danni o rotture avvenuti durante il trasporto per merce non adeguatamente imballata. La restituzione della merce installata non sarà accettata. La restituzione di beni non difettosi, una volta approvata, sarà soggetta ad un costo pari al 30% del prezzo di acquisto sostenuto dal cliente.

Caratteristiche del prodotto/Unità di misura

Tutti i prodotti sono fatti a mano e sono tutti oggetti unici. I vetri soffiati e o rifiniti a mano possono presentare bolle d’aria, strisce leggere o scoloriture. Questi aspetti sono tipici dell’alta qualità dei prodotti in vetro soffiato e rifinito a mano e non possono essere considerati difetti di lavorazione e non possono essere oggetto di reclamo. Tutte le misure nel listino prezzi sono in centimetri.

OAH (overall high) – Soltanto un elettricista certificato può aggiustare/accorciare l’altezza totale del/dei pendente/i.

Prodotti e Modifiche

Per motivi di produzione e/o miglioramento, Terzani Srl si riserva il diritto di modificare, in qualsiasi momento e senza preavviso, le specifiche tecniche e/o progettuali di qualsiasi prodotto illustrato nel catalogo. Questo non potrà essere oggetto di rivalsa su prodotti già forniti.

Lampadine

Le lampadine non sono incluse ad eccezione dei led integrati.

Foro Competente

Per qualsiasi contestazione si considera competente soltanto l’Autorità Giudiziaria di Firenze.

General terms and conditions of sales and delivery

Validity

This price list cancels out the previous one and replaces it. Terzani Srl reserves the right to make changes to the price list at any time and without prior notice, and assumes no liability for inaccuracies contained therein due to printing or transcription errors.

Prices

All prices indicated on this price list are expressed in euros and exclude VAT for the general public. No commercial discounts can be applied to the net prices on the price list. The quotes issued by Terzani srl are valid for 30 days. After the term mentioned above, Terzani srl reserves the right to make any changes to the prices without prior notice.

Payments

50% in advance at the time of ordering, the remaining balance (including transport costs) before collection/shipment.

Changes and cancellation of orders

Changes in or cancellation of orders after the confirmation date are not valid unless prior written acceptance has been provided by Terzani. In any case, orders for customized products cannot be cancelled.

Delivery

Any terms established for the delivery of the goods are purely indicative.

Failure to meet these terms will not result in penalties of any kind or lead to claims for damages.

Warranty & Liability

Terzani SRL warrants that the goods will be free from material defects, are made with workmanlike quality, and will conform, within normal commercial tolerances, to the applicable specifications for a period of 2 years from the date the goods are invoiced, subject to the notice and exclusions below. The sole remedy for breach of this limited warranty will be Terzani SRL repairing, replacing, or providing replacement parts, at Terzani SRL’s discretion. Purchaser shall notify Terzani SRL of any such defect or nonconformity immediately after delivery or discovery, if not readily apparent on delivery. This limited warranty does not extend to any goods purchaser improperly uses, installs, or uninstalls, or otherwise modifies, alters, tampers with, abuses, neglects, improperly maintains, or otherwise misuses according to the applicable documentation or specifications, or to any goods purchaser has had repaired or altered by a person other than Terzani SRL.

Limitation on Liability

TERZANI SRL HEREBY EXPRESSLY EXCLUDES ANY LIABILITY FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY NATURE UNDER THE TERMS OF THIS WARRANTY.

Additionally, Terzani Srl is not responsible for the following:

- Any costs related to installation, re-installation, removal, or repair
- Damage caused by improper installation or assembly by the purchaser or a third party
- Damage caused by exposure to weather or improper environment
- Damage caused by improper cleaning solutions or methods

Any change in appearance or patina caused by natural wear

Shipping charges

For shipments in Austria, Belgium, France, Germany, Greece, Luxemburg, Netherland, Poland, Spain amounting to

More than € 850, transport is DAP

less than € 850, there will be a charge € 50 added to the invoice.

Breakages during Transport

Terzani srl is not liable for damage to goods that occurs during transport or storage. At the time of delivery, the recipient must ascertain that the packages are intact; in the case of packages that, on arrival, are in bad condition, tampered with, missing, or anything else that might suggest damage or breakage, the goods must be accepted, and on the transport document, in writing, there must be the words: “Riserva di controllo del contenuto (With reservations - subject to inspection)”, specifying the reason for the reservations, for the purposes of lodging a complaint in writing to Terzani srl within 8 working days from the date that the goods are accepted with reservations.

Complaints

In regard to any complaints over the quality and quantity of the goods received, the purchaser must notify Terzani Srl exclusively in writing or by e-mail within 8 days of delivery. Complaints about products already installed or tampered with will not be accepted.

Returns

Products may not be returned without written consent and shipping instructions from Terzani Srl. Any return operation is understood as “free from our factory”. The goods must be packed perfectly, preferably in the original packaging. Terzani Srl will not be liable for damages or breakages that take place during the transport of goods that are not properly packed. The return of already installed goods will not be accepted. The return of non-defective goods, once approved, will be subject to a cost equal to 30% of the purchase price paid by the customer.

Product features / Units of measurement

All the products are made by hand and unique. Blown glass and/or hand-finished glass may have air bubbles, light stripes or discolouration. These are typical features in high-quality blown glass and hand-finished glass products and cannot be considered manufacturing defects and nor may be subject to complaints.

All measurements in the price list are in centimeters.

OAH (overall height) - The total height of the pendant (s) may only be adjusted/shortened by a certified electrician.

Products and modifications

Terzani SRL reserves the right to modify the technical and/or design specifications of any product illustrated in the catalogue at any time and without notice for product production reasons and/or product improvement. Any such modifications shall not be grounds for returning a product once such product is delivered.

Light bulbs

Light bulbs, except for the integrated leds, are not included.

Place of jurisdiction

The judicial authorities in Florence shall have exclusive jurisdiction in any dispute.

TERZANI
LA LUCE PENSATA

All products in the Terzani collections are inspired by a return to noble artisan traditions. Every object is carefully created using craft techniques and for this reason certain details may vary from product to product. These variations are not imperfections but characteristic peculiarities of the production process. Terzani reserves the right to modify its products in order to improve its features. Product reproduction on paper may result in a misrepresentation of some colors. For updated technical data please refer to our current price list or our website. For informations about Patent & Design Registration please visit: www.terzani.com/patents

Headquarter & Showroom
Terzani srl

Via Castelpulci Int.9
50018 Scandicci Firenze Italy
Office +39 055 722021
info@terzani.com

Creative Direction Terzani
Art Direction Camilla Cordella
Photos Leonardo Beglieri
Digital imaging Fulvio Gallotti
Printed on eco-friendly paper
Eu (Italy) 2024
© terzani 2024

terzani.com

